INCH-POUND

MS17186B
30 NOVEMBER 2021
SUPERSEDING
MS17186A
9 APRIL 1965

DETAIL SPECIFICATION SHEET

WASHER, DRIVE (SYNCHRO)

Inactive for new design after 3 February 2000
and is no longer used, except for replacement purposes.

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

Comments, suggestions, or questions on this document should be addressed to DLA Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616 or emailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.




Figure 1. Washer Diagram

Table I. Washer Dimensions

Part No.	A +.020 (.51) -.005 (.13)	B ±.010 (.28)	C MIN	D MIN	E	F	G NOM	H ±.020 (.51)	J MIN	Gear Data					
										Press Angle	No. Teeth	D.P.	P.D. +.001 (.03)	Root +.005 (.13)	Internal +.005 (.13)
MS17186-1	.432 (10.97)	.287 (7.29)	.215 (5.46)	.09 (2.29)	.093 (2.36)	.078 (1.98)	.146 (3.71)	.292 (7.42)	.05 (1.27)	20°	13	120	.108 (2.74)	.125 (3.18)	.091 (2.31)
MS17186-2	.516 (13.11)	.350 (8.89)	.291 (7.39)	.09 (2.29)	.125 (3.18)	.093 (2.36)	.177 (4.50)	.355 (9.02)	.05 (1.27)	20°	21	120	.175 (4.45)	.192 (4.88)	.158 (4.01)
MS17186-3	.516 (13.11)	.350 (8.89)	.291 (7.39)	.09 (2.29)	.125 (3.18)	.093 (2.36)	.177 (4.50)	.355 (9.02)	.05 (1.27)	20°	15	96	.157 (3.96)	.177 (4.50)	.135 (3.43)
MS17186-4	.625 (15.88)	.437 (11.10)	.350 (8.89)	.12 (3.05)	.125 (3.18)	.093 (2.36)	.208 (5.28)	.417 (10.59)	.06 (1.52)	20°	22	96	.229 (5.82)	.250 (6.35)	.208 (5.28)
MS17186-5	.432 (10.97)	.287 (7.29)	.215 (5.46)	.09 (2.29)	.093 (2.36)	.078 (1.98)	.146 (3.71)	.292 (7.42)	.05 (1.27)	20°	13	120	.108 (2.74)	.125 (3.18)	.091 (2.31)
MS17186-6	.516 (13.11)	.350 (8.89)	.291 (7.39)	0.09 (2.29)	.125 (3.18)	.093 (2.36)	.177 (4.50)	.355 (9.02)	.05 (1.27)	20°	21	120	.175 (4.45)	.192 (4.88)	.158 (4.01)
MS17186-7	.516 (13.11)	.350 (8.89)	.291 (7.39)	.09 (2.29)	.125 (3.18)	.093 (2.36)	.177 (4.50)	.355 (9.02)	.05 (1.27)	20°	15	96	.156 (3.96)	.177 (4.50)	.135 (3.43)
MS17186-8	.625 (15.88)	.437 (11.10)	.350 (8.89)	.12 (3.05)	.125 (3.18)	.093 (2.36)	.208 (5.28)	.417 (10.59)	.06 (1.52)	20°	22	96	.229 (5.82)	.177 (4.50)	.135 (3.43)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.

MATERIAL:

Numbers 1, 2, 3 & 4 Aluminum alloy, Specification SAE-AMS-QQ-A-250/8 Temper H34.

Numbers 5, 6 ,7 & 8 Commercial brass, Specifications ASTM B16/B16M, ASTM B36/B36M, ASTM B121/B121M, or ASTM B124/B124M.

PROTECTIVE TREATMENT:

Numbers 1, 2, 3 & 4 Dichromate, Specification MIL-DTL-5541

Numbers 5, 6, 7 & 8 Plating nickel, Specification SAE-AMS-QQ-N-290, class A, grade G with a maximum thickness of 0.0005 inches (0.01).

DIMENSIONS: All dimensions are in inches unless otherwise specified.

TOLERANCES: unless otherwise specified, Decimals ±0.005 (.13), angles ±1°.

NOTES:
1. All tabs to be centralized about the center line.
2. For design feature purposes, this standard takes precedence over documents referenced herein.
3. Referenced documents shall be the issue in effect on date of invitations for bids.
4. Metric equivalents (to the nearest 0.01mm) are given for general information only and are based upon 1 inch = 25.4 mm.
5. Millimeters are in parentheses.

Referenced Documents: This document references the following.

SAE-AMS-QQ-A-250/8
ASTM B16/B16M
ASTM B36/B36M
ASTM B121/B121M
ASTM B124/B124M
MIL-DTL-5541
SAE-AMS-QQ-N-290

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.

APPENDIX A
3D Model for reference only.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.

Custodians:
Army – AR
Air Force – 11
DLA – GS

Preparing Activity:
DLA – GS7

(Project 5310-2022-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:04Z
Check the source to verify that this is the current version before use.