
FED SUP CLASS 950



NOTICE—When Government drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

APPROVED 10 SEP 1962 REVISED

P A SHIPS Other Cust	TITLE DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG 815-1197000	SHEET 1 OF 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS 5950

LIST OF MATERIAL - QUANTITIES FOR ONE UNIT

PC NO	NAME	QTY	MATERIAL	SPECIFICATION	REQUIREMENTS
1	ASSY, BOX	1			MS17848-2 MOD
2	ASSY, COVER				
3	COVER				
4	BUSHING	1	MANGANESE BRONZE		
5	PAD	2	BRASS		
6	PAD	2	BRASS		
7	PAD, IDENTIFICATION PLATE	3	BRASS		
8	AUTOTRANSFORMER	1			REQ'T 3 & 6
9	ASSY SHAFT				
10	DISC, INDEXING	1	BERYLLIUM COPPER		
11	SHAFT	1	CRES		
12	COUPLER	1	BRASS		
13	BASEPLATE	1	BRASS		
14	SPRING	2	MUSIC WIRE		
15	ARM, INDEXING	2	BERYLLIUM COPPER		
16	ROLLER, INDEXING	2	STEEL		
17	STUD, INDEXING ARM	2	STAINLESS STEEL		
18	POINTER	1	BRASS		
19	HANDLE	1	BRASS		
20	PLATE, IDENTIFICATION	1	BRASS		
21	PLATE, COUPLER	1	STEEL		
22	PIN, SPRING 1/2 LG X .062 THK	1	CRES		
23	SPRING	1	PHOS BRONZE		
24	PLATE, MOUNTING	1	BRASS		
25	SHAFT, TRANSFORMER				REQ'T 5 & 7
26	RING, RETAINING	2	CRES		MS 16632-4062
27	PACKING, "O" RING	1	NEOPRENE		AN6227-9
28	GASKET "O" RING	1	NEOPRENE		AN6230-32
29	SCREW, RH., #6-32 X 3/16 LG	3	BRASS		
30	SCREW, RH., #6-32 X 3/8 LG	2	BRASS		
31	SCREW, RH., #6-32 X 1/2 LG	1	BRASS		
32	SCREW, RH., #10-24 X 5/16 LG	3	BRASS		
33	SCREW, RH., #10-32 X 3/8 LG	3	BRASS		
34	SCREW, RH., #10-24 X 1/2 LG	6	BRASS		
35	SCREW, RH., #5-40 X 5/16 LG	2	BRASS		
36	WASHER, LOCK, FOR #5 SCREW	2	PHOS BRONZE		
37	WASHER, LOCK, FOR #6 SCREW	3	PHOS BRONZE		
38	WASHER, LOCK, FOR #10 SCREW	6	PHOS BRONZE		
39	WASHER, 9/16 O.D. X 13/64 I.D. X .032 THK	6	BRASS		
40	STUD, SPRING	2	STEEL		

APPROVED 10 SEP 1962 REVISED


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

P A SHIPS Other Cust	TITLE DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG. 815-1197000	SHEET 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5950



NOTICE—When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished, or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

APPROVED 10 SEP 1962 REVISED

P.A. SHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG, 815-1197000	SHEET 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5950



NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

APPROVED 10 SEP 1962 REVISED

P A. SHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG 815-1197000	SHEET 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS 5950



APPROVED 10 SEP 1962 REVISED


P.A. SHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG 815-1197000	SHEET 5


NOTICE—When Government drawings specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.


FED SUP CLASS
5950











CASE HARDEN
.007 MIN .011 MAX
QUENCH IN OIL

APPROVED 10 SEP 1962 REVISED


P A. BSIPS Other Cust	TITLE DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG. 815-1197000	SHEET 6

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5950



NOTICE — When Government drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto


This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

APPROVED 10 SEP 1962 REVISED

P A. BSHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG. 815-1197000	SHEET 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5950



APPROVED 10 SEP 1962 REVISED

P A. SHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG. 815-1197000	SHEET 8

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated furnished, or in any way supplied the said drawings specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This standard has been approved by the BUREAU OF SHIPS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.

NOTICE — When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.


This standard has been approved by the BUREAU OF SHIPS, Department of the NAVY, and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

FED SUP CLASS
5950

TABLE (SEE REQ'T 6)

OUTPUT VOLTAGE	VISIBLE RANGE YARDS (APPROX)
120	20,000
109 8	18,000
99 6	16,000
89.4	14,000
79 2	11,500
69 0	9,000
58.8	6,000
48 6	4,000
38 4	2,000

WIRING DIAGRAM



REQUIREMENTS

1. DETAIL AND GENERAL REQUIREMENTS SHALL COMPLY WITH NOTES 16, 17, 20, 21, 22, 23, 24, 25, 27 & 44 OF MILITARY STANDARD MS16662.

2. SAMPLING, INSPECTION AND TEST PROCEDURE SHALL COMPLY WITH NOTES 37, 38, 40, 54, 55, 56B & 65 OF MILITARY STANDARD MS16662.

3. AUTOTRANSFORMER, PC 8, SHALL MEET THE FOLLOWING REQUIREMENTS INPUT, 115 VOLTS, 50 TO 60 CYCLES, SINGLE PHASE. OUTPUT, 0-115 & 0-135 VOLTS. RATED OUTPUT IN AMPS. 2, MAX. OUTPUT IN AMPS 3, KVA 0 345. OVERALL DIMENSIONS 3 1/2 DIA EXCLUDING TERMINALS, 3 7/8 HIGH EXCLUDING HANDLE. TERMINAL DATA 5 TERMINALS, SCREW LUG TYPE, LOCATED ON SIDE.
MOUNTING DATA 3 MOUNTING HOLES TAPPED FOR #10-32 SCREWS ON 1 1/4 RADIUS, EQUALLY SPACED.

4. CARE SHALL BE TAKEN NOT TO DRAW TEMPER FROM PC 10 WHILE BRAZING PCS 11 & 12.

5. VARIABLE BRUSH ARM ON THE AUTOTRANSFORMER, PC 8, SHALL BE ADJUSTED TO AN OUTPUT OF 120 VOLTS WHEN HANDLE, PC 19, IS IN THE 20,000 YARD RANGE WITH LINE INPUT OF 115 VOLTS AC.

6. FOR EACH CHANGE IN HANDLE POSITION THE AUTOTRANSFORMER OUTPUT SHALL VARY APPROXIMATELY 10 ± 0.5 VOLTS. SEE TABLE.

7. IN ADJUSTING VARIABLE BRUSH ARM, CARE SHALL BE TAKEN TO SEE THAT GOOD CONTACT IS MAINTAINED BETWEEN BRUSH AND WINDINGS.

NOTES

1. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

2. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 10 SEP 1962 REVISED

(Project 5950-N0666h)

P A SHIPS Other Cust	TITLE DIMMER-SBM 15 FOR BLINKER SIGNALING LIGHT SYMBOL 960	MILITARY STANDARD MS 17850(SHIPS)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES DWG 815-1197000	SHEET 9

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:10Z
Check the source to verify that this is the current version before use.