FED. SUP CLASS
5325

NOTES:

1. MATERIAL: ALL COMPONENTS ARE BRASS EXCEPT WHERE OTHERWISE SPECIFIED.
2. FINISH: A. BRIGHT BRASS.
   B. BLACK.
   C. NICKEL PLATE.
   D. BRIGHT CHROME PLATE.
3. PROTECTIVE TREATMENT: STEEL PARTS ARE ZINC PLATED.
4. DIMENSIONS: IN INCHES.
5. TOLERANCES: PLUS OR MINUS 1/64 INCH EXCEPT WHERE OTHERWISE NOTED (FOR INFORMATION PURPOSES ONLY). PRODUCTION TOLERANCES IN ACCORDANCE WITH DRAWINGS REFERENCED IN SPECIFICATION MIL-F-10884.
6. FOR DESIGN FEATURE SELECTION PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
7. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.
8. COMPONENT PARTS OF THE SAME FASTENER SHALL BE PROCURED FROM THE SAME MANUFACTURER.
9. SEE INTERCHANGEABILITY TABLE I ON SHEET 11 FOR CROSS-REFERENCING.

Ⓓ REDRAWN; DELETED: DASH NUMBERS 7, 7B, 7N, 7C, 37, 49, 49B, 49N, 49C, 52, 52B, 52N, AND 52C.

REVISED Ⓓ 30 APRIL 1986
APPROVED

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS

AMSC N/A


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited. This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 1 OF 11

DD FORM (MAY 7), 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE PROJECT NO. 5325-0257


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



SOCKET

(OPERATES ON SINGLE POINT LIFT PRINCIPLE)



CLINCH PLATE

		MS PART NO.			
	DIM. A	BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
SOCKET, REG. PRONG	21/64	MS 27977-1	MS 27977-1B	MS 27977-1N	MS 27977-1C
SOCKET, LONG PRONG	3/8	MS 27977-2	MS 27977-2B	MS 27977-2N	MS 27977-2C
CLINCH PLATE	...	MS 27977-3	MS 27977-3B	MS 27977-3N	MS 27977-3C

NOTE: SOCKET, REGULAR PRONG W/CLINCH PLATE OR SOCKET, LONG PRONG W/CLINCH PLATE CONSTITUTE THE FEMALE HALF OF STYLE 1 FASTENERS. SHEET NO'S 3 THROUGH 10 OF THIS STANDARD COVER MALE HALVES OF STYLE 1 FASTENERS, AS APPLICABLE.

(D) REDRAWN WITHOUT CHANGE.

REVISED (D) 30 APRIL 1986
APPROVED

USER ACTIVITIES: ARMY-ME, AV
REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-13

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-GL; Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE: FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION: MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 2 OF 11


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

USER ACTIVITIES: ARMY-ME, AV


REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-62
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
5325



STUD, SOLID RIVET BASE



STUD, TWO SCREW BASE

	SIZE	DIM. A	DIM. B	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
STUD, SOLID RIVET BASE	1	9/32	.....	MS 27977-4	MS 27977-4B	MS 27977-4N	MS 27977-4C
	2	1/2	.....	MS 27977-5	MS 27977-5B	MS 27977-5N	MS 27977-5C
STUD, TWO SCREW BASE	1	.....	1/4	MS 27977-6	MS 27977-6B	MS 27977-6N	MS 27977-6C
	2	.....	1/2	(D)	(D)	(D)	(D)

REVISED (D) 30 APRIL 1986

APPROVED

(D) REDRAWN; DELETED PART NO. MS 27977 -7, -7B, -7N, AND -7C.

P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 3 OF 11

DD FORM 1 MAY 73 672-1 (COORDINATED)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
5325

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS



STUD, EYELET BASE



WASHER

	SIZE	DIM. C	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
STUD, EYELET BASE	1	17/64	MS 27977-8	MS 27977-8B	MS 27977-8N	MS 27977-8C
	2	1/2	MS 27977-9	MS 27977-9B	MS 27977-9N	MS 27977-9C
WASHER	....	.....	MS 27977-10	MS 27977-10B	MS 27977-10N	MS 27977-10C

REVISED (D) 30 APRIL 1986

APPROVED

(D) REDRAWN WITHOUT CHANGE.

P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 4 OF 11


DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



STUD, MACHINE SCREW BASE, SMALL HEX

SIZE	DIM. D	DIM. E	THD SIZE	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
1	3/16	1/4	NO. 8-32UNC-2A	MS 27977-11	MS 27977-11B	MS 27977-11N	MS 27977-11C
2	1/4			MS 27977-12	MS 27977-12B	MS 27977-12N	MS 27977-12C
3	3/8			MS 27977-13	MS 27977-13B	MS 27977-13N	MS 27977-13C
4	5/8			MS 27977-14	MS 27977-14B	MS 27977-14N	MS 27977-14C
5	3/16	1/2		MS 27977-15	MS 27977-15B	MS 27977-15N	MS 27977-15C
6	1/4			MS 27977-16	MS 27977-16B	MS 27977-16N	MS 27977-16C
7	3/8			MS 27977-17	MS 27977-17B	MS 27977-17N	MS 27977-17C
8	5/8			MS 27977-18	MS 27977-18B	MS 27977-18N	MS 27977-18C
1	3/16	1/4	NO.10-32UNF-2A	MS 27977-19	MS 27977-19B	MS 27977-19N	MS 27977-19C
2	1/4			MS 27977-20	MS 27977-20B	MS 27977-20N	MS 27977-20C
3	3/8			MS 27977-21	MS 27977-21B	MS 27977-21N	MS 27977-21C
4	5/8			MS 27977-22	MS 27977-22B		MS 27977-22C
5	3/16	1/2		MS 27977-23	MS 27977-23B	MS 27977-23N	MS 27977-23C
6	1/4			MS 27977-24	MS 27977-24B	MS 27977-24N	MS 27977-24C
7	3/8			MS 27977-25	MS 27977-25B	MS 27977-25N	MS 27977-25C
8	5/8			MS 27977-26	MS 27977-26B	MS 27977-26N	MS 27977-26C

Ⓓ REDRAWN WITHOUT CHANGE.

APPROVED REVISED Ⓓ 30 APRIL 1986

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-13


This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 5 OF 11

DD FORM 1 MAY 73 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325





STUD, MACHINE SCREW BASE, LARGE HEX

SIZE	DIM. F	DIM. G	THD SIZE	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
1	3/16	1/4	NO. 8-32UNC-2A	MS 27977-27	MS 27977-27B	MS 27977-27N	MS 27977-27C
2	1/4			MS 27977-28	MS 27977-28B	MS 27977-28N	MS 27977-28C
3	3/8			MS 27977-29	MS 27977-29B	MS 27977-29N	MS 27977-29C
4	5/8			MS 27977-30	MS 27977-30B	MS 27977-30N	MS 27977-30C
5	3/16	1/2		MS 27977-31	MS 27977-31B	MS 27977-31N	MS 27977-31C
6	1/4			MS 27977-32	MS 27977-32B	MS 27977-32N	MS 27977-32C
7	3/8			MS 27977-33	MS 27977-33B	MS 27977-33N	MS 27977-33C
8	5/8			MS 27977-34	MS 27977-34B	MS 27977-34N	MS 27977-34C
1	3/16	1/4	NO.10-32UNF-2A	MS 27977-35	MS 27977-35B	MS 27977-35N	MS 27977-35C
2	1/4			MS 27977-36	MS 27977-36B	MS 27977-36N	MS 27977-36C
3	3/8			(D)	MS 27977-37B	MS 27977-37N	MS 27977-37C
4	5/8			MS 27977-38	MS 27977-38B	MS 27977-38N	MS 27977-38C
5	3/16	1/2		MS 27977-39	MS 27977-39B	MS 27977-39N	MS 27977-39C
6	1/4			MS 27977-40	MS 27977-40B	MS 27977-40N	MS 27977-40C
7	3/8			MS 27977-41	MS 27977-41B	MS 27977-41N	MS 27977-41C
8	5/8			MS 27977-42	MS 27977-42B	MS 27977-42N	MS 27977-42C

(D) REDRAWN; DELETED PART NO. MS 27977-37.

REVISED (D) 30 APRIL 1986

APPROVED

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P. A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
ARMY-GL Other Cust NAVY-AS AIR FORCE-99		FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MS 27977
PROCUREMENT SPECIFICATION: MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 6 OF 11

DD FORM 672-1 (COORDINATED)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS



STUD, SELF-TAPPING SCREW BASE

SIZE	DIM. H	DIM. J	SCREW SIZE & TYPE POINT	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
1	3/8	1/4	NO. 8 GIMLET POINT	MS 27977-43	MS 27977-43B	MS 27977-43N	MS 27977-43C
2		1/2		MS 27977-44	MS 27977-44B	MS 27977-44N	MS 27977-44C
1	3/8	1/4	NO. 10 GIMLET POINT	MS 27977-45	MS 27977-45B	MS 27977-45N	MS 27977-45C
2		1/2		MS 27977-46	MS 27977-46B	MS 27977-46N	MS 27977-46C
1	3/8		NO. 10 BLUNT POINT	MS 27977-47	MS 27977-47B	MS 27977-47N	MS 27977-47C
2	1/2	1/4		MS 27977-48	MS 27977-48B	MS 27977-48N	MS 27977-48C
3	5/8			(D)	(D)	(D)	(D)
4	3/8			MS 27977-50	MS 27977-50B	MS 27977-50N	MS 27977-50C
5	1/2	1/2		MS 27977-51	MS 27977-51B	MS 27977-51N	MS 27977-51C
6	5/8			(D)	(D)	(D)	(D)
1	3/8		NO. 14 BLUNT POINT	MS 27977-53	MS 27977-53B	MS 27977-53N	MS 27977-53C
2	1/2	1/4		MS 27977-54	MS 27977-54B	MS 27977-54N	MS 27977-54C
3	5/8			MS 27977-55	MS 27977-55B	MS 27977-55N	MS 27977-55C
4	3/8			MS 27977-56	MS 27977-56B	MS 27977-56N	MS 27977-56C
5	1/2	1/2		MS 27977-57	MS 27977-57B	MS 27977-57N	MS 27977-57C
6	5/8			MS 27977-58	MS 27977-58B	MS 27977-58N	MS 27977-58C

(D) REDRAWN; DELETED: PART NO.'S MS 27977 -49, -49B, -49N, -49C, -52, -52B, -52N, AND -52C.

REVISED (D) 30 APRIL 1986

APPROVED

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES AN 227 (IN PART); BNAX7		SHEET 7 OF 11

DD FORM 1 MAY 73 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



STUD, WOOD SCREW BASE

SIZE	DIM. K	DIM. L	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	CHROME PLATE
1	17/64	3/8	MS 27977-59	MS 27977-59B	MS 27977-59N	MS 27977-59C
2	1/2		MS 27977-60	MS 27977-60B	MS 27977-60N	MS 27977-60C
3	17/64	3/4	MS 27977-61	MS 27977-61B	MS 27977-61N	MS 27977-61C
4	1/2		MS 27977-62	MS 27977-62B	MS 27977-62N	MS 27977-62C

(D) REDRAWN WITHOUT CHANGE.

REVISED (D) 30 APRIL 1986
APPROVED

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 8 OF 11

DD FORM 1 MAY 71 672-1 (COORDINATED)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325



STUD, TWO PRONG, CLINCH BASE



WASHER

	SIZE	DIM. M	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
STUD	1	9/32	MS 27977-63	MS 27977-63B	MS 27977-63N	MS 27977-63C
STUD	2	1/2	MS 27977-64	MS 27977-64B	MS 27977-64N	MS 27977-64C
WASHER	....	....	MS 27977-65	MS 27977-65B	MS 27977-65N	MS 27977-65C

(D) REDRAWN WITHOUT CHANGE.

APPROVED 30 APRIL 1986 REVISED (D)

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 9 OF 11

DD FORM 1 MAY 73 672-1 (COORDINATED)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-19





STUD, INTERNAL THREAD

	SIZE	DIM. Q	DIM. R	DIM. S	MS PART NO. BRIGHT BRASS	BLACK	NICKEL PLATE	BRIGHT CHROME
SHELL CONSTR. STL. THREAD-ED INS.	1	17/64	1/8	11/32	MS 27977-66	MS 27977-66B	MS 27977-66N	MS 27977-66C
	2	1/2			MS 27977-67	MS 27977-67B	MS 27977-67N	MS 27977-67C
SOLID CONSTR. W/ TAPPED HOLE	1	17/64	1/16	1/4	MS 27977-68	MS 27977-68B	MS 27977-68N	MS 27977-68C
	2	1/2			MS 27977-69	MS 27977-69B	MS 27977-69N	MS 27977-69C

(D) REDRAWN WITHOUT CHANGE.

APPROVED REVISED (D) 30 APRIL 1986

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P. A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART); BNAX7		SHEET 10 OF 11

DD FORM 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
5325

INTERCHANGEABILITY TABLE 1

MS 27977 DASH NO.	AN 227 DASH NO.	MS 27977 DASH NO.	AN 227 DASH NO.	MS 27977 DASH NO.	AN 227 DASH NO.
-1B	-15BS	-33B	-25B	-63B	-17BS
-1N	-15S	-33N	-25	-63N	-17S
-2B	-15BL	-34B	-26B	-64B	-17BL
-2N	-15L	-34N	-26	-64N	-17L
-3B	-16B	-36B	-21BL	-65B	-18B
-3N	-16	-36N	-21	-65N	-18
-4B	-27B	-37B	-22BL	-66B	-48B
-4N	-27	-37N	-22L	-66N	-48
-5B	-28B	-38B	-23BL	-67B	-48BL
-5N	-28	-38N	-23L	-67N	-48L
-8B	-19BS	-40B	-24BL	-68B	-48B
-8N	-19S	-40N	-24L	-68N	-48
-9B	-19BL	-41B	-25BL	-69B	-48BL
-9N	-19L	-41N	-25L	-69N	-48L
-10B	-20P OR 20BP	-42B	-26BL		
-10N	-20 OR 20P	-42N	-26L		
-12B	-21BM8	-47B	-21BT10(*)		
-12N	-21M8	-47N	-21T10(*)		
-13B	-22BM8	-48B	-22BT10(*)		
-13N	-22M8	-48N	-22T10(*)		
-14B	-23BM8	(D)	(D)		
-14N	-23M8	(D)	(D)		
-16B	-24BM8	-50B	-24BT10(*)		
-16N	-24M8	-50N	-24T10(*)		
-17B	-25BM8	-51B	-25BT10(*)		
-17N	-25M8	-51N	-25T10(*)		
-18B	-26BM8	(D)	(D)		
-18N	-26M8	(D)	(D)		
-20B	-21BM10	-53B	-21BT10(**)		
-20N	-21M10	-53N	-21T10(**)		
-21B	-22BM10	-54B	-22BT10(**)		
-21N	-22M10	-54N	-22T10(**)		
-22B	-23BM10	-55B	-23BT10(**)		
-22N	-23M10	-55N	-23T10(**)		
-24B	-24BM10	-56B	-24BT10(**)		
-24N	-24M10	-56N	-24T10(**)		
-25B	-25BM10	-57B	-25BT10(**)		
-25N	-25M10	-57N	-25T10(**)		
-26B	-26BM10	-58B	-26BT10(**)		
-26N	-26M10	-58N	-26T10(**)		
-28B	-21B	-59B	-29BS		
-28N	-21	-59N	-29S		
-29B	-22B	-60B	-30BS		
-29N	-22	-60N	-30S		
-30B	-23B	-61B	-29B		
-30N	-23	-61N	-29		
-32B	-24B	-62B	-30B		
-32N	-24	-62N	-30		

(*) APPLICABLE TO NO. 10 SCREW SIZE.
(**) APPLICABLE TO NO. 14 SCREW SIZE.

(D) REDRAWN; DELETED: PART NO.'S MS 27977 -49B, -49N, -52B, AND -52N.

APPROVED 30 APRIL 1986 REVISED (D)

USER ACTIVITIES: ARMY-ME, AV

REVIEWER ACTIVITIES: ARMY- ER, AT
NAVY- MS, MC
USAF-82
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-GL Other Cust NAVY-AS AIR FORCE-99	INTERNATIONAL INTEREST	TITLE FASTENERS, SNAP, STYLE 1 (LARGE CURTAIN TYPE)	MILITARY STANDARD MS 27977
PROCUREMENT SPECIFICATION MIL-F-10884	SUPERSEDES: AN 227 (IN PART);BNAX7		SHEET 11 OF 11

DD FORM 1 MAY 72 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:54Z
Check the source to verify that this is the current version before use.