INCH-POUND
MIL-DTL-21393/2
w/AMENDMENT 2
30 April 2013
SUPERSEDING
MIL-DTL-21393/2
w/AMENDMENT 1
11 February 2008

DETAIL SPECIFICATION SHEET

MICROPHONE, DYNAMIC M21393/2-01

This specification is approved for use by all
Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-21393.



FIGURE 1. Microphone, dynamic, M21393/2-01.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:30Z
Check the source to verify that this is the current version before use.



NOTES:
1. All dimensions are in inches.
2. Conductor lengths are measured from jacket ends.
3. Tolerances as indicated.
4. Cable to have minimum of 4 (four) conductors and a shield.
5. Metric equivalents are given for information only.

Inches	mm	Inches	mm
.125	3.18	.9375	23.81
.1875	4.76	1.000	25.40
.235	5.97	1.500	38.10
.265	6.73	2.50	63.5
.375	9.53	3.500	88.9
.625	15.88	13.000	330.20

FIGURE 2. Dimensions of retractile cord for M21393/2-01.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:30Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Configuration:

Microphone back assembly, including the push-button, switch, schematic, cordage and plug, are illustrated on figure 1.

Transmitter assembly shall consist of the microphone element, without a microphone amplifier. The microphone element shall be designed to be compatible with the end item application [Underwater Special Surveillance System, type AN/BSY-2(V)S].

The cordage shall be retractile, shall have four shielded (M21393/2-01) stranded wire conductors, as specified in MIL-DTL-21393. Cordage shall consist of 4 (four) conductor cable, with shield. One end of the cordage shall be equipped with a plug, type U-229, in accordance with MIL-DTL-55116/1. See figure 2.

Part or Identifying Number (PIN): Consists of the letter “M” followed by the basic number of this specification sheet and a dash number.

Example:



Form Factor:

The microphone shall not weigh in excess of 7.5 ounces and shall have the dimensions shown on figure 1.

Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Referenced documents. In addition to MIL-DTL-21393, this document references the following:

MIL-DTL-55116/1

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:30Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Navy – SH
Air Force – 84
DLA - CC

Preparing activity:
DLA - CC

(Project 5965-2013-003)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T09:30Z
Check the source to verify that this is the current version before use.