METRIC

A-A-52529A
21 June 2016
SUPERSEDING
A-A-52529
13 October 1995

COMMERCIAL ITEM DESCRIPTION

HANGER, EXHAUST, MUFFLER AND TAILPIPE (METRIC)

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE.

1.1 Scope. This CID covers requirements for hangers used as supports in assembling exhaust mufflers and tailpipes.

2. SALIENT CHARACTERISTICS

2.1 Materials. Hangers shall be made of carbon steel, G10060-G1 0250 Unified Numbering Systems (UNS) (SAE HS-1086, Metals and Alloys in the Unified Numbering System).

2.1.1 Finish. Hangers shall be Zinc plated per ASTM B633. Type II, Service Condition 4 (thickness class Fe/Zn 25), after all bending and welding operations are completed.


2.2 Design and construction. Hangers shall be designed and constructed in accordance with figure 1.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to U.S. Army RDECOM, Tank Automotive Research Development and Engineering Center, ATTN: RDTA-SIE-ES-PLEP-PLDE-DIS, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or sent by email to usarmy.detroit.rdecom.mbx.tardec-standardization@mail.mil.

FSC 2990

DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.



PIN	Former MS Part Number	Former Part Number	Dimension "A"
A52529-1	MS53043-1	7411060	62
A52529-2	MS53043-2	7413235	97
A52529-3	MS53043-3	7411095	--
A52529-4	MS53043-4	7411059	--

NOTES:
1. Dimensions are millimeters. Tolerances are ± 0.008 inch (0.20 mm)

FIGURE 1. Hanger. Exhaust, Muffler and Tailpipe.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

2.3 Identification and marking. Identification and marking shall be permanent and legible and include, as a minimum, the manufacturer's identification code (CAGE), and the part identification number (PIN) (see 5.2 and 5.4)

3. REGULATORY REQUIREMENTS

3.1 Use of recovered materials. The offeror/contractor is encouraged to use of recovered material to the maximum extent practicable providing all requirements of this CID are met (see 5.6) and in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.2 Hazardous material. Material Safety Data Sheets (MSDS) shall be provided to the Government Procuring Agency (GPA) in accordance with FED-STD-313. The material shall not contain Class I or Class II ozone-depleting substances. Asbestos, beryllium, radioactive materials, cadmium (electroplating processes), hexavalent chromium (electroplating, and coatings processes), or other highly toxic or carcinogenic materials as defined in 29 CFR 1910.1200, shall not be used in the manufacture, maintenance, sustainment, or assembly of the material. The U.S. Environmental Protection Agency maintains an online list of toxic chemicals and hazardous substances. Type I, II and III materials shall comply with the requirements stated in: 29 CFR 1990, 40 CFR 355, Appendices A & B, 40 CFR 372.65 Subpart D and materials used in manufacturing shall not be toxic or carcinogenic or radioactive.

4. PRODUCT CONFORMANCE PROVISIONS

4.1 Defects. Materials shall be free from defects which would adversely affect the performance or maintainability and safety of individual components or the overall assembly.

4.1 Responsibility for inspection. The contractor is responsible for the performance of all inspections (examinations and tests).

4.2 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and the product conforms to the producer's own drawings, specifications, workmanship standards, quality assurance practices and be the same quality of product offered for sale in the commercial marketplace. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PACKAGING

4.1 Packaging. Preservation, packaging, packing materials, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order (see 5.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

5. NOTES

(This section contains information of a general or explanatory nature which may be helpful, but is not mandatory.)

5.1 Government documents. Every effort has been made to address all documents referenced in this document. These documents can be obtained by following the address in the parenthetical notes.

FEDERAL ACQUISITION REGULATION (FAR)

FAR 23.403	-	Use of Recovered Materials and Biobased Products

(Copies of this document are available from http://www.acquisition.gov/far/.)

CODE OF FEDERAL REGULATIONS

29 CFR 1910.1200	-	Occupational Safety and Health Standard, Subpart Z toxic and hazardous substances
29 CFR 1990	-	Identification, Classification, and Regulation of Potential Occupational Carcinogens
40 CFR 355, Appendix A & B	-	List of Extremely Hazardous Substances and Their Threshold Planning Quantities
40 CFR 372.65 Subpart D	-	Specific Toxic Chemical Listings

(Copies of these documents are available from https://www.gpo.gov/).

SPECIFICATIONS, STANDARDS AND HANDBOOKS

FED-STD-313	-	Material Safety Data, Transportation Data, and Disposal Data for Hazardous Materials Furnished to Government Activities

(Copies of these documents are available from https://assist.dla.mil/quicksearch/ or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

5.1.1 Non-Government documents.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM B633-85	-	Standard Specification for Electrodeposited Coatings of Zinc or Iron and Steel

(Copies of these documents are available from www.astm.org or ASTM International, P.O. Box C700, West Conshohocken, PA 19428-2959.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

SOCIETY OF AUTOMOTIVE ENGINEERS (SAE) INTERNATIONAL

SAE HS-1086	-	Metals and Alloys in the Unified Numbering System

(Copies of these documents are available from www.sae.org or SAE Customer Service, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

5.2 Ordering data. Acquisition documents must specify the following


a. Title, number, and date of this CID.

b. PIN number and quantity required

c. Selection of applicable level and packaging requirements

5.3 Cross-reference data. For associated muffler clamps and brackets, see A-A-52415 and A-A-52528, respectively

5.4 Part or identification number (PIN). The PINs to be used for the hangers acquired by this CID are created as follows:



5.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

MILITARY INTERESTS:
ACTIVITY:

Custodians
Army – AT

Review Activity:
DLA - CC

CIVIL AGENCY COORDINATING
GSA - FSS

PREPARING ACTIVITY:
Army – AT

(Project 2990-2016-001)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.