[METRIC]
A-A-52546/1
January 12, 1996
SUPERSEDING
MS51379
17 July 1987

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

# HOSE, PREFORMED, AIR CLEANER, SEMI-FLEXIBLE, HEAVY DUTY 517 KILOPASCALS (75 PSI) BURST

The General Services Administration has authorized the use of this Commercial Item Description Specification Sheet (CIDSS), for all federal agencies.

The complete requirements for procuring hose assemblies described herein shall consist of this document and the issue in effect of commercial item description A-A-52546.

## 1. SALIENT CHARACTERISTICS.

1.1 Materials. The hose shall be made from heavy duty synthetic rubber with fabric reinforcement and wire stiffeners, as described in the commercial item description CID A-A-52546.

1.2 Design and construction. The hose shall be designed and constructed in accordance with figure 1.

Beneficial comments, recommendations, additions, deletions clarifications, etc. and any other data which may improve this document should be sent by letter to: U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-E/BLUE, Warren, MI 48397-5000.

FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.




FIGURE 1. Overall dimensions for preformed hose.

2. Part or identification number (PIN). The PINs to be used for preformed hoses assemblies acquired to this CIDSS are created as follows:

AA - 52546/1 X - XXX

- XXX — Length in millimeter (mm)
- X — Size (see paragraph 2.1)
- 52546/1 — CID specification sheet number
- AA — Designates a CID

2.1 Size. The size designation for hose specified under this CIDSS shall be in accordance with the following table.

| Size | Cuff I. D. | | Length | |
|---|---|---|---|---|
| | mm | in | mm | in |
| 1 | 102 | 4.00 | 153 | 6 |
| 2 | 102 | 4.00 | 178 | 7 |
| 3 | 105 | 4.13 | 229 | 9 |
| 4 | 105 | 4.13 | 254 | 10 |
| 5 | 105 | 4.13 | 610 | 24 |
| 6 | 105 | 4.13 | 635 | 25 |
| 7 | 105 | 4.13 | 660 | 26 |
| 8 | 111 | 4.38 | 635 | 25 |
| 9 | 111 | 4.38 | 711 | 28 |
| 10 | 114 | 4.50 | 127 | 5 |
| 11 | 114 | 4.50 | 229 | 9 |
| 12 | 133 | 5.25 | 153 | 6 |
| 13 | 133 | 5.25 | 1702 | 67 |
| 14 | 140 | 5.50 | 127 | 5 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

2.2 Marking. Marking shall consist of the PIN number in addition to the marking requirements of CID A-A-52546.

2.3 Cross-reference. Hoses conforming to this CIDSS are interchangeable/substitutable with hoses conforming to MS51379A.

MILITARY INTERESTS:

Custodians:
Army - AT
Navy - MC

Review activities:
DLA - CS

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
Army - AT

(Project 4720-0070)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.