[INCH-POUND]
A-A-52548/1
March 11, 1996
SUPERSEDING
MS500077C(AT)
19 June 1976

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

HOSE ASSEMBLY, RUBBER: HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE

The General Services Administration has authorized the use of this Commercial Item Description Specification Sheet (CIDSS) for all federal agencies.

The complete requirements for procuring hose assemblies described herein shall consist of this document and the issue in effect of commercial item description (CID) A-A-52548.

1. SALIENT CHARACTERISTICS

1.1 Material. The hose shall be made from the material in accordance with CID A-A-52548, Type I, class A or B. (Type I - single wire braid reinforcement, Class A - with heavy cover and Class B - with thin cover.)

1.2 Design and construction. The hose shall be designed and constructed in accordance with Figure 1.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent by letter to: U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-E/BLUE, Warren, MI 48397-5000.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.




FIGURE 1.

1.2.1 Fittings. Fittings shall be in accordance with SAE J516 female 37 degrees (°) flared type (see 2.6) and as specified in CID A-A-52548.

1.3 Lengths. Hose assemblies shall be in accordance with the following length increments:

a. 0.5 inches (in) [13 millimeters (mm)] increments for lengths under 24 in (610 mm).
b. 1 in (25 mm) increments for lengths between 24 in to 36 in (610 mm to 915 mm).
c. No less than 2 in (51 mm) increments for lengths over 36 in (915 mm).

1.4 Tolerances. Hose assemblies shall be in accordance with the following tolerance limits:

a. ±0.13 in (±3 mm) for lengths under 24 in (610 mm).
b. ±0.25 in (±6 mm) for lengths between 24 in to 36 in (610 mm to 915 mm).
c. ±1% for lengths over 36 in (915 mm).

2. NOTES


(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

2.1 Address for obtaining copies of referenced documents.

2.1.1 Non-Government publications. Copies of SAE J516 "Hydraulic Hose Fittings" are available from the Society of Automotive Engineers, Inc. (SAE), 400 Commonwealth Drive, Warrendale, PA 15096-0001.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

2.2 Part or identification number (PIN). The PIN to be used for hose assemblies acquired to this CIDSS is created as follows:



2.3 Size. The size designation for hose specified under this CIDSS shall be in accordance with the following table.

TABLE I. Hose and fitting thread sizes.

Size	Hose ID Ref.		Hose OD Ref.				Fitting thread Ref.
			Class A		Class B		
	in	mm	in	mm	in	mm	
3	0.187	5.0	0.500	12.5	0.465	11.8	3/8 - 24
4	0.250	6.5	0.625	15.9	0.527	13.4	7/16 - 20
5	0.312	8.0	0.688	17.5	0.590	15.0	1/2 - 20
6	0.375	9.5	0.781	20.0	0.684	17.4	9/16 - 18
8	0.500	12.5	0.906	23.0	0.805	20.5	3/4 - 16
10	0.625	15.9	1.031	26.0	0.930	23.6	7/8 - 14
12	0.750	19.0	1.187	30.0	1.086	27.6	1-1/16 - 12
14	0.875	22.0	1.313	33.3	1.211	31.0	1-3/16 - 12
16	1.000	25.5	1.500	38.1	1.430	36.3	1-5/16 - 12
20	1.250	32.0	1.812	46.0	1.741	44.2	1-5/8 - 12
24	1.500	38.0	2.082	53.0	1.968	50.0	1-7/8 - 12
32	2.000	51.0	2.625	66.7	2.500	63.5	2-1/2 - 12

2.4 Marking. Marking shall consist of the PIN number in addition to the marking requirements of CID A-A-52548.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.

2.5 Cross-reference. Hoses conforming to this CIDSS are interchangeable/substitutable with hoses conforming to the MS500077C(AT).

2.6 Fittings. These fittings are similar to the fittings described by Joint Industrial Council (JIC) 37° flared type fittings.

MILITARY INTERESTS:

Custodian:
Army - AT

Review Activities:
Army - AR, AV, ME, MI

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

Preparing Activity:
Army - AT

(Project 4720-0073)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.