[INCH-POUND]
A-A-52548/2
March 11, 1996
SUPERSEDING
MS500083C(AT)
24 October 1973

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC HIGH PRESSURE, FLARED TUBE

The General Services Administration has authorized the use of this Commercial Item Description Specification Sheet (CIDSS) for all federal agencies.

The complete requirements for procuring hose assemblies described herein shall consist of this document and the issue in effect of Commercial Item Description (CID) A-A-52548.

1. SALIENT CHARACTERISTICS

1.1 Material. The hose shall be made from the material in accordance with CID A-A-52548, Type II or III, class A or B. (Type II - double wire braid reinforcement, Type III - double spiral and single wire braid reinforcement, Class A - with heavy cover and Class B - with thin cover.)

1.2 Design and construction. The hose shall be designed and constructed in accordance with Figure 1.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent by letter to: U.S. Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-E/BLUE, Warren, MI 48397-5000.

AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.




FIGURE 1.

1.2.1 Fittings. Fittings shall be in accordance with SAE J516 female 37 degrees (°) flared type (see 2.6) and as specified in CID A-A-52548.

1.3 Lengths. Hose assemblies shall be in accordance with the following length increments:

a. 0.5 inches (in) [13 millimeters (mm)] increments for lengths under 24 in (610 mm).
b. 1 in (25 mm) increments for lengths between 24 in to 36 in (610 mm to 915 mm).
c. No less than 2 in (51 mm) increments for lengths over 36 in (915 mm).

1.4 Tolerances. Hose assemblies shall be in accordance with the following tolerance limits:

a. ±0.13 in (±3 mm) for lengths under 24 in (610 mm).
b. ±0.25 in (±6 mm) for lengths between 24 in to 36 in (610 mm to 915 mm).
c. ±1% for lengths over 36 in (915 mm).

2. NOTES


(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

2.1 Address for obtaining copies of referenced documents.

2.1.1 Non-Government publications. Copies of SAE J516 "Hydraulic Hose Fittings" are available from the Society of Automotive Engineers, Inc. (SAE), 400 Commonwealth Drive, Warrendale, PA 15096-0001.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:12Z
Check the source to verify that this is the currentversion before use.

2.2 Part or identification number (PIN). The PIN to be used for hose assemblies acquired to this CIDSS is created as follows:



2.3 Size. The size designation for hose specified under this CIDSS shall be in accordance with the following table.

TABLE I. Hose and fitting thread sizes.

Size	Hose ID Ref.		Hose OD Ref.				Fitting thread Ref.
	in	mm	in	mm	in	mm	
3	0.187	5.0	0.625	15.9	0.535	13.6	3/8 - 24
4	0.250	6.5	0.687	17.5	0.593	15.0	7/16 - 20
6	0.375	9.5	0.843	21.4	0.754	19.0	9/16 - 18
8	0.500	12.5	0.968	24.6	0.874	22.2	3/4 - 16
10	0.625	16.0	1.093	27.8	1.008	25.6	7/8 - 14
12	0.750	19.0	1.250	31.8	1.156	29.4	1-1/16 - 12
16	1.000	25.5	1.562	39.7	1.500	38.1	1-5/16 - 12
20	1.250	32.0	2.000	51.0	1.867	47.4	1-5/8 - 12
24	1.500	38.0	2.250	57.1	2.148	54.5	1-7/8 - 12
32	2.000	51.0	2.750	70.0	2.648	67.3	2-1/2 - 12

2.4 Marking. Marking shall consist of the PIN number in addition to the marking requirements of CID A-A-52548.

2.5 Cross-reference. Hoses conforming to this CIDSS are interchangeable/substitutable with hoses conforming to the MS500083C(AT).

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:12Z
Check the source to verify that this is the currentversion before use.

2.6 Fittings. These fittings are similar to the fittings described by Joint Industrial Council (JIC) 37° flared type fittings.

MILITARY INTERESTS:

Custodians:
Army - AT
Navy - SH

Review Activities:
Army - AR, AV, ME, MI

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

Preparing Activity:
Army - AT

(Project 4720-0074)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:12Z
Check the source to verify that this is the current version before use.