FEDERAL SPECIFICATION

RESPIRATOR ASSEMBLY: HALF MASK, AIR FILTERING (CHEMICAL CARTRIDGE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for use of all Federal agencies.

This specification forms a part of the latest issue of GGG-M-125/GEN.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the specific requirements for half-mask respirators with air filtering chemical cartridges for removal of low concentrations of organic vapors and certain gases.

1.2 Classification. Half-mask respirators covered by this specification shall be of one type.

2. APPLICABLE DOCUMENTS

Latest issue of GGG-M-125/GEN and documents referenced therein and the additional documents specified herein.

3. REQUIREMENTS

3.1 Approval and certification. (See GGG-M-125/GEN)

3.2 Design. Respirator mask shall be of a design that covers the mouth and nose, leaving the eyes uncovered. The design shall provide a gas-tight seal with the face, when worn. Unless otherwise specified (see 6.2), masks shall be either of the type that utilizes one cartridge or the type that utilizes two cartridges (see figure 1). When attached to the mask and worn, cartridges shall offer minimum resistance to breathing.

3.3 Principal parts. Respirators shall consist of the following parts:

(a) Half-mask flexible facepiece attached to head harness and receptacle or receptacles for attaching of filter cartridge or cartridges to the facepiece.
(b) Exhalation valve or valves.
(c) Chemical cartridge or cartridges.
(d) Inhalation valve or valves.

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.

3.3.1 Head harness. The head harness shall be of the type supplied on the respirator when certified by the BM/NIOSH.

3.3.2 Exhalation valve. The exhalation valve or valves shall be securely mounted on the facepiece and shall be so designed as to permit passage of the exhaled air and prevent entrance of air to the mask during inhalation.

3.3.3 Inhalation valve. The inhalation valve or valves shall be securely mounted on the facepiece and shall be so designed to permit the entry of inhaled air into the mask through the cartridge(s) with no outward leakage during exhalation.

3.3.4 Chemical cartridge. Unless otherwise specified (see 6.2), 50 cartridges shall be furnished with each single receptacle mask and 100 cartridges with each dual receptacle mask. Chemical cartridges shall provide protection against concentrations of various chemical vapors specified in 30 CFR, part 11.

3.4 Interchangeability.
3.5 Instructions.
3.6 Marking.
3.7 Sanitization.

} In accordance with GGG-M-125/GEN.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with requirements of GGG-M-125/GEN and the additional requirements specified herein.

4.2 Examination. Respirator samples selected in accordance with GGG-M-125/GEN shall be examined for the defects listed in table I.

Table I. Examination of defects

Categories	Defects
Major	
101	Respirator mask not as specified.
102	BM/NIOSH missing.
103	Principal parts missing.
104	Quantity of extra cartridges not as specified.
105	Instructions missing.
106	Marking not as specified.
107	Material not new.
108	Poor workmanship.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY. In accordance with GGG-M-125/GEN.

6. NOTES

6.1 Intended use. Half-mask respirators covered by this specification are intended to give protection to the respiratory organs of the wearer from toxic gases and vapors, such as organic vapors, ammonia, chlorine, hydrogen chloride in concentrations that are not immediately dangerous to life or health. Component parts of respirators are not interchangeable between manufacturers nor are they always interchangeable on different models produced by the same manufacturer.


6.2 Ordering data. Purchasers should select the preferred option offered herein and include the following data in procurements:

(a) Title, number, and date of this specification.
(b) If a specific respirator design is required (see 3.2).
(c) If different quantity of cartridges is required (see 3.3.4).
(d) Level of packaging and level of packing required (see 5.).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.



Dual chemical cartridge respirator.



Single chemical cartridge respirator.

Figure 1. Half mask respirator assemblies.
(For illustrative purposes only.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.

MILITARY CUSTODIANS:

Army - MU
Navy - YD
Air Force - 84

Review activities:

Army - MD
Navy - MC

User activities:

Navy - SH, CG

Civil Agency Coordinating Activity:

GSA - FSS

Preparing activity:

Navy - YD

Project No. 4240-0313

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price . cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.