MIL-R-39035/7A
11 July 1975
SUPERSEDING
MIL-R-39035/7
6 December 1974
MIL-R-39035/6
5 May 1972

MILITARY SPECIFICATION

RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY, STYLE RJR32

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the detail requirements for style RJR32, established reliability, adjustment type, lead-screw actuated, nonwire-wound, variable resistors. This style is available in characteristics C and F.

2. APPLICABLE DOCUMENT

2.1 The following document of the issue in effect on date of invitation for bids or request for proposal forms a part of this specification to the extent specified herein.

SPECIFICATION

MILITARY

MIL-R-39035 - Resistors, Variable, Nonwire-Wound (Adjustment Type), Established Reliability, General Specification for.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Requirements. Requirements shall be in accordance with MIL-R-39035, and as specified herein.

3.2 Design and construction. Resistors shall be of the design, construction, and physical dimensions specified on figure.

3.3 Power rating. The power rating shall be 1/2 watt for characteristics C and F.

3.4 Nominal resistance value and maximum rated ac or dc working voltage. Nominal resistance values and maximum rated ac or dc working voltages are as specified in table I.


3.5 Actual effective electrical travel. Actual effective electrical travel shall be 15 turns, minimum and 25 turns, maximum.

3.6 Operating torque. Operating torque shall be 5 ounce-inches maximum.

3.7 Terminals. Characteristics C and F are available in D-type terminal.

3.8 Maximum voltage. Maximum rated ac or dc working voltage shall be 300 volts.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.



TERMINAL TYPE D

INCHES	MM	INCHES	MM	INCHES	MM
.002	.05	.025	.64	.190	4.83
.003	.08	.045	1.14	.250	6.35
.005	.13	.075	1.91	.300	7.62
.010	.25	.080	2.03	.355	9.02
.015	.38	.093	2.36	.375	9.53
.019	.48	.108	2.74	.600	15.24
.020	.51	.125	3.18	.750	19.05

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.010 (.25 mm).
4. The head of the actuating screw must not protrude above the surface of the unit.
5. The picturization of the style above is given as representative of the envelope of the item, slight deviations from the outline shown, which are contained in the envelope and do not alter the functional aspects of the device are acceptable.

FIGURE 1. Style RJR32 resistors.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.

TABLE I. Nominal resistance value and maximum rated ac or dc working voltage.

Nominal resistance value	Maximum rated ac or dc working voltage per characteristics
	C and F
Ohms	Volts
10	2.23
20	3.1
50	5.0
100	7.0
200	10.0
500	15.8
1,000	22.3
2,000	31.6
5,000	50.0
10,000	70.7
20,000	100
25,000	111
50,000	158
Megohms	
0.10	223
0.25	300
0.50	300
0.75	300
1.00	300
2.00	300

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling and inspection. Sampling and inspection shall be in accordance with MIL-R-39035, and as specified herein.

4.2 Dielectric withstanding voltage. The magnitude of test voltage shall be 900 volts rms at atmospheric pressure, and 350 volts rms at reduced barometric pressure.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with MIL-R-39035.

6. NOTES

6.1 The notes specified in MIL-R-39035 are applicable to this specification.

6.2 Weight. The maximum weight is 2.2 grams.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.

Custodians:
Army - EL
Navy - EC
Air Force - 11

Review activities:
Army - EL, MI, MU
Navy - EC, AS, OS
Air Force - 11, 17, 85
DSA - ES

User activities:
Army - ME, AT, AV
Navy - MC
Air Force - 19

Preparing activity:
Air Force - 11

Agent:
DSA - ES

(Project 5905-0880-3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

C16061

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.

NG ORGANIZATION

18. TYPE OF ORGANIZATION (Mark one)

23. NAME OF SUBMITTI

FOLD

ASD/ENTESS
Wright-Patterson AFB, O 45433

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-311

ASD/ENTESS
Wright-Patterson AFB, Ohio 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:59Z
Check the source to verify that this is the current version before use.