MIL-V-8612A
AMENDMENT 1
7 December 1979

MILITARY SPECIFICATION

VALVE;HIGH-PRESSURE OXYGEN LINE

This amendment forms a part of Military Specification MIL-V-8612A, dated 8 February 1971, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, Under SPECIFICATIONS - FEDERAL: Delete the following:

	"O-T-236	Tetrachloroethylene (Perchloroethylene), Technical Grade
	O-T-634	Trichloroethylene, Technical
Delete	"PPP-B-636	Box, Fiberboard" and substitute:
	"PPP-B-636	Box, Shipping Fiberboard".

Under SPECIFICATIONS - MILITARY:

Delete	"MIL-P-116	Preservations, Methods of", and substitute:
	MIL-P-116	Preservation-Packaging, Methods of".

Add the following to the bottom of the page:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Engineering Specifications and Standards Department (Code 93), Naval Air Engineering Center, Lakehurst, NJ 08733, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter."

PAGE 2

2.1, Under SPECIFICATIONS - MILITARY: Add the following:

"MIL-C-81302	Cleaning Compound, Solvent, Trichlorofluoroethylene
MIL-T-81533	Trichloroethane 1.1.1 (Methyl Chloroform), Inhibited, Vapor Degreasing"

Under STANDARDS - MILITARY:

Delete	"MS 33586	Metals, Definitions of Dissimilar".
Add	"MIL-STD-889	Dissimilar Metals"

FSC 1660

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:41Z
Check the source to verify that this is the current version before use.

PAGE 3

3.1, Delete paragraph in its entirety and substitute the following:

"3.1 First article. When specified (see 6.2), the contractor shall furnish sample units for first article inspection and approval (see 4.3 through 4.3.2, and 6.2.c)."

3.2.1.1, line 3: Delete "MS 33586", and substitute" "MIL-STD-889".

PAGE 4

3.3.8, Delete paragraph in its entirety and substitute the following:

"3.3.8 Degreasing. Prior to assembling the valve, all internal surfaces of the valve shall be degreased by flushing with a cleaning compound, MIL-C-81302, or using a vapor phase degreaser in accordance with MIL-T-81533. Components shall be cleaned by immersing, scrubbing, or pressure spraying with MIL-C-81302 cleaning compound, or ultrasonics may be used in conjunction with a vapor degreaser or MIL-C-81302 cleaning compound. After completion of the cleaning, and when assembled, a General Electric Type H leak detector, or equivalent Halide testing apparatus shall be used to determine the absense of the cleaning compound."

PAGE 6

4.1, Delete entire parargaph and substitute the following:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

PAGE 12

4.6.9.10, Delete "4.6.9.10", and substitute "4.6.10".

PAGE 15

5., Delete "PREPARATION FOR DELIVERY", and substitute "PACKAGING".

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:41Z
Check the source to verify that this is the current version before use.

5.1, Delete paragraph in its entirety and substitute the following:

"5.1 Preservation and packaging. Preservation and packaging shall be Level A or C, as specified by the procuring activity (see 6.2)."

PAGE 18

6.3, Delete paragraph in its entirety and substitute the following:

"6.3 Contract data requirements. When this specification is used in a pricurement which incorporates a DD Form 1423 and invokes the provisions of 7-104.9(n) of the Defense Acquisition Regulations, the data requirements identified below will be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved Contract Data Requirements List (DD Form 1423) incorporated into the contract. When the provisions of DAR7-104.9(n) are not invoked, the data specified below will be delivered by the contract in accordance with the contract requirements. Deliverable data required by this contract is cited in the following paragraph:

Paragraph	Data Requirement	Applicable DID
4.3.2	First article Inspection Reports	DI-T-5329 Inspection Test Reports"

6.4, add the following new paragraph:

"6.4 When a first article is required, it shall be tested under the appropriate provision of 7-104.55 of the Defense Acquisition Regulation. The first article should be a preproduction sample. The contracting officer should include specific instructions in all procurement instruments, regarding arrangements for examination, test, and approval of the first article."

Custodians:
Army - AV
Navy - AS
Air Force - 99

Review Activities:
Army - ME
Air Force - 11

Preparing Activity:
Navy - AS
(Project Number 1660-0383)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:41Z
Check the source to verify that this is the current version before use.