[INCH-POUND]
A-A-2668A
October 14, 1997
SUPERSEDING
A-A-2668
April 26, 1990

COMMERCIAL ITEM DESCRIPTION

DISPENSER, TOILET PAPER, CABINET

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (CID) covers toilet paper dispenser cabinets for other than residential use.

2. CLASSIFICATION

2.1 Classification. The toilet paper dispensers shall be of the following type and class, as specified (see 7.3).

Type II - Surface mounted vertically. Holds 2 rolls of tissue.

Class A - Carbon steel cabinet with bright chromium plated finish or stainless steel with polished mirror finish.
Class B - Stainless steel cabinet with satin finish.

Type III - Recess mounted vertically. Holds 2 rolls of tissue. Carbon steel cabinet with mounting flange and a bright chromium plated finish or stainless steel with a polished mirror finish.

Type IV - Surface mounted vertically. Holds 3 rolls of tissue.

Class B - Stainless steel cabinet with satin finish.
Class C - Aluminum cabinet with white painted finish.

3. SALIENT CHARACTERISTICS

3.1 Construction.

3.1.1 Lock. The cabinet closure panel shall lock automatically upon closing or shall be provided with a tumbler lock and key, all keyed alike.

3.1.2 Cabinet opening. The cabinet opening for acceptance of toilet tissue rolls conforming to CID A-A-697 shall be a minimum of 4-5/8 inches (117.5 mm) in width, height, and depth.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor St., Fort Worth, TX 76102

FSC 4510

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:25Z
Check the source to verify that this is the current version before use.

3.1.3 Fastener holes. Dispensers shall be provided with fastener holes or slots at the corners with adequate spacing across the cabinet back, in accordance with the manufacturer's standard commercial product, to provide for stability after installation.

3.1.4 Mounting hardware. Each cabinet shall be furnished with plated or stainless steel fasteners, sheet metal screws, or mounting hardware normally supplied with the manufacturer's standard commercial product.

3.1.5 Performance. The dispenser roller mechanism shall accommodate 1000-sheet rolls of toilet tissue conforming to CID A-A-697. The mechanism shall be capable of automatically dropping the stored roll(s) of tissue, without jamming, when the roll being dispensed has 5 percent or less remaining.

3.2 Type II. Type II cabinets shall house two (2) 1000-sheet rolls of toilet tissue mounted horizontally and stacked vertically.

3.3 Type III. Type III cabinets shall have wall flanges located to allow a mounting recess depth not greater than 3 inches (76.0 mm). The width of the flanges shall be not less than 5/8 inch (15.8 mm). The cabinet shall house two (2) 1000-sheet rolls of toilet tissue mounted horizontally and stacked vertically.

3.4 Type IV. Type IV cabinets shall house three (3) rolls of toilet tissue mounted horizontally and stacked vertically.

3.5 Finish.

3.5.1 Carbon steel. Exterior surfaces shall have a bright chromium plated finish.

3.5.2 Stainless steel. Stainless steel surfaces shall have a satin finish or a polished mirror finish, as specified (see 2.1), in accordance with the manufacturer's current commercial practice.

3.5.3 Aluminum. At the manufacturer's option, exterior surfaces shall be white dry/powdered or smooth baked on white enamel finish, which shall be hard and durable.

3.5.4 Exterior surfaces. At the manufacturer's option, the front panel may be gray plastic with a textured or embossed finish. All other exterior surfaces must be metal.

3.5.5 Interior surfaces. At the manufacturer's option, interior metallic surfaces shall be chromium plated, bright zinc plated, dry/powdered or baked on white enamel. Unless otherwise specified, interior plastic surfaces shall be as molded.

3.5.6 Marking. Each dispenser shall be clearly and permanently marked with the manufacturer's name or trademark.

3.6 Workmanship. Dispenser cabinets shall be free of cracks, dents, and sharp corners and edges. All plated or painted surfaces shall be uniformly coated and free of voids, blisters, paint runs, or other defects affecting appearance, function, or serviceability.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:25Z
Check the source to verify that this is the current version before use.

3.7 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parentheses are for information purposes only.

3.8 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product Conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part Identification Number (PIN). Dispensers conforming to this commercial item description shall be identified by a part number configuration consisting of identification of a portion of the CID number, type and class. An example of the part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within the Federal cataloging system. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

AA26684C Example: (AA26684C) = Type IV, Class C

- Class A = Carbon steel
  - B = Stainless steel
  - C = Aluminum
- Type 2 = II
  - 3 = III
  - 4 = IV
- Commercial item description number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

7.2 Referenced Document. The document referenced in this commercial item description shall be the issue in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. The document forms a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and the document referenced herein, this commercial item description shall take precedence.

Commercial Item Description.

A-A-697 - Paper, Toilet

Copies of commercial item descriptions are available from the Federal Supply Service Bureau, Specification Section (3FBP-W), Suite 8100, 470 East L'Enfant Plaza, SW, Washington, DC 20407.

7.3 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type and class.
c. Preservation, packing, and marking desired.

7.4 National Stock Numbers (NSNs): The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Type	Class	Part Number
4510-00-892-5850	II	A	AA26682A
4510-00-725-5161	II	B	AA26682B
4510-00-984-4064	III		AA26683
4510-00-752-9065	IV	B	AA26684B
4510-00-752-9066	IV	C	AA26684C

MILITARY INTERESTS:

NONE: DoD has determined that no military activity has an official interest in this commercial item description.

CIVIL AGENCY COORDINATING ACTIVITIES:
GSA-FSS

PREPARING ACTIVITY:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.