INCH-POUND

A-A-2940A
March 5, 2002
SUPERCEDING
A-A-2940
December 15, 1995

COMMERCIAL ITEM DESCRIPTION

YARDSTICK (WOOD AND ALUMINUM)

The General Services Administration has authorized the use of this Commercial Item Description by all federal agencies.

1. SCOPE. This Commercial Item Description covers yardsticks used for general purpose measuring.

2. CLASSIFICATION. The yardsticks shall conform to the following types.

2.1 Type 1. Wood.

2.2 Type 2. Aluminum.

3. SALIENT CHARACTERISTICS.

3.1 Type 1. Yardstick shall be made of one piece, select, well-seasoned hardwood. The yardstick shall be 36 inches (+/- 1/32) inch in length, a minimum of 3/16 inch thick, and 1 inch (+/- 1/32 inch) in width. Graduation lines shall be uniform in width and depth and filled with a durable black material. Figures shall be clear, permanent, free from ragged edges and breaks, and shall appear in a distinctive manner to be legible under all service conditions. One side shall be graduated in 1/8-inch increments and numbered consecutively for every inch. The opposite side shall be graduated and numbered at 1/16, 1/8, 1/4, 3/8, 1/2, 5/8, 3/4, and 7/8 fractions of a yard and read from left to right. The out of parallel error between edges shall not exceed 1/64 inch in 36 inches. The end shall be within 1/2 degree of being square and have flush-rigidly mounted, corrosion resistant metal, end caps on each end, not extending more than 1/4 inch on to both faces. The yardstick shall be protected with a clear durable coating and may have a hole in the end for hanging purposes.

3.2 Type 2. Yardstick shall be made of one-piece, tempered aluminum with a matt finish. The yardstick shall be 36 inches (+/- 1/32) inch in length, a minimum of 1/16 inch thick, and 1 inch (+/- 1/32 inch) in width. The yardstick shall have graduations on one side only and both edges shall be in 1/16-inch increments and numbered consecutively in inches. Graduation lines shall be straight, of uniform width, and of equal height. Figures shall be clear, permanent, free from ragged edges and breaks, and shall appear in a distinctive manner to be legible under all service conditions. The error between any two graduations shall not exceed 1/64 of an inch. The out of parallel error between edges shall not exceed 1/64 inch in 36 inches and the end shall be within 15 minutes of being square. Graduations shall be black and durable. The yardstick shall be either anodized or protected with a clear durable coating and may have a hole in the end for hanging purposes.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data that may improve this document should be sent to: General Services Administration, Federal Supply Service, Hardware SuperStore, 6FEE, 1500 Bannister Rd., Bldg.# 6, Kansas City, Missouri. 64131.

FSC 5210

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:27Z
Check the source to verify that this is the currentversion before use.

3.3 Identification marking. Each yardstick shall be marked in a plain and permanent manner with the manufacturer's name or trademark of such known character that the source of manufacture may be readily determined, part number, and country of origin.

3.4 Workmanship. Details of workmanship shall be in accordance with the best commercial practices. Paints, coatings, plating, and finishes shall be smooth, adherent, continuous and not stained or discolored. External surfaces shall be free of tool and gouge marks, nicks, or other surface imperfections. The item shall be free from manufacturing workmanship defects (e.g. sharp or rough external edges, corners, or surfaces) and material workmanship defects (e.g. pits, rips, fins, burrs, tears, nodules, cracks, or blisters), which may adversely impact the item's serviceability, durability, safety, or appearance

4. REGULATORY REQUIREMENTS.

4.1 Recovered materials. The supplier/manufacturer is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376 and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch- pound units, a request should be made to the contracting officer to determine if the product is acceptable.

5. PRODUCT CONFORMANCE.

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the supplier's own drawings, specifications, standards and quality assurance practices, and shall be the same product and offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. Unless otherwise specified, the supplier is responsible for the performance of all inspection requirements and may use any commercial facilities (including the supplier's own facilities) suitable for performance of the inspection requirements, unless disapproved by the Government. The Government reserves the right to perform any inspections deemed necessary to assure the item conforms to the specified requirements.

6. PACKAGING. Requirements of preservation, packing, packaging, and marking of packages shall be specified in the contract or order.

7. NOTES.

(This section contains information of a general or explanatory nature that is not mandatory.)

7.1 Addresses for obtaining copies of referenced documents:

GSA Specifications Section (3FP-E), Suite 8100, 470 L 'Enfant Plaza, SW, Washington, DC 20407.

Federal Acquisition Regulation (FAR): Government Printing Office, Superintendent of Documents, Washington, DC 20401-9371.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

7.2 National Stock Numbers (NSNs) The following list of NSNs corresponds to the styles specified in this CID This list may not be indicative of all possible NSNs associated with this CID.

NSN	Type
5210-00-243-3349	1
5210-00-985-6610	2

7.3 Ordering data. Purchasers should select the preferred options permitted herein and should include the following information in procurement documents:

(a) Title, number and date of Commercial Item Description.
(b) Type.

7.4 Key words. Yardstick

MILITARY INTERESTS.

NONE: DoD has no registered interest of revisions or notices to this Commercial Item Description until further notice.

Preparing Activity

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:27Z
Check the source to verify that this is the current version before use.