[Metric]
A-A-2941
October 16, 1996

COMMERCIAL ITEM DESCRIPTION
CALENDAR PAD STANDS
(METAL & PLASTIC)

The General Services Administration has authorized the use of this commercial item description for all Federal agencies, in preference to Federal Specification GG-C-101F which is canceled.

1. Scope: This Commercial Item Description covers metal and plastic calendar pad stands designed for desktop use.

2. Classification:

Type: I. - For Use With Calendar Pads {7.6 X 9.2 cm (3 x 3-5/8 inches)}
II. - For Use With Calendar Pads {9.2 X 14.9 cm (3-5/8 x 5-7/8 inches)}

3. Salient Characteristics:

3.1 Calendar Pad Stands (Metal \ plastic). The calendar stands shall be metal or plastic. The plastic stand shall retain its design contours without warping, crazing, cracking, or major discoloring in service or storage. The plastic shall be nonflammable. The two retainer arches shall fit the calendar pad mounting holes and securely retain the calendar pad to the stand. The retainer arches shall have the endurance strength for multiple loading and unloading of calendar pads without failure.

3.2 Design and Construction. Each calendar stand shall consist of a base, two retainer arches and protective glides. At the option of the manufacturer, the calendar pad stand can be made of metal or plastic. The calendar pad stand shall be slightly inclined toward the viewer to enhance the viewing of the calendar, when mounted on a horizontal surface. The stand shall rest evenly on a flat surface. The retainer arches shall enable the calendar pad pages to be turned from the right hand or left hand side of the calendar pad stand. The retainer arches shall have a usable filing height of 4.44 ± 0.64 cm (1-3/4 ± 1/4 inches). Each retainer arch shall be spaced on 2.22 ± 0.32 cm (7/8 ± 1/8 inch) centers at the base, and the two retainer arches shall be spaced on 3.18 cm (1-1/4 inch) centers for type I stand, and on 5.08 cm (2 inch) centers for type II stand. One retainer arch shall be located 1.59 ± 0.64 cm (5/8 ± 1/4 inch)from the top edge of the base, and the retainer arches shall be equidistant from the sides of the base of the stand. The retainer arches shall securely hold the calendar pad, and permit easy insertion and removal of the pad. The material used for glides on the stands shall not produce marks on furniture.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

3.2.1 Type I Stand. The stand shall conform to the applicable requirements. The dimension of the top surface of the stand shall be not less than 10.16 x 16.51 cm (4 x 6-1/2 inches).

3.2.2 Type II Stand. The stand shall conform to the applicable requirements. The dimensions of the top surface of the stand shall be not less than 15.56 x 19.37 cm (6-1/8 x 7-5/8 inches).

3.2.3 Finish. All metal parts shall be corrosion resistant or shall be coated or plated to resist corrosion.

3.2.4 Color. Shall be (Gray or Beige) as specified in the contract or order.

3.3 Identification marking. The calendar stands shall be legibly and permanently marked with the manufacturer's name or trademark and when specified, with the words "U.S.Property".

3.4 Workmanship. The stands shall have a smooth, uniform surface and shall be free from defects in material and workmanship which may affect appearance or serviceability.

4. Regulatory Requirements: The offerer/contractor is encouraged to use recovered materials to the maximum extent practical, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.1 Certification. The contractor shall certify that if polystyrene is used in the manufacture of this item, it shall contain 20 percent minimum, Postconsumer recovered materials in accordance with the 40 Code of Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Materials; Final Rule. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

5. Quality Assurance Provisions:

5.1 Product Conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. Packaging:

6.1 Preservation, packing and marking shall be as specified in the contract or order.

7. Notes:

7.1 Source of Documents. The following documents form a part of this commercial item description to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

7.1.1. Federal Acquisition Regulation (FAR) may be obtained from the superintendent of Documents, Government Printing Office, Washington DC, 20402.

7.1.2 Copies can be obtained by calling the RCRA hotline at 800-424-9346 or Washington DC 703-412-9810 or from Mail Code 5305, US EPA, 401 M Street, SW, Washington, DC 20460.

7.2. National Stock Number Listing (NSN). The following is a list of nsn's assigned which correspond to this CID. The list may not be indicative of all possible nsn's associated with the CID.

7520-00-139-4341
7520-00-162-6153
7520-00-139-4277
7520-00-162-6156

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.