[METRIC]
A-A-2959
October 03, 1995

COMMERCIAL ITEM DESCRIPTION

TAB, SIGNAL, STEEL

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE. This commercial item description covers a long-neck, projection type steel signal tab with a window which is intended for coding and directing attention to (data on records and file systems.

2. SALIENT CHARACTERISTICS.

2.1 Design and construction. The signal tabs shall be designed and constructed from a spring steel of a quality which will conform with the requirements of this commercial item description. The signal tabs shall be designed and constructed to prevent bending or deformation during application and use. The upper part of the tab shall have a signal flag and neck which shall project above the top edge of the indexed material. The bottom portion of the tab shall consist of a holding device with a cutout window designed to reveal a preprinted signal.

The holding device shall be designed so as to permit the signal tab to be slipped onto an index card and to be moved to various index positions on the card without damaging the card surface ,and to grip the card and maintain suitable compression to preclude accidental displacement. The lower portion of the signal tabs shall have no sharp or pointed corners nor sharp edges that will scratch or damage adjacent cards.

Beneficial comments, recommendations, additions, deletions, clarification, ect. and any data which may improve this document should be sent to:
General Services Administration,Engineering Division (2FYEE), Rm. 20-130,26 Federal Plaza,NEW YORK , NY 10278.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:27Z
Check the source to verify that this is the current version before use.

2.2 Material. The signal tabs shall be designed and constructed from a spring steel of a quality which will conform with the requirements of this commercial item description.

2.3 Dimensions. The signal tab dimensions shall be as follows:

Overall length of tab - 2.06 ± 0.08cm (13/16 ± 1/32 inch.)
Length of projection (flag and neck) - 0.79 ± 0.08cm (5/16 ± 1/32 inch.)
Width of holding device - 0.87 ± 0.08cm (11/32 ± 1/32 inch.)
Width of flag (minimum) - 0.56cm (7/32 inch).

2.4 Colors. Blue, Black, Lt Red, Lemon yellow.
As specified in the contract or order (see 5.1).

2.5 Finish. The flag, or the entire tab shall be covered with a glossy coating of the color specified. Any uncoated part of the tab shall have a corrosion-resistant finish.

2.6 Workmanship. The signal tabs shall be free from cracks, malformation, burrs, sharp or rough edges, or other defects, and shall be clean and free from foreign matter which may affect appearance or serviceability.

3. QUALITY ASSURANCE PROVISIONS.

3.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Suppliers are encouraged to use quality control (QC) techniques that exhibit control over their processes (e.g. (Statistical Process Control) SPC techniques) as defined in American National Standards Institute (ANSI) Z1.1, Z1.2 and Z1.3/ American Society for Quality Control (ASQC) B.1, B.2 and B.3 that systematically reduce excess variations. Objective evidence shall be available that demonstrates overall measurement adequacy techniques and controls. These techniques shall ensure quality levels equal to, or greater than, those cited in applicable technical document or, herein.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:27Z
Check the source to verify that this is the current version before use.

End item inspection/testing may be used by the offerror or the Government representative, as a means to determine the effectiveness of the in process quality controls. In process controls shall not be substituted for end item performance testing.

For those characteristics for which there are no such controls, or for end item performance test, lot by lot sampling for inspection/test shall be required. Sampling shall be in accordance with the American National Standards Institute (ANSI)/ American Society for Quality Control (ASQC) Z1.4, Sampling Procedures and Tables for Inspection by Attributes

An inspection lot shall consist of all like items submitted for inspection at one time. The inspection level shall be S-4 with an AQL of 4.0 Percent defective. The supplier must provide objective evidence (tests and inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

4. PACKAGING.

4.1 Preservation, packing, and marking shall be as specified in the contract or purchase order.

5. NOTES.

5.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Packaging, packing, marking (see 4.1).
(b) Color (see 2.4).

5.2 Source of Documents.

5.2.1 The issue date in effect on date of invitation for bids or request for proposal shall apply Unless Otherwise Specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

5.2.2 (ANSI)/ American Society for Quality Control (ASQC) Z1.4, Sampling Procedures and Tables for Inspection by Attributes.

Application for copies can be obtained from American Society for Quality Control, P.O. Box 3005, 611 E. Wisconsin Avenue, Milwaukee, WI 53201-4606.

5.2.3 National Stock Numbers (NSNs). The following is a list of NSNs assigned which correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Color
7510-00-249-1314	Blue
7510-00-263-8840	Black
7510-00-263-8841	Lt. Red
7510-00-263-8843	Lemon Yellow

MILITARY INTERESTS:
NONE: DOD has no registered interest. in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.