MIL-D-18873B
AMENDMENT 3
15 July 1982
SUPERSEDING
INT. AMENDMENT 2(SH)
11 April 1980
USED IN LIEU OF
AMENDMENT 1
11 September 1961

MILITARY SPECIFICATION

DECK COVERING MAGNESIA AGGREGATE MIXTURE

This amendment forms a part of Military Specification MIL-D-18873B, dated 20 July 1959, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.1: Delete and substitute:

"1.1 Scope. This specification covers an asbestos-free, nonsparking covering for use over wood floors in ammunition box cars or ammunition vans or between the dunnage system of steel deck channels in cargo weapon stowage spaces."

* 2.1, under "SPECIFICATIONS, MILITARY", add the following:

"MIL-D-16680 - Deck Covering Magnesia Aggregate Mixture."

* 2.1, under "STANDARDS, MILITARY", add the following:

"MIL-STD-1623 - Fire Performance Requirements and Approved Specification for Interior Finish Materials and Furnishings (Naval Shipboard Use)."

* 3.1: Delete and substitute:

"3.1 First article. When specified (see 6.2), the contractor shall furnish sample unit(s) for first article inspection (see 4.2 and 6.3)."

* 3.2: Delete first sentence and substitute:

"3.2 Material. The material used for forming the deck covering shall consist essentially of an intimate mixture of asbestos-free dry ingredients and a gaging solution of magnesium chloride proportioned to form a covering which can be applied with a trowel. A certificate of compliance shall be required that the material is asbestos-free (see 6.2.2)."

FSC 5610

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:02Z
Check the source to verify that this is the current version before use.

PAGE 2

* 3.2.1, first line on page 2: Delete "inert" and substitute "asbestos-free inert".

* 3.7: Delete in its entirety.

* 3.12: Delete and substitute:

"3.12 The deck covering shall meet the fire test requirements for magnesia aggregate (MIL-D-16680) as specified in MIL-STD-1623 (see 4.5.10)."

PAGE 3

* 4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

* 4.2: Delete and substitute:

"4.2 First article inspection. First article inspection shall consist of the tests specified in 4.5."

* 4.2.1 and 4.2.2: Add the following new paragraphs:

"4.2.1 First article sample. Each sample shall consist of sufficient premixed dry ingredients (finish coat) and magnesium chloride flakes to provide for the application of 27 square feet, approximately 1/2 inch thick (see 6.2).

"4.2.2 First article inspection report. The contractor shall furnish a first article inspection report in accordance with the data ordering document included in the contract (see 6.2.2)."

4.3.3, in heading, delete: "at a Government laboratory." and delete last sentence.

PAGE 4

4.4.2, in heading, delete: "at a Government laboratory."; in first sentence, delete: 4.5.5 and 4.5.14; and in last sentence, delete the word "Government" from the two places where it occurs.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:02Z
Check the source to verify that this is the current version before use.

PAGE 5

4.5.5: Delete in its entirety.

PAGE 6

* 4.5.10, add the following: "The finished deck covering system shall be tested in accordance with the test procedure set forth in MIL-STD-1623."

PAGES 6 and 7

* 4.5.10.1 through 4.5.10.2.1: Delete in their entirety.

PAGE 8

4.5.14: Delete in its entirety.

4.5.14.1: Delete in its entirety.

PAGE 9

* 5.3.1: Add the following new paragraph:

"5.3.1 Special marking. Each package shall be marked "Asbestos-free material"."

* 6.2: Add the following:

"(d) When a first article sample is required (see 4.2.1)."

* 6.2.2 through 6.2.2.1: Add the following new paragraphs:

"6.2.2 Data requirements. When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of DAR 7-104.9 (n) (2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraphs.

Paragraph no.	Data requirements title	Applicable DID no.	Option
3.1	First Article Inspection Report	DI-T-4902	------
3.2	Certificate of Compliance	DI-E-2121	------

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:02Z
Check the source to verify that this is the current version before use.

"(Data item descriptions related to this specification, and identified in section 6 will be approved and listed as such in DoD 5000.19L., Vol. II, AMSDL. Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.)

"6.2.2.1 The data requirements of 6.2.2 and any task in sections 3, 4, or 5 of the specification required to be performed to meet a data requirement may be waived by the contracting/acquisition activity upon certification by the offeror that identical data were submitted by the offeror and accepted by the Government under a previous contract for identical item acquired to this specification. This does not apply to specific data which may be required for each contract regardless of whether an identical item has been supplied previously (for example, test reports)."

* 6.3: Delete and substitute:

"6.3 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

* NOTICE.: Delete in its entirety.

* Under Custodians: Delete "Army - Corps of Engineers" and "Navy - Bureau of Ordnance" and substitute "Army - ME" and "Navy - SH", respectively."

* Under Preparing activity: Delete "Navy - Bureau of Ordnance" and substitute "Navy - SH".

PAGES 14, 15, and 16

* FIGURES 5, 6, and 7: Delete.

The margins of this amendment are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Navy - SH
Army - ME

Preparing activity:
Navy - SH
(Project 5610-0221)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:02Z
Check the source to verify that this is the current version before use.

★ U.S. GOVERNMENT PRINTING OFFICE: 1982—505-022/3768 2-4