MIL-T-18830B(SHIPS)
AMENDMENT-3
20 March 1980
SUPERSEDING
AMENDMENT-2
15 February 1978

MILITARY SPECIFICATION

TILE, PLASTIC, FIRE-RETARDANT

This amendment forms a part of Military Specification MIL-T-18830B(SHIPS), dated 18 September 1974, and is approved for use by the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.1: Delete and substitute:

"1.1 Scope. This specification covers a fire-retardant, asbestos-free, plastic tile for use as interior deck coverings on surface ships and submarines, and other suitable applications."

2.1, under STANDARDS, MILITARY: Add "MIL-STD-147 - Palletized Unit Loads for 40" x 48" Pallets."

* 3.2: Delete first sentence and substitute: "The tile shall consist of a thoroughly-blended composition of thermoplastic binder, asbestos-free fillers, and pigment."

PAGE 2

Table I, fifth column: Delete "3111 1/" and "3111 1/" and substitute "3131 1/" and "3131 2/".

PAGE 4

* 4.4.1: Delete and substitute:

"4.4.1 The contractor shall prepare a first article test report in accordance with the data ordering document included in the contract or order (see 6.1.2). The first article test report shall be forwarded to the procuring activity and a copy to the Commander, Naval Sea Systems Command (Materials Engineering Office), Department of the Navy, Washington, DC 20362."

FSC 7220

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:59Z
Check the source to verify that this is the current version before use.

PAGE 5

4.6.8: Delete and substitute:

"4.6.8 Flexibility (before aging). The specimens shall be conditioned as described in 4.6.1, and tested as described in [illegible] of FED-STD-501. Two specimens, one with the long dimension parallel to the grain of the tile, and one with the long dimension perpendicular to the grain of the tile, shall be tested (see 3.9)."

PAGE 10

5.2.1: Delete and substitute:

"5.2.1 Level A. Forty-five 12-inch or eighty 9-inch tiles of one thickness (see 3.5), color, pattern (see 3.18) and formulation, shall be packed in a fiberboard box conforming to PPP-B-636, type CF, class-weather-resistant. The box variety, grade, and style selection shall be at the contractor's option. Box closure, waterproofing, and reinforcing shall be in accordance with Method V of the Appendix to the box specification."

5.2.2: Delete and substitute:

"5.2.2 Level B. Forty-five 12-inch or eighty 9-inch tiles of one thickness (see 3.5), color, pattern (see 3.18) and formulation, shall be packed in a fiberboard box conforming to PPP-B-636, type CF, class-domestic. The box variety, grade, and style selection shall be at the contractor's option. Box closure shall be in accordance with the Appendix to the box specification."

5.2.4: Add new paragraph:

"5.2.4 Palletization. Tiles, packed as specified (see 5.2), shall be palletized for shipment. Pallets, except as specified herein, shall be of the four-way or partial four-way entry construction. Boxes shall be arranged in a snug and non-shifting manner. Pallet loads shall consist of tiles of one color and pattern (see 3.18), one size (see 3.4), and one thickness (see 3.5), shall be of uniform height, and shall have a full top course. The gross weight of the palletized load shall not exceed 2,500 pounds. Unless otherwise specified (see 6.1.1), shipments to storage/stocking activities and Naval shore-based activities shall be on pallets of the expendable type. Shipments to Naval Forces afloat shall be on wood/plywood pallets of the winged-type construction. Pallet length and width nominally shall be as follows, at the contractor's option: 24 inches by 36 inches, 36 inches by 36 inches, 38 inches by 38 inches, or 40 inches by 40 inches. The pallet load shall be bonded in accordance with the guidelines of MIL-STD-147, load type I. Method of bonding shall be at the contractor's option."

Source: https://assist.dla.mil -- Downloaded: 20260-18T11:59Z
Check the source to verify that this is the current version before use.

5.3: Delete and substitute:

"5.3 Marking. In addition to any special marking required by the contract or order (see 6.1.1), containers and palletized loads shall be marked for shipment in accordance with MIL-STD-129."

6.1.1: Add: "(g) When pallets other than expendable are required (see 5.2.4)."

NOTE: The margins of this amendment are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assures no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Preparing activity:
Navy - SH
(Project 7220-N210)

Source: https://assist.dla.mil -- Downloaded: 202610-18T11:59Z
Check the source to verify that this is the current version before use.