MILITARY STANDARD

MIL-STD-1322-100
(NAVY)
9 JUNE 1989


UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT

EXPLODER ASSEMBLY, MK 20 MOD 0
IN CONTAINER MK 569 MOD 0


UNIT LOAD DATA DODIC/NALC NO. DW58

NUMBER OF EXPLODERS PER CONTAINER	1	
NUMBER OF CONTAINERS PER UNIT LOAD	60	
NUMBER OF EXPLODERS PER UNIT LOAD	60	
GROSS WEIGHT OF ONE CONTAINER	6	LBS
WEIGHT OF WOOD FRAMES AND PANELS	96	LBS
WEIGHT OF STEEL STRAPPING	7	LBS
WEIGHT OF PALLET	75	LBS
GROSS WEIGHT OF UNIT LOAD	538	LBS △
CUBE	32.2	CU FT

△ DO NOT USE FOR SHIPPING WEIGHT



DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE.



AMSC NO. - N/A

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

C. Fonash 6/7/89
SIGNATURE TECHNICAL DIRECTION AGENT (TDAI) DATE

L.R. Cuny 6.9.89
SIGNATURE NAVSEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR David W. Hoyt 6/9 DATE
NAVAL WEAPONS STATION EARLE
COLTS NECK, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-04-23T02:35Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) FABRICATE TWO FRAME ASSEMBLIES AS SHOWN IN DETAIL A WITH THE STRAPPING, ITEM 4, POSITIONED AS SHOWN. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5, AND SECURE THE STRAPPING WITH STAPLES, ITEM 6.
(B) THREAD TWO STRAPS, ITEM 2, THROUGH THE SLOTS IN THE PALLET DECK, ITEM 1, AS SHOWN IN DETAIL B.
(C) POSITION ONE FRAME ASSEMBLY ON THE PALLET DECK WITH EQUAL OVERHANG AT BOTH ENDS AND BOTH SIDES.
(D) POSITION ONE SIDE PANEL, ITEM 11, AND TWO END PANELS, ITEM 12, IN THE FRAME ASSEMBLY.
(E) POSITION 30 CONTAINERS IN THE FRAME ASSEMBLY AS SHOWN IN THE PLAN VIEW. PLACE THE SEPARATOR, ITEM 13, OVER THE CONTAINERS AND POSITION THE SECOND LAYER OF CONTAINERS ON THE SEPARATOR.
(F) POSITION THE REMAINING SIDE PANEL, ITEM 11, IN THE FRAME ASSEMBLY.
(G) POSITION THE SECOND FRAME ASSEMBLY, OPEN SIDE DOWN, OVER THE CONTAINERS AND PANELS.
(H) POSITION STRAPPING, ITEM 2, OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(I) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(J) SECURE STRAPPING, ITEMS 2 AND 3, TO THE TOP FRAME ASSEMBLY WITH STAPLES, ITEM 6, AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322 (NAVY).



NOTES:

1. ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT, MIL-STD-1322 (NAVY).
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	13	SEPARATOR (PLYWOOD)	SEE NOTE 1	1/4 X 37 X 44
2	12	END PANEL (PLYWOOD)	SEE NOTE 1	1/4 X 23 X 37
2	11	SIDE PANEL (PLYWOOD)	SEE NOTE 1	1/4 X 23 X 44
AS REQ'D.	10	NAIL, BOX	SEE NOTE 1	6d
12	9	BATTEN	SEE NOTE 1	1 X 8 X 39 3/8
4	8	END PIECE	SEE NOTE 1	1 X 4 X 39 3/8
4	7	SIDE PIECES	SEE NOTE 1	1 X 4 X 45 1/4
16	6	STAPLE	SEE NOTE 1	3/4
6	5	SEAL	SEE NOTE 1	3/4
2	4	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 15 FT 6 IN
2	3	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 12 FT 6 IN
2	2	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 13 FT 6 IN
1	1	PALLET, WOOD	MIL-P-15011 STYLE IA, CL 1	35 X 45 1/2 X 5 1/2


LIST OF MATERIALS

DEPALLETIZING PROCEDURE

(A) REMOVE TOP SURFACE STAPLES.
(B) CUT AND REMOVE OVER THE LOAD STRAPPING, ITEMS 2 & 3.
(C) REMOVE TOP FRAME ASSEMBLY.
(D) REMOVE ONE SIDE PANEL, ITEM 11.
(E) REMOVE TOP LAYER OF CONTAINERS.
(F) REMOVE SEPARATOR AND PANELS.
(G) REMOVE BOTTOM LAYER OF CONTAINERS.
(H) REMOVE BOTTOM FRAME ASSEMBLY.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

UNIT LOAD DETAILS




DETAIL A

FRAME ASSEMBLY
(TWO REQUIRED)



PLAN VIEW

30 CONTAINERS/LAYER
2 LAYERS HIGH WITH
PLYWOOD SEPARATOR
BETWEEN LAYERS



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:52Z
Check the source to verify that this is the current version before use.