
MILITARY STANDARD

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
WARHEAD, MK 103 MODS 0 AND 1 AND
EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4 AND 6
IN CONTAINER, MK 301 MOD 0

MIL-STD-1322-792
(NAVY)
17 NOVEMBER 1988
SUPERSEDING
WR-53/792
3 SEPTEMBER 1970

DODIC/NALC	T088 T213 T618 T095	T094 T091	T092	T619
NUMBER OF WARHEADS PER CONTAINER.....	1	1	1	1
NUMBER OF CONTAINERS PER UNIT LOAD.....	4	4	4	4
NUMBER OF WARHEADS PER UNIT LOAD.....	4	4	4	4
GROSS WEIGHT OF ONE CONTAINER (ESTIMATED).	172 LBS	166 LBS	190 LBS	176 LBS
WEIGHT OF PALLET.....	90 LBS	90 LBS	90 LBS	90 LBS
GROSS WEIGHT OF UNIT LOAD (ESTIMATED).....	815 LBS	790 LBS	885 LBS	830 LBS
CUBE.....	35.7 CU FT	35.7 CUFT	35.7 CU FT	35.7 CU FT


DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE



CONTAINER MK 301 MOD 0

HAZARD CLASSIFICATION

DODIC/NALC	DOI	CG
T618	A	VII
T619	A	VII
T088	INERT	
T213	INERT	
T095	INERT	
T094	INERT	
T091	INERT	
T092	INERT	



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

E. Ronald. 11-15-88
SIGNATURE TDA, WPNSTA EARLE DATE

SIGNATURE BY DIRECTION 11-17-88 DATE

ORIGINATOR William Schwartz 11/9/88
DATE

WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:55Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) POSITION ONE RESTRAINER, ITEM 11, ACROSS CENTER OF PALLET, ITEM 1. SECURE TO PALLET DECK WITH SIX NAILS, ITEM 13. NAIL THROUGH DECK BOARDS INTO POSTS ON POST TYPE PALLET OR STRINGERS ON STRINGER TYPE PALLETS. POSITION A SECOND RESTRAINER OVER THE FIRST AND NAIL IN PLACE, AS SHOWN.

(B) THREAD STRAPPING, ITEM 2, THROUGH SLOTS IN PALLET DECK, AS SHOWN IN DETAIL A.

(C) POSITION FOUR DRUMS ON THE PALLET.

(D) POSITION GIRTHWISE STRAPPING, ITEM 4, AROUND THE PREFABRICATED TOP FRAME, TENSION AND DOUBLE NOTCH SEAL, ITEM 5. SECURE STRAPPING WITH STAPLES, ITEM 6. PLACE THE TOP FRAME ASSEMBLY ON THE DRUMS.

(E) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

(F) POSITION STRAPPING, ITEM 2, AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

(G) SECURE THE STRAPPING TO TOP FRAME WITH STAPLES.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129 AND MIL-STD-1322.

DEPALLETIZING PROCEDURES

(A) REMOVE STAPLES.

(B) CUT AND REMOVE STRAPPING.

(C) REMOVE TOP FRAME.

(D) REMOVE DRUMS.

(E) REMOVE RESTRAINERS FROM PALLET.


NOTES:


1. PALLET, MIL-P-15011 MUST HAVE STRAPPING SLOTS. WHEN PALLET WITH SLOTS IS NOT AVAILABLE, USE ALTERNATE PALLET, MIL-P-3938.
2. .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.
3. ONE INCH BOARD DRESSED DOWN TO 8-1/2 INCH ACTUAL WIDTH.
4. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE AS SPECIFIED IN THE GENERAL DOCUMENT, MIL-STD-1322.

LIST OF MATERIALS


REQ.	ITEM	DESCRIPTION	MAT'L	MAT'L SPEC.	DIMENSIONS
5 PER JOINT	13	NAIL, STANDARD BOX	STEEL	FF-N-105 TY II, ST 4	8d
3 PER JOINT	12	NAIL, STANDARD BOX	STEEL	FF-N-105 TY II, ST 4	6d
2	11	RESTRAINER (SEE NOTE 3)	WOOD DRESSED	MIL-STD-731	1 X 8 1/2 X 40
2	10	SPACER	WOOD DRESSED	MIL-STD-731	2 X 6 X 7
5	9	TOP BATTEN	WOOD DRESSED	MIL-STD-731	1 X 6 X 41
2	8	END BATTEN	WOOD DRESSED	MIL-STD-731	1 X 4 X 39 7/16
2	7	SIDE BATTEN	WOOD DRESSED	MIL-STD-731	1 X 4 X 48
12	6	STAPLES	STEEL	COML	3/4
5	5	SEAL	STEEL COATED	QQ-S-781 HEAVY DUTY	3/4
1	4	STRAPPING, GIRTHWISE (SEE NOTE 2)	STEEL COATED	QQ-S-781, TY I OR IV, CL A OR B	3/4 X 035 X 15FT 6
2	3	STRAPPING, (SEE NOTE 2)	STEEL COATED	QQ-S-781, TY I OR IV, CL A OR B	3/4 X 035 X 12 FT
2	2	STRAPPING, (SEE NOTE 2)	STEEL COATED	QQ-S-781, TY I OR IV, CL A OR B	3/4 X 035 X 13 FT
1	1	PALLET, (SEE NOTE 1)	WOOD	MIL-P-15011	40 X 48 X 5 1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:55Z
Check the source to verify that this is the current version before use.





DETAIL A



TOP FRAME ASSEMBLY

(1 REQUIRED)

REVIEW ACTIVITY:
NAVY - OS

PREPARING ACTIVITY:
NAVY - OS
(PROJECT NO. 8140-N800)

☆U.S. GOVERNMENT PRINTING OFFICE: 1989 - 604-033/12674

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:55Z
Check the source to verify that this is the current version before use.