MILITARY STANDARD

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
FAIRING, UNDERWATER MINE, MK 20 TYPE
FOR MINE MK 55

MIL-STD-1323-227 (NAVY)

2 APRIL 1985

SUPERSEDING WR-53/227A
24 FEBRUARY 1976


UNIT LOAD DATA DODIC/NALC ...R538

NUMBER OF ASSEMBLIES PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	4
NUMBER OF ASSEMBLIES PER UNIT LOAD	4
GROSS WEIGHT OF ONE CONTAINER	160 LBS
WEIGHT OF WOOD DUNNAGE	14 LBS
WEIGHT OF STRAPPING	6 LBS
WEIGHT OF PALLET	94 LBS
GROSS WEIGHT OF UNIT LOAD	754 LBS △
CUBE	83.0 CU.FT.


△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 3

UNIT LOADS HIGH IN STORAGE



SHIPPING CONDITION
10001 - 2644586



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-336(NAVY).

DISTRIBUTION STATEMENT A
Approved for public release; distribution is unlimited.

MIL STD	ROTATED CONTAINERS ON PALLET TO MAKE UNLOADING EASIER
REV LTR	REVISION DESCRIPTION

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

M S Gray NWHC 4/11/85
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE


J E Kelly 4/11/85
SIGNATURE SEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR 4/11/85
DATE


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.



VIEW A

1. PLACE 4 CONTAINERS ON PALLET AS SHOWN ON PAGE 1.
2. CUT SKID GUARDS, ITEM 5, TO FIT SNUGLY BETWEEN SKIDS.
3. TAP SKID GUARDS INTO POSITION SO THAT THEY ARE FLUSH WITH THE SKIDS.



VIEW B

1. WITH CONTAINERS IN PLACE AND AFTER INSERTING SKID GUARDS, CUT COVER BATTENS TO FIT SNUGLY BETWEEN COVER CLEATS.
2. TAP COVER BATTENS INTO PLACE OVER THE 5/8 CONTAINER STRAPS AND FLUSH WITH COVER CLEATS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) POSITION THE CONTAINERS ON THE PALLET DECK WITH EQUAL OVERHANGS ON BOTH SIDES AND ENDS.

(C) INSTALL THE SKID GUARDS, ITEM 5, AND THE COVER BATTENS, ITEM 6, AS SHOWN ON PAGE 2.


(D) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 4.


(E) POSITION STRAPPING, ITEM 2, AROUND THE CONTAINERS, TENSION AND DOUBLE NOTCH SEAL.

(F) SECURE STRAPPING TO COVER BATTENS AND SKID GUARDS WITH STAPLES, ITEM 7.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.





DETAIL A

NOTES:

1. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES
2. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1323.

DEPALLETIZING PROCEDURE

(A) REMOVE STAPLES

(B) CUT AND REMOVE STRAPPING

(C) REMOVE BATTENS AND GUARDS

(D) REMOVE CONTAINERS

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1 PER BATTEN	7	STAPLE	COM'L	3/4
4	6	COVER BATTEN	SEE NOTE 2	1 X 4 X TO FIT
4	5	SKID GUARD	SEE NOTE 2	3 X 4 X TO FIT
4	4	SEAL	SEE NOTE 2	3/4
2	3	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X.035 X17FT6
2	2	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X.035 X 20FT
1	1	PALLET, MK 3 MOD 0	SEE-NOTE 2	40 X 48 X 4 3/4

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N649)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.