MILITARY STANDARD

MIL-STD-1323-244 (NAVY)

25 APRIL 1984

SUPERSEDING WR-54/244

23 MAY 1975

UNIT LOAD FOR UNDERWAY REPLENISHMENT


FLIGHT GEAR, UNDERWATER MINE MK 56 IN CONTAINER MK 587 MOD 0

UNIT LOAD DATA DODIC/NALC LW 86


NUMBER OF FLIGHT GEARS PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	2
NUMBER OF FLIGHT GEARS PER UNIT LOAD	2
GROSS WEIGHT OF ONE CONTAINER	250 LBS
WEIGHT OF STRAPPING AND BATTENS	38 LBS
WEIGHT OF PALLET	94 LBS
GROSS WEIGHT OF UNIT LOAD	632 LBS *
CUBE	67.8 CU FT

* DO NOT USE FOR SHIPPING WEIGHT
DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE.

HAZARD CLASSIFICATION
DOT ... AMMUNITION, NON-EXPLOSIVE
CG ... I



CONTAINER MK 587 MOD 0
10001 - DL2644942



NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

M S Gray NWHC 4/24/84
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J C Kelly 4/25/84
SIGNATURE SEA SYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR Wm Cathcart 4/24/84
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

PACKING AND PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A .

(b) ASSEMBLE TWO DEMOUNTABLE BOXES, (2644942-1), WITH FASTENERS, (MS 24535-3), OMITTING ONE SIDE PANEL (38 5/16 X 32 7/16) FROM EACH BOX .


(c) POSITION THE BOXES ON THE PALLET WITH THEIR OPEN SIDES OUTBOARD AS SHOWN IN DETAIL C, MAINTAIN EQUAL OVERHANG AT SIDES AND ENDS OF PALLET.

(d) POSITION SIDE FRAME ASSEMBLIES , DETAIL B .


(e) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE SIDE FRAMES AND THE BOXES AS SHOWN TENSION AND DOUBLE NOTCH THE SEAL, ITEM 4, SECURE THE STRAPPING TO THE SIDE FRAMES WITH STAPLES, ITEM 9 .

(f) PACK ONE COMPLETE FLIGHT GEAR IN EACH BOX AS SHOWN IN OR-68/49A, CLOSE BOXES WITH SIDE PANELS , SECURED WITH FASTENERS (MS 24535-3) .

(g) POSITION STRAPPING, ITEM 2, UNDER SPACER BATTEN, ITEM 5, AND AROUND BOXES. TENSION AND DOUBLE NOTCH THE SEAL. SECURE THE STRAPPING TO THE SPACER BATTENS WITH STAPLES, ITEM 9, AS SHOWN.




SIDE FRAME ASSEMBLY
(2 REQUIRED)




DETAIL B

DETAIL A



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.



NORMAL MARKING :
IN ADDITION TO ANY REQUIREMENT OF THE CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.

NOTES :
1. ALL MATERIALS SHALL BE AS SPECIFIED IN MIL-STD-1323 .
2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES .

DEPALLETIZING PROCEDURE

(a) REMOVE STAPLES.
(b) CUT AND REMOVE STRAPPING.
(c) REMOVE SIDE FRAMES AND SPACER BATTENS.
(d) REMOVE BOXES .

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4 3/4
2	2	STRAPPING	SEE NOTE 1 & 2	3/4 X .035 X 19 FT 6
3	3	STRAPPING	SEE NOTE 1 & 2	3/4 X .035 X 14 FT
5	4	SEAL	SEE NOTE 1	3/4
2	5	PLYWOOD SPACER BATTEN	SEE NOTE 1	3/4 X 12 1/2 X 38
4	6	HORIZONTAL	SEE NOTE 1	1 X 4 X 48
6	7	VERTICAL	SEE NOTE 1	1 X 4 X 34
2 PER JOINT	8	NAILS , BOX	SEE NOTE 1	4d
16	9	STAPLES	SEE NOTE 1	3/4

REVIEW ACTIVITY :
NAVY - OS , AS

PREPARING ACTIVITY :
NAVY - OS
PROJECT NO. 8140 - N 603

Source: https://assist.dla.mil -- Downloaded: 2026-10-23123:57Z
Check the source to verify that this is the current version before use.