MILITARY STANDARD

MIL-STD-1323-245 (NAVY)

30 SEPTEMBER 1985

SUPERSEDING WR-54/245A 27 MAY 1975

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
FLIGHT GEAR, UNDERWATER MINE MK 55
IN CONTAINER MK 586 MOD 0

UNIT LOAD DATA

DODIC/NALC NO. .....LW 84

NUMBER OF FLIGHT GEARS PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	2
NUMBER OF FLIGHT GEARS PER UNIT LOAD	2
GROSS WEIGHT OF ONE CONTAINER	273 LBS
WEIGHT OF STRAPPING AND BATTENS	10 LBS
WEIGHT OF PALLET	94 LBS
GROSS WEIGHT OF UNIT LOAD	650 LBS △
CUBE	74.2 CU FT


HAZARD CLASSIFICATION

DOT ... AMMUNITION, NON-EXPLOSIVE


CG I

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN
3 UNIT LOADS HIGH IN STORAGE



CONTAINER MK 586 MOD 0
10001 - DL2644941
DIMENSIONS - 41 1/2 L x 33 7/8 W x 40 7/8 H



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
Approved for public release; distribution is unlimited.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS

M S Gray NWHC 9/25/85
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J E Kelly 9/30/85
SIGNATURE SEA SYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR A C Young 9/25/85
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

PACKING AND PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 4, BETWEEN DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) ASSEMBLE TWO DEMOUNTABLE BOXES (2644941) WITH FASTENERS (MS 2453503) OMITTING ONE SIDE PANEL (41 1/2 X 38 5/8) FROM EACH BOX.

(C) POSITION THE BOXES ON THE PALLET WITH THEIR OPEN SIDES OUTBOARD, MAINTAIN EQUAL OVERHANG AT SIDES AND ENDS OF PALLET.


(D) POSITION TOP BATTENS, ITEM 5, AS SHOWN.

(E) POSITION STRAPPING, ITEM 3, UNDER PALLET DECK, THROUGH PALLET LEGS AND AROUND THE BOXES AS SHOWN. TENSION AND DOUBLE NOTCH SEALS, ITEM 4. SECURE STRAPPING TO TOP BATTENS, ITEM 5, WITH STAPLES, ITEM 7.


(F) PACK ONE COMPLETE FLIGHT GEAR IN EACH BOX AS SHOWN ON OR-68/31A. CLOSE BOXES WITH SIDE PANELS SECURED WITH FASTENERS (MS 24535-3).

(G) POSITION STRAPPING, ITEM 2, UNDER THE SPACER BATTENS, ITEM 6, AND AROUND THE BOXES, TENSION AND DOUBLE NOTCH SEAL. SECURE THE STRAPPING TO THE SPACERS WITH STAPLES, ITEM 7.

MARKING: IN ADDITION TO ANY REQUIREMENTS OF THE CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.



DETAIL A THREAD STRAPPING BETWEEN THE 6th AND 7th WIRE



DEPALLETIZING PROCEDURE


(a) REMOVE STAPLES.

(b) CUT AND REMOVE STRAPPING.

(c) REMOVE BATTENS.

(d) REMOVE BOXES.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.



NOTES:

1. ALL MATERIALS SHALL BE AS SPECIFIED IN MIL- STD- 1323.
2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
10	7	STAPLES	SEE NOTE 1	3/4
2	6	SPACER BATTEN	SEE NOTE 1	1 X 10 X 41
2	5	TOP BATTEN	SEE NOTE 1	1 X 4 X 36 1/4
4	4	SEAL	SEE NOTE 1	3/4
2	3	STEEL STRAPPING	SEE NOTES 1 & 2	3/4X.035X15 FT 6
2	2	STEEL STRAPPING	SEE NOTES 1 & 2	3/4X .035X 19 FT 6
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4 3/4

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.