MILITARY STANDARD

MIL-STD-1323-301
(NAVY)


12 JUNE 1982

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
DETECTING DEVICE, TARGET MK 57 TYPE
IN CONTAINER DRAWING 3268751

UNIT LOAD DATA DODIC/NALC NO.-GW53


	PALLET MOD 0	PALLET MOD 1
NUMBER OF DETECTING DEVICES PER CONTAINER	60	60
NUMBER OF CONTAINERS PER UNIT LOAD	60	60
GROSS WEIGHT OF ONE CONTAINER (APPROX.)	7.2 LBS.	7.2 LBS.
WEIGHT OF PALLET (APPROX.)	110 LBS.	72 LBS.
WEIGHT OF WOODEN DUNNAGE (APPROX.)	95 LBS.	95 LBS.
WEIGHT OF STRAPPING (APPROX.)	9 LBS.	9 LBS.
GROSS WEIGHT OF UNIT LOAD (APPROX.)	646 LBS. Δ	608 LBS. Δ
CUBE	42.0 CU.FT.	41.6 CU.FT.
DIMENSION A (UNIT LOAD HEIGHT)	39 3/8	39

Δ DO NOT USE FOR SHIPPING PURPOSES



CONTAINER, DWG. 3268751

DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE



NOTES:

1. *UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.*
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

M. J. Gray NWHC 6/8/82
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J. E. Kelly 6/11/82
SIGNATURE SEA SYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY).

ORIGINATOR 10 JUNE 82
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 9, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(b) PLACE THE PREFABRICATED BOTTOM ADAPTER WITH GIRTHWISE STRAPPING, ITEM 10, ON PALLET.

(c) POSITION 20 CONTAINERS IN ADAPTER AS SHOWN IN PLAN VIEW. PLACE SEPARATOR SHEET, ITEM 7, OVER FIRST LAYER OF CONTAINERS, ADD ANOTHER LAYER AND SHEET AND THEN THE FINAL (3rd) LAYER OF 20 CONTAINERS.


(d) POSITION SIDE AND END COVER PLATES, ITEM 5 AND 6, INSIDE BOTTOM ADAPTER, PLACE THE TOP ADAPTER ASSEMBLY OVER CONTAINERS AND COVER PLATES AS SHOWN.

(e) POSITION STRAPPING, ITEM 8, UNDER PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 11.

(f) POSITION STRAPPING, ITEM 9, AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.


(g) SECURE STRAPPING TO ADAPTERS WITH STAPLES, ITEM 12, AS SHOWN.

MARKING: IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.



PLAN VIEW

20 CONTAINERS
3 LAYERS HIGH WITH PLYWOOD SEPARATOR SHEETS (2 REQ'D) BETWEEN LAYERS.




DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE STRAPPING, ITEMS 8 AND 9 ONLY.

(b) REMOVE TOP ADAPTER AND COVER PLATES.


(c) REMOVE CONTAINERS AND SEPARATOR SHEETS.

THREAD STRAPPING BETWEEN 4th AND 5th WIRES.



MK 12 MOD 0 PALLET

THREAD STRAPPING BETWEEN 5th AND 6th WIRES.




MK 12 MOD 1 PALLET

DETAIL A

Source: https://assist.dla.mil -- Downloaded: 2020-10-23T20:58Z
Check the source to verify that this is the current version before use.

ADAPTER DETAILS
TOP OR BOTTOM ADAPTER



NOTES: 1. .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.
2. DO NOT USE TYPE I STRAPPING WITH POWER TOOLS.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AS REQ'D	13	NAILS, BOX	FF-N-105	8d
AS REQ'D	12	STAPLE	SEE NOTES 1 AND 2	3/4
6	11	SEAL	SEE NOTES 1 AND 2	3/4
2	10	STRAPPING	SEE NOTES 1 AND 2	16 FT
2	9	STRAPPING	SEE NOTES 1 AND 2	15 FT
2	8	STRAPPING	SEE NOTES 1 AND 2	13 FT 6
2	7	SEPARATOR SHEET	PLYWOOD	1/4 X 46 1/4 X 37
2	6	COVER PLATE	PLYWOOD	1/4 X 37 1/4 X 32 3/4
2	5	COVER PLATE	PLYWOOD	1/4 X 47 X 32 3/4
4	4	ADAPTER, FRAME	WOOD	1 X 4 X 47
4	3	ADAPTER, FRAME	WOOD	1 X 4 X 39 1/4
12	2	ADAPTER, SLAT	WOOD	1 X 6 X 39 1/4
1	1	PALLET MK 12 MOD 1 OR MOD 0	10001-2645217 10001-2086479	35 X 45 1/2 X 4 3/4 35 X 45 1/2 X 5 1/8

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2025-10-23 23:58Z
Check the source to verify that this is the current version before use.