MILITARY STANDARD

MIL-STD-1323-322 (NAVY)

10 DECEMBER 1986

UNIT LOAD FOR UNDERWAY REPLENISHMENT SIGNAL, SMOKE, MARINE MK 131 MOD 0 AND SIGNAL, FLARES, MK 132 MOD 0 IN AMMUNITION BOX M2A1


UNIT LOAD DATA

DODIC/NALC NO.

NUMBER OF SIGNALS PER BOX	10
NUMBER OF BOXES PER UNIT LOAD	140
NUMBER OF SIGNALS PER UNIT LOAD	1400
GROSS WEIGHT OF ONE BOX	12.75 LBS
WEIGHT OF WOOD DUNNAGE	44 LBS
WEIGHT OF STEEL STRAPPING	12 LBS
WEIGHT OF PALLET	94 LBS
GROSS WEIGHT OF UNIT LOAD △	1935 LBS
CUBE	50.4 CU FT


DO NOT STACK MORE THAN
4 UNIT LOADS HIGH IN STORAGE

△ DO NOT USE FOR SHIPPING WEIGHT



PACK. SHIPPING AND STORAGE
MK 131 MOD 0 - 53711 - 6263403
MK 132 MOD 0 - 53711 - 6263400

HAZARD CLASSIFICATION
DOT - CLASS B
CG - CLASS II-C



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

W.S. Grant NWHC 12/2/86
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J.E. Kelly 12/10/86
SIGNATURE SEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR S R Petrie 12/10/86
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:39Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) PLACE BOTTOM PANEL, ITEM11, ON PALLET DECK.

(C) POSITION THE CONTAINERS ON THE BOTTOM PANEL WITH CLOSURES IN ONE DIRECTION.

(D) PLACE TOP PANEL, ITEM 10, ON UNIT LOAD AS SHOWN.


(E) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 5.

(F) POSITION STRAPPING, ITEM 2, AROUND THE END PANEL ASSEMBLY (SEE DETAIL B), THE CLEATS ON THE END PANEL ASSEMBLY MUST BE POSITIONED AGAINST THE LOWER SECTION OF THE CONTAINERS AS SHOWN, TENSION THE STRAPPING AND DOUBLE NOTCH SEAL.

(G) POSITION THE GIRTHWISE STRAPPING, ITEM 4, OVER THE 3RD AND 5TH CLEATS OF THE END PANEL ASSEMBLY, AS SHOWN, TENSION AND DOUBLE NOTCH SEAL.

(H) SECURE THE GIRTHWISE STRAPPING, WITH STAPLES, ITEM 6.

MARKING: THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH THE GENERAL DOCUMENT, MIL-STD-1323.



NOTES:

1. UNLESS OTHERWISE SPECIFIED, THE MATERIAL SHALL BE IN ACCORDANCE WITH THE GENERAL DOCUMENT MIL-STD-1323.
2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES.
3. ALL PLYWOOD AND LUMBER MUST BE FIRE RETARDANT TREATED PER MIL-L-19140E, TYPE II, CAT 1.

DEPALLETIZING PROCEDURE

(A) REMOVE STAPLES.

(B) CUT AND REMOVE STRAPPING.


(C) REMOVE TOP PANEL AND END PANEL ASSEMBLIES.

(D) REMOVE CONTAINERS.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	11	PANEL, BOTTOM	SEE NOTES 1-3	1/2 X 40 X 48
1	10	PANEL, TOP	SEE NOTES 1&3	1/4 X 42 1/2 X 48
AS REQ'D	9	NAIL, BOX	SEE NOTE 1	2d
10	8	CLEAT, END	SEE NOTES 1&3	1/2 X 5/8 X 41
2	7	PANEL, END	SEE NOTES 1&3	1/4 X 41 X 36
8	6	STAPLES	COM'L	3/4
9	5	SEAL	SEE NOTE 1	3/4
2	4	STRAPPING, GIRTHWISE	SEE NOTES 1 & 2	3/4 X .035 X 16 FT 6
4	3	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT 6
3	2	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 15 FT 6
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4 3/4

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-25T23:59Z
Check the source to verify that this is the current version before use.



END PANEL ASSEMBLY

(2 REQUIRED)

DETAIL B



DETAIL A

REVIEW ACTIVITY
NAVY-OS

PREPARING ACTIVITY
NAVY-OS
(PROJECT NO. 8140-N668)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.