INCH-POUND

W-C-596/144E
8 December 2017
SUPERSEDING
W-C-596/144D
10 October 2012


FEDERAL SPECIFICATION SHEET

# CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ

The General Services Administration has authorized the use of this federal specification sheet by all federal agencies.

The complete requirements for procuring the connectors described herein shall consist of this document and the latest issue of W-C-596/GEN.

Inactive for new design after 10 October 2012.




| Inches | mm |
|---|---|
| 0.010 | 0.25 |
| 0.031 | 0.79 |
| 0.095 | 2.41 |
| 0.156 | 3.96 |
| 0.205 | 5.21 |
| 0.250 | 6.35 |
| 0.843 | 21.41 |
| 1.550 | 39.37 |
| 1.734 | 44.04 |
| 1.812 | 46.02 |
| 1.907 | 48.44 |
| 2.187 | 55.55 |
| 2.562 | 65.07 |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.
3. Undimensioned pictorials are for reference purposes only.
4. Angular relation of mounting holes to contact location may be other than shown.
5. See optional two slot mounting configuration of W-C-596/GEN.

FIGURE 1. Configuration and dimensions.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:31Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and configuration: See figure 1.

Dimensions: Shall conform to NEMA WD 6, configuration 6-20P.

Ratings:
Voltage: 250 volts.
Current: 20 amperes.
Frequency: 50/60 hertz.

Mating connector: W-C-596/67.

Part or Identifying Number (PIN): WC596/144- (dash number from table I).

Supersession and cross reference: See table II.

TABLE I. Dash number.

| Dash no. | Supersedes style | Description |
|---|---|---|
| 1 | | Male inlet |

TABLE II. Supersession and cross reference.

| Active Government PIN | Superseded numbers 1/ | | |
|---|---|---|---|
| | CAGE 2/ 74545 | CAGE 04009 | CAGE 81091 |
| WC596/144-1 | 5478-C | 5878 | 5478-SS |

1/ Caution. Do not use this number for item acquisition. Items acquired to this number may not satisfy the performance requirements of this drawing
2/ CAGE is the Commercial and Government Entity code which is assigned and maintained by Defense Logistics Information Service (DLIS) in Battle Creek, MI.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:31Z
Check the source to verify that this is the current version before use.

Revision notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this revision. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Referenced documents. In addition to W-C-596, this document references the following:

NEMA WD 6 W-C-596/67

MILITARY INTERESTS:

Custodians
Army - CR
Navy - YD
Air Force - 11
DLA - CC

Review Activities
Army - CR4, MI
Navy - AS, EC, MC, SH
Air Force - 99

CIVIL AGENCY
COORDINATING ACTIVITIES:

DCGOVT - DCG
DOT - ACO
GSA - 7FXE
HHS - FEC
USDA - AFS

Preparing Activity:
DLA - CC

(Project 5935-2017-168)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:31Z
Check the source to verify that this is the current version before use.