MILITARY SPECIFICATION

OSCILLOGRAPH, TYPE V

(For Torpedo Mark 46 Mod O)

This amendment forms a part of Military Specification MIL-O-23560/5(Wep) of 25 August 1964 and has been approved by the Bureau of Naval Weapons, Department of the Navy

Page 2, paragraph 3.2.3. Delete and substitute:
"3.2.3 The galvanometers shall be in accordance with BUWEPS Drawing 1626671-6 and in addition shall be capable of meeting all requirements of Specification MIL-O-23560/5(Wep) when installed in the oscillograph."

Page 2, paragraph 3.2.4, lines 1 and 2: Delete "shall be in accordance with" and substitute "shall perform in accordance with."

Page 4: Replace Table II with new Table II, attached.

Page 6, paragraph 3.3.3 (Acceleration): Delete.

Page 6, paragraph 3.3.4, Table VI: Under "Temperature Range" delete "+165 degrees F" in two places and substitute "+160 degrees F"; delete "+160 degrees F" and substitute "+140 degrees F."

Page 6, paragraph 3.3.5: Delete "a pressure of 2.7 psia" and substitute "a pressure of 2.7 psia for 15 ± 5 minutes and thereafter meeting the performance requirements of Specification MIL-O-23560(Wep)."

Page 6, paragraph 3.3.6 (Humidity): Delete.

Page 6, paragraph 3.3.7 (Operating life): Delete.

Page 8, paragraph 4.1.1.3 (Acceleration): Delete.

FSC 1355

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:13Z
Check the source to verify that this is the current version before use.

Page 9, paragraph 4.1.1.5: Delete "pressure of 2.7 psia" and substitute "pressure of 2.7 psia for 15 ± 5 minutes."

Page 9, paragraph 4.1.1.6 (Humidity test): Delete.

Page 17, Figure 6 (Sheet 2): Interchange the dimensions "12.50 DIA" and "12.74 DIA".

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:13Z
Check the source to verify that this is the current version before use.

Channel Number	Pin Connections	Natural Frequency	Voltage (rms) Millivolts	Frequency Range (cps)	FREQUENCY RESPONSE FLAT WITHIN * (Percent)		
					At 0°F	At 70°-80°F	At 140°F
1	n p	200	81.7	10 - 120	+7.5, -15	+7.5, -10	+15, -7.5
2	k m	"	"	"	" "	" "	" "
3	i j	"	"	"	" "	" "	" "
4	g h	"	"	"	" "	" "	" "
5	e f	"	"	"	" "	" "	" "
6	c d	"	"	"	" "	" "	" "
7	a b	"	"	"	" "	" "	" "
8	Y Z	"	"	"	" "	" "	" "
9	W X	"	"	"	" "	" "	" "
10	U V	"	"	"	" "	" "	" "
11	S T	"	"	"	" "	" "	" "
12	P R	"	"	"	" "	" "	" "
13	M N	"	"	"	" "	" "	" "
14	K L	"	"	"	" "	" "	" "

*Relative to response at 10 cps

Table II

Source: https://assist.dla.mil -- Downloaded: 202640-19T17:13Z
Check the source to verify that this is the current version before use.