NOTICE OF CANCELLATION

INCH-POUND

AN804 Rev G
NOTICE 2
15 November 2010
SUPERSEDING
NOTICE 1
22 April 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

TEE, FLARED TUBE WITH BULKHEAD ON RUN

AN804 Rev G, dated 11 April 1994, is hereby cancelled. Future acquisitions for this item should refer to SAE-AS1033, " Fitting, Tee, Standard and Reducer, Bulkhead on Run, Flared".

(Copies of these documents are available from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), www.sae.org.)

Reason for NOTICE 2: SAE inactivated Part or Identifying Number (PIN) with material code letter D for replacement parts and for new design to use code letter W. This is because code letter W is stronger in tensile strength than code letter D. This is based on the previous PA's revision, as a result of lessons learned. Plus to add back material code letter S for replacement parts and for new design to use code letter R. The code letter R is better for applications requiring higher temperature. Also added size 28.

Table l provides a detailed cross-reference of cancelled AN804 Rev G PINs and replacement SAE-AS1033 PINs.

CAUTION: The supersession information is valid as of the date of this notice and may be superseded by subsequent revisions of the superseding document.

CONCLUDING MATERIAL

Custodians:
Army - AV
Navy - AS
Air Force – 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-2010-027)

Review activities:
Army – AR, CR4
Navy – MC, SA
Air Force – 11, 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.daps.dla.mil.

AMSC N/A

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE I. AN804 Rev G to SAE-AS1033, cross-reference data.

Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design	Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design
AN804-2	.125	AS1033-020202		AN804-10	.625	AS1033-101010	
AN804D2	.125	AS1033D020202	AS1033W020202	AN804D10	.625	AS1033D101010	AS1033W101010
AN804J2	.125	AS1033J020202		AN804J10	.625	AS1033J101010	
AN804K2	.125	AS1033K020202		AN804K10	.625	AS1033K101010	
AN804S2	.125	AS1033S020202	AS1033R020202	AN804S10	.625	AS1033S101010	AS1033R101010
AN804T2	.125	AS1033T020202		AN804T10	.625	AS1033T101010	
AN804W2	.125	AS1033W020202		AN804W10	.625	AS1033W101010	
AN804-3	.188	AS1033-030303		AN804-12	.750	AS1033-121212	
AN804D3	.188	AS1033D030303	AS1033W030303	AN804D12	.750	AS1033D121212	AS1033W121212
AN804J3	.188	AS1033J030303		AN804J12	.750	AS1033J121212	
AN804K3	.188	AS1033K030303		AN804K12	.750	AS1033K121212	
AN804S3	.188	AS1033S030303	AS1033R030303	AN804S12	.750	AS1033S121212	AS1033R121212
AN804T3	.188	AS1033T030303		AN804T12	.750	AS1033T121212	
AN804W3	.188	AS1033W030303		AN804W12	.750	AS1033W121212	
AN804-4	.250	AS1033-040404		AN804-16	1.000	AS1033-161616	
AN804D4	.250	AS1033D040404	AS1033W040404	AN804D16	1.000	AS1033D161616	AS1033W161616
AN804J4	.250	AS1033J040404		AN804J16	1.000	AS1033J161616	
AN804K4	.250	AS1033K040404		AN804K16	1.000	AS1033K161616	
AN804S4	.250	AS1033S040404	AS1033R040404	AN804S16	1.000	AS1033S161616	AS1033R161616
AN804T4	.250	AS1033T040404		AN804T16	1.000	AS1033T161616	
AN804W4	.250	AS1033W040404		AN804W16	1.000	AS1033W161616	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE I. AN804 Rev G to SAE-AS1033, cross-reference data – Continued.

Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design	Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design
AN804-5	.312	AS1033-050505		AN804-20	1.250	AS1033-202020	
AN804D5	.312	AS1033 D050505	AS1033 W050505	AN804D20	1.250	AS1033 D202020	AS1033 W202020
AN804J5	.312	AS1033 J050505		AN804J20	1.250	AS1033 J202020	
AN804K5	.312	AS1033 K050505		AN804K20	1.250	AS1033 K202020	
AN804S5	.312	AS1033 S050505	AS1033 R050505	AN804S20	1.250	AS1033 S202020	AS1033 R202020
AN804T5	.312	AS1033 T050505		AN804T20	1.250	AS1033 T202020	
AN804W5	.312	AS1033 W050505		AN804W20	1.250	AS1033 W202020	
AN804-6	.375	AS1033-060606		AN804-24	1.500	AS1033-242424	
AN804D6	.375	AS1033 D060606	AS1033 W060606	AN804D24	1.500	AS1033 D242424	AS1033 W242424
AN804J6	.375	AS1033 J060606		AN804J24	1.500	AS1033 J242424	
AN804K6	.375	AS1033 K060606		AN804K24	1.500	AS1033 K242424	
AN804S6	.375	AS1033 S060606	AS1033 R060606	AN804S24	1.500	AS1033 S242424	AS1033 R242424
AN804T6	.375	AS1033 T060606		AN804T24	1.500	AS1033 T242424	
AN804W6	.375	AS1033 W060606		AN804W24	1.500	AS1033 W242424	
AN804-8	.500	AS1033-080808		AN804-28	1.750	AS1033-282828	
AN804D8	.500	AS1033 D080808	AS1033 W080808	AN804D28	1.750	AS1033-D282828	AS1033-W282828
AN804J8	.500	AS1033 J080808		AN804J28	1.750	AS1033-J282828	
AN804K8	.500	AS1033 K080808		AN804K28	1.750	AS1033-K282828	
AN804S8	.500	AS1033 S080808	AS1033 R080808	AN804S28	1.750	AS1033-S282828	AS1033-R282828
AN804T8	.500	AS1033 T080808		AN804T28	1.750	AS1033-T282828	
AN804W8	.500	AS1033 W080808		AN804W28	1.750	AS1033-W282828	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.

TABLE I. AN804 Rev G to SAE-AS1033, cross-reference data – Continued.

Cancelled AN PIN	Tube Size	Replacement AS PIN	New Design
AN804-32	2.000	AS1033-323232	
AN804D32	2.000	AS1033D323232	AS1033W323232
AN804J32	2.000	AS1033J323232	
AN804K32	2.000	AS1033K323232	
AN804S32	2.000	AS1033S323232	AS1033R323232
AN804T32	2.000	AS1033T323232	
AN804W32	2.000	AS1033W323232	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:16Z
Check the source to verify that this is the current version before use.