| NOT MEASUREMENT |
| SENSITIVE |

SS-S-1401C
AMENDMENT-1
May 14, 1993

FEDERAL SPECIFICATION

SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS

This amendment, which forms a part of SS-S-1401C, dated August 15, 1984, is approved by the General Services Administration for use by all federal agencies.

Page 2 - Paragraph 2.2
DELETE: C33 - Concrete Aggregates
C150 - Portland Cement
C192 - Making and Curing Concrete Test Specimens in the Laboratory, Methods of
ADD: C1985- Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks, Standard Practice for

Page 7 - Paragraph 4.4.6.2
DELETE: Concrete block preparation. Prepared blocks are available (see 6.6.3).
ADD: Concrete block preparation. Prepare concrete blocks in accordance with ASTM D1985. Prepared blocks are available (see 6.6.3).
DELETE: Paragraph 4.4.6.2.1 and Table I.

Page 8
DELETE: Paragraph 4.4.6.2.2

Page 9 - Paragraph 4.4.6.5, last sentence
DELETE: Three cycles of immersion, conditioning, extension, and recovery shall constitute one complete test for water-immersed bond (see 4.4.6.6).
ADD: Two additional cycles of extension and recovery shall constitute one complete test for water-immersed bond (see 4.4.6.6).

MILITARY INTERESTS:
Custodians
Army - CE
Navy - YD
Air Force - 99

Review Activities
Army - MD, MR
Navy - MS

User Activity
Navy - MC

CIVIL AGENCY COORDINATING ACTIVITIES:
GSA - FSS 9FTE-10
COM - NIST

PREPARING ACTIVITY:
Navy - YD

(Project 8030-0670)

FSC 8030

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:14Z
Check the source to verify that this is the current version before use.