FEDERAL SPECIFICATION SHEET

STONES, SHARPENING
TYPE II - UNMOUNTED STONES
CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration for the use of all Federal agencies.

The complete requirements for procuring the sharpening stones herein shall consist of this document and the latest issue of SS-S-736D/GEN.




FIGURE 1

TABLE I
Style 1 - Rectangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-1	F	4	1	1/2
-2	C	4	1	1/2
-3	F	6	2	1
-4	M	6	2	1
-5	F/C	6	2	1

1/ See SS-S-736/GEN for dimensional tolerances.
2/ M indicates medium, F/C indicates a combination fine/coarse stone.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Industrial Engineering Group (7FXEI), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 5345

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

TABLE I (CONTINUED)
Style 1 - Rectangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-6	M	7	2	1
-7	M	8	2	1
-8	F/C	8	2	1

1/ See SS-S-736/GEN for dimensional tolerances.
2/ M indicates medium, F/C indicates a combination fine/coarse stone.




FIGURE 2

TABLE II
Style 2 - Half-round

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-9	F	3-1/2	3/4	3/16
-10	F	4	5/16	5/32
-11	F	4	3/8	3/16
-12	F	6	1/2	1/4

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 3

TABLE III
Style 3 - Round

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Diameter, B
-13	F	4	1/4
-14	M	4	1/4
-15	C	4	1/4
-16	F	4	3/8
-17	M	4	3/8
-18	F	4	1/2
-19	M	4	1/2
-20	C	4	1/2
-21	F	6	1/2

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium, C indicates coarse.




FIGURE 4

TABLE IV
Style 4 - Square

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-22	F	4	1/4	1/4
-23	M	4	1/4	1/4
-24	F	4	3/8	3/8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

TABLE IV (CONTINUED)
Style 4 - Square

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-25	M	4	3/8	3/8
-26	F	4	1/2	1/2
-27	M	6	3/8	3/8
-28	EF	6	1/2	1/2
-29	M	6	1/2	1/2
-30	C	6	1/2	1/2
-31	M	6	5/8	5/8
-32	F	6	3/4	3/4
-33	M	6	3/4	3/4
-34	C	6	3/4	3/4

1/ See SS-S-736/GEN for dimensional tolerances.
2/ EF indicates extra-fine, F indicates fine, M indicates medium, C indicates coarse.




FIGURE 5

TABLE V
Style 5 - Triangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Width, B
-35	F	4	1/4
-36	M	4	1/4
-37	F	4	3/8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

TABLE V (CONTINUED)
Style 5 - Triangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Width, B
-38	M	4	3/8
-39	M	4	1/2
-40	F	4	1/2
-41	M	4	1/2
-42	F	6	1/2
-43	M	6	5/8
-44	F	6	1

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium.




FIGURE 6

TABLE VI
Style 6 - Knife blade stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-45	M	2-1/4	7/8	3/16
-46	M	4	1	1/8

1/ See SS-S-736/GEN for dimensional tolerances.
2/ M indicates medium.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 7

TABLE VII
Style 7 - Point stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Base Diameter, B
-47	F	3	5/16
-48	M	3	5/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium.




FIGURE 8

TABLE VIII
Style 9 - Silversmith's oval, tapered stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/				
		Length A	Width of		Thickness of	
			Wide End B	Narrow End C	Thick End D	Thin End E
-49	F	4	3/8	3/16	1/8	1/16
-50	M	4	3/8	3/16	1/8	1/16
-51	M	4	1/2	1/4	5/16	1/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 9

TABLE IX
Style 12 - Reamer stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-52	M	4-1/2	1	5/16
-53	F	5	1	3/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium.




FIGURE 10

TABLE X
Style 13 - Gouge slip stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/
-54	F	6 x 2 x 1 x 1/2 x 3/8 6 x 2 x 1 x 3/8 x 3/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 11

TABLE XI
Style 14 - Round edge slip stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/			
		Length A	Width B	Thickness of Thick Edge C	Thickness of Thin Edge D
-55	F	4	1	7/16	3/16
-56	M	4	1	7/16	3/16
-57	F	4-1/2	1-3/4	3/8	1/8
-58	M	4-1/2	1-3/4	3/8	1/8
-59	C	4-1/2	1-3/4	3/8	1/8

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium, C indicates coarse.

MILITARY INTERESTS:

Review activities:

Air Force - 84
Army - AV

User activity:

Navy - YD

PREPARING ACTIVITY:

GSA - FSS (7FXE)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.