# FEDERAL SPECIFICATION SHEET

## STONES, SHARPENING
## TYPE II - UNMOUNTED STONES
## CLASS A-2 - ARTIFICIAL (SILICON CARBIDE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration for the use of all Federal agencies.

The complete requirements for procuring the sharpening stones herein shall consist of this document and the latest issue of SS-S-736D/GEN.





FIGURE 1

TABLE I
Style 1 - Rectangular

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | |
|---|---|---|---|---|
| | | Length, A | Width, B | Thickness, C |
| -1 | F | 1-3/4 | 3/4 | 1/4 |
| -2 | F | 3 | 7/8 | 1/4 |
| -3 | F | 3 | 7/8 | 3/8 |
| -4 | M | 3-1/2 | 3/4 | 1/2 |
| -5 | F | 4 | 1 | 1/4 |
| -6 | M | 4 | 1 | 1/4 |
| -7 | F/C | 4 | 1-1/2 | 1/2 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium.

**Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Industrial Engineering Group (7FXEI), 819 Taylor St., Fort Worth, TX 76102**

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 5345

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

TABLE I (CONTINUED)
Style 1 - Rectangular

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | |
|---|---|---|---|---|
| | | Length, A | Width, B | Thickness, C |
| -8 | F | 4 | 1-3/4 | 1/2 |
| -9 | M | 4 | 1-3/4 | 1/2 |
| -10 | F/C | 4 | 1-3/4 | 5/8 |
| -11 | F | 6 | 2 | 1 |
| -12 | M | 6 | 2 | 1 |
| -13 | C | 6 | 2 | 1 |
| -14 | F/C | 6 | 2 | 1 |
| -15 | F/C | 8 | 2 | 1 |
| -16 | F | 8 | 2 | 1 |
| -17 | M | 8 | 2 | 1 |
| -18 | C | 8 | 2 | 1 |
| -19 | F/C | 8 | 2 | 1 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium, C indicates coarse, F/C indicates a combination fine/coarse stone.





FIGURE 2

TABLE II
Style 2 - Half-round

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | |
|---|---|---|---|---|
| | | Length, A | Width, B | Thickness, C |
| -20 | M | 6 | 5/8 | 5/16 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ M indicates medium.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 3

TABLE III
Style 4 - Square

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | |
|---|---|---|---|---|
| | | Length, A | Width, B | Thickness, C |
| -21 | F | 4 | 1/2 | 1/2 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine.




FIGURE 4

TABLE IV
Style 5 - Triangular

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | |
|---|---|---|---|
| | | Length, A | Width, B |
| -22 | M | 4 | 3/8 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ M indicates medium.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 5

TABLE V
Style 6 - Knife blade stones

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | |
|---|---|---|---|---|
| | | Length, A | Width, B | Thickness, C |
| -23 | F | 4 | 1 | 1/8 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine.




FIGURE 6

TABLE VI
Style 14 - Round edge slip stones

| DASH NUMBER | Grit 2/ | DIMENSIONS (Inches) 1/ | | | |
|---|---|---|---|---|---|
| | | Length A | Width B | Thickness of Thick Edge C | Thickness of Thin Edge D |
| -24 | F | 4-1/2 | 2-1/8 | 5/8 | 5/16 |
| -25 | M | 4-1/2 | 2-1/8 | 5/8 | 5/16 |
| -26 | C | 4-1/2 | 2-1/8 | 5/8 | 5/16 |
| -27 | F | 6 | 2-1/4 | 3/4 | 3/8 |
| -28 | M | 6 | 2-1/4 | 3/4 | 3/8 |

1/ See SS-S-736/GEN for dimensional tolerances.
2/ F indicates fine, M indicates medium, C indicates coarse.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Review activities:

Air Force - 84
Army - AV

User activity:

Navy - YD

PREPARING ACTIVITY:

GSA - FSS (7FXE)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.