FEDERAL SPECIFICATION SHEET

STONES, SHARPENING
TYPE II - UNMOUNTED STONES
CLASS B - NATURAL (NOVACULITE)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration for the use of all Federal agencies.

The complete requirements for procuring the sharpening stones herein shall consist of this document and the latest issue of SS-S-736D/GEN.




FIGURE 1

TABLE I
Style 1 - Rectangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-1	H	3	1	1/4 to 3/8
-2	S	3	1	1/4 to 3/8
-3	H	3 to 3-1/2	3/8 to 1/2	1/8 to 3/16
-4	H	4	1	1/4 to 3/8
-5	S	4	1	1/4 to 3/8

1/ See SS-S-736/GEN for dimensional tolerances.
2/ S indicates soft, H indicates hard.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Industrial Engineering Group (7FXEI), 819 Taylor St., Fort Worth, TX 76102

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 5345

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 2

TABLE II
Style 3 - Round

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Diameter, B
-6	H	3 to 3-1/2	1/4 to 5/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.




FIGURE 3

TABLE III
Style 4 - Square

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-7	H	3 to 3-1/2	1/4	1/4
-8	H	3 to 3-1/2	3/8	3/8
-9	H	3 to 3-1/2	1/2	1/2

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 4

TABLE IV
Style 5 - Triangular

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Width, B
-10	H	3-1/2	1/4
-11	H	3 to 3-1/2	3/8
-12	H	3 to 3-1/2	1/2

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.




FIGURE 5

TABLE V
Style 6 - Knife blade stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-13	H	3 to 4	3/4 to 1	1/8 to 1/4

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 6

TABLE VI
Style 7 - Point stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/	
		Length, A	Base Diameter, B
-14	H	3 to 3-1/2	1/4

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.




FIGURE 7

TABLE VII
Style 8 - Oval stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/		
		Length, A	Width, B	Thickness, C
-15	H	3 to 3-1/2	1/2	3/16 to 1/4

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.




FIGURE 8

TABLE VIII
Style 14 - Round edge slip stones

DASH NUMBER	Grit 2/	DIMENSIONS (Inches) 1/			
		Length A	Width B	Thickness of Thick Edge C	Thickness of Thin Edge D
-2Ø	H	4	1-1/4 to 1-1/2	1/4 to 1/8	1/8 to sharp
-21	H	4	1-3/4	3/8	1/8 to 3/16

1/ See SS-S-736/GEN for dimensional tolerances.
2/ H indicates hard.

MILITARY INTERESTS:

Review activities:

Air Force - 84
Army - AV

User activity:

Navy - YD

PREPARING ACTIVITY:

GSA - FSS (7FXE)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.