MILITARY SPECIFICATION

SEALER, DECK COVERING

This amendment forms a part of Military Specification MIL-S-24522, dated 23 September 1975, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Section 2: Delete in its entirety and substitute:

"2. APPLICABLE DOCUMENTS

"2.1 Government documents.

"2.1.1 Specifications and standards. Unless otherwise specified, the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-C-96 - Cans, Metal, 28 Gage and Lighter.

MILITARY

DOD-E-1115 - Enamel, White (Formula 30).
MIL-D-3134 - Deck Covering Materials.
MIL-D-16791 - Detergents, General Purpose (Liquid, Nonionic).

STANDARD

FEDERAL

FED-STD-141 - Paint, Varnish, Lacquer and Related Materials; Methods for Sampling and Testing.

(Copies of specifications and standards required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

"2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and supplement thereto, if applicable.

FSC 8030

Source: https://assist.dla.mil -- Downloaded: 20260-19T22:21Z
Check the source to verify that this is the current version before use.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 92 - Flash and Fire Points by Cleveland Open Cup, Test Metho for. (DOD Adopted)

D 97 - Pour Point of Petroleum Oils, Test Method for. (DOD Adopted)

D 1391 - Measurement of Odor in Atmospheres (Dilution Method), Test Method for.

D 2369 - Volatile Content of Solvent-Reducible Paints, Test Method for. (DOD Adopted)

E 70 - pH of Aqueous Solutions with the Glass Electrode, Test Method for. (DOD Adopted)

G 23 - Operating Light-Exposure Apparatus (Carbon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials, Recommended Practice for. (DOD Adopted)

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

3.1: Delete and substitute:

"3.1 Material. The sealer, a water based emulsion of a polymer, shall be a product capable of forming a water and abrasion resistant film. Asbestos fibers and components containing asbestos fibers are prohibited. A certificate of compliance shall be required that the material is asbestos-free (see 6.2.2)."

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2, second line: Delete "methods 1021", and substitute "methods 1022".

Source: https://assist.dla.mil -- Downloaded: 20260-19T22:21Z
Check the source to verify that this is the current version before use.

4.4.1: Delete and substitute:

"4.4.1 Solids. Solids (nonvolatile matter) shall be determined in accordance with ASTM D 2369. Thinning solvent shall be 2 milliliters (mL) of water."

PAGE 4

4.4.7.2: Delete last sentence.

4.4.10.1, line 3: Delete "MIL-E-1115" and substitute "DOD-E-1115".

PAGE 5

Paragraph 5 and parenthetical statement: Delete and substitute:

"5. PACKAGING

(The packaging requirements specified herein apply only for direct Government acquisitions. For the extent of applicability of the packaging requirements of referenced documents listed in section 2, see 6.3.)"

PAGE 6

6.2: Delete and substitute:

"6.2 Ordering data.

"6.2.1 Acquisition requirements. Acquisition documents should specify the following:

(a) Title, number, and date of this specification.
(b) Temperature and relative humidity if other than specified (see 4.4.6.1).
(c) Level of packaging and packing required (see 5.1, 5.2, and 5.2.1).
(d) Unit quantity required (see 5.1.1 and 5.1.3).
(e) Special marking required (see 5.3.2).

"6.2.2 When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requiremens List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of DAR 7-104.9(n)(2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraphs.

Paragraph No.	Data requirement title	Applicable DID No.	Option
3.1	Certificate of Compliance	DI-E-2121	------

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:21Z
Check the source to verify that this is the current version before use.

"(Data item descriptions related to this specification, and identifie in section 6 will be approved and listed as such in DoD 5000.19L., Vol. II AMSDL. Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.)

6.2.2.1 The data requirements of 6.2.2 and any task in section 3, 4, or 5 of the specification required to be performed to meet a data requirement may be waived by the contracting/acquisition activity upon certification by the offeror that identical data were submitted by the offeror and accepted by the Government under a previous contract for identical item acquired to this specification. This does not apply to specific data which may be required for each contract regardless of whether an identical item has been supplied previously (for example, test reports)."

6.3: Delete and substitute:

"6.3 Sub-contracted material and parts. The packaging requirements of referenced documents listed in section 2 do not apply when material and parts are acquired by the contractor for incorporation into the equipment and lose their separate identity when the equipment is shipped."

LAST PAGE

DD 1426, Standardization Document Improvement Proposal: Delete address and substitute:

"COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 3112)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362"

Custodians:
Army - MR
Navy - SH
Air Force - 99

Preparing activity:
Navy - SH
(Project 8030-0491)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:21Z
Check the source to verify that this is the current version before use.