MIL-B-36931A
4 October 1977
SUPERSEDING
MIL-B-36931(DSA-DM)
28 February 1973

MILITARY SPECIFICATION

BOX, FOLDING, SPECTACLE, MAILING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers two sizes of folding, fiberboard boxes suitable for mailing spectacles in their spectacle cases, supplied in the flat form.

1.2 Classification.

1.2.1 Sizes. Boxes shall be of the following sizes as specified (see 6.1):

Size a - Having a capacity for one pair of spectacles in its spectacle case.
Size b - Having a capacity for two pairs of spectacles in their spectacle cases.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-F-320 - Fiberboard: Corrugated and Solid, Sheet Stock (Container Grade), and Cut Shapes.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8115

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material. The boxes shall be made of corrugated fiberboard in strict accordance with PPP-F-320, type CF, class domestic, variety SW, grade 200, B flute, except the inside and outside facings shall have a basis weight of 42 pounds each. The combined weight facings only in Table I of PPP-F-320 shall be pounds per 1000 square feet. The bending requirements shall be performed in accordance with the applicable bending test method prescribed in Section 4 of PPP-F-320.

3.1.1 Facings. The inside facing shall be kraft-colored. The outside facing shall be white.

3.2 Construction. The boxes shall be in accordance with Figure I and shall be made from a flat, one-piece, scored and die-cut form blank capable of being readily folded along score lines into a rigid box by one person without using any auxiliary fastening devices or materials. The locking tabs on the end panels shall maintain the box in the rigid assembled form by properly fitting into the locking slits.

When assembled, the bottom of the box and the lid shall extend to overlap the ends of the box (see Figure 1). The closure flap on the lid shall close inside the box and shall extend to the bottom of the box when closed.


3.2.1 Cutting and scoring. All dimensions of the form blank shall be accurately cut, scored and slotted so that the erect box panels fit closely without undue binding. The score lines shall show no continuous visual surface break split completely through the inner or outer facing before and after folding as specified in 4.4.1.

3.3 Supplied form. Boxes shall be supplied in the flat form.

3.4 Dimensions. When erected, the boxes shall be of the following unobstructed inside dimensions (with lid open) as specified for the appropriate size:

Size	Inside dimensions	
a	Length	6-1/2 ∔ 1/8, -1/16
	Width	2-1/2 ∔ 1/8, -1/32
	Depth	1 ∔ 1/8, -1/32
b	Length	6-1/2 ∔ 1/8, -1/32
	Width	2-1/2 ∔ 1/8, -1/32
	Depth	1-3/4 ∔ 1/8, -1/32

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.






FIGURE 1. Box folding.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.

3.5 Instructions. Instructions for erecting the boxes shall be supplied for each package of 100 flat form blanks.

3.6 Marking. The outside facing of the box shall be void of any marking.

3.7 Workmanship. Workmanship shall be first class throughout. Boxes shall be clean and free of tears, cuts, holes, scuff marks, blisters, ply separation and splices. Edges shall be clean-cut. The facings shall be smooth and shall be free of any defects which may detract from their appearance or impair the serviceability of the boxes.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification to assure supplies and services conform to prescribed requirements.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (such as visual and auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

4.1.3 Certificates of quality. Certificates of quality, supplied by the manufacturer of the materials may be furnished in lieu of actual performance of such testing by the contractor, provided lot identity has been maintained and can be demonstrated to the Government. The certificate shall include the name of the contractor, the contract number, the name of the manufacturer or supplier, the NSN, the Item Identification, the name of the component/material, the lot number, the lot size, the sample size, the date of testing, the test method, individual test results, and the specification requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.

4.2 Sampling.

4.2.1 For examination. Sampling shall be conducted in accordance with MIL-STD-105 and table I. The unit of product shall be the individual flat form blank. No more than ten units of product shall be sampled from one unit of issue.

TABLE I. Sampling for examination.

	Inspection level	AQL (percent defective)
For visual examination		
Major defects	II	2.5
Minor defects	II	6.5
For dimensional examination	S-2	*

* Acceptance number shall be zero.

4.2.2 For tests. Sampling for tests shall be conducted in accordance with MIL-STD-105 and table II. The unit of product shall be the individual flat form blank. No more than one unit of product shall be sampled from one unit of issue.

TABLE II. Sampling for tests.

Characteristic	Requirement	Test procedure	Inspection level	AQL
Assembly	3.2 and 3.2.1	4.4.1	S-1	*

* Acceptance number shall be zero.

5. PACKAGING

5.1 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.1.1 Unit of issue. One package containing one hundred boxes constitutes one unit of issue.

5.1.2 Level A.

5.1.2.1 Unit packaging. One hundred boxes of size "a" or size "b" shall be clean, dry and packaged in a box conforming to PPP-B-636, class domestic. Closure of the box shall be as specified in the appendix of PPP-B-636.

5.1.3 Level C. One hundred boxes of one size only shall be clean, dry and packaged in a manner that will afford adequate protection against deterioration and physical damage during shipment from the supply source to the first receiving activity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.2.1 Level A. Four unit packages containing boxes of one size only shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and waterproofing shall be as specified in the appendix of PPP-B-636.

5.2.2 Level B. Four unit packages containing boxes of one size only shall be packed in a shipping container designed for a type 2 load and conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.

5.2.3 Level C. The packaged boxes shall be packed in shipping containers that will afford adequate protection against damage during direct shipment from the supply source to the first receiving activity. These packs shall conform to the applicable carriers rules and regulations.

5.3 Marking.

5.3.1 Each unit and shipping container shall be marked as specified in MIL-STD-129.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

a. Title, number and date of this specification.
b. Applicable National Stock Number (NSN).
c. Selection of applicable box size, as specified (see 1.2.1).
d. Selection of applicable levels of packaging and packing required (see 5.1 and 5.2).

6.2 This specification covers the following items appearing in the Federal Supply Catalog:

National Stock Number	Item Identification
8115-00-105-0928	BOX, FOLDING, SPECTACLE, MAILING, 1 pair, 6-1/2 by 2-1/2 by 1 inch, 100s
8115-00-105-0858	BOX, FOLDING, SPECTACLE, MAILING, 2 pairs, 6-1/2 by 2-1/2 by 1-3/4 inches, 100s

6.3 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 8115-0420

☆U.S. GOVERNMENT PRINTING OFFICE: 1977-703-122/6993

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-B-36931A BOX, FOLDING, SPECTACLE, MAILING

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:36Z
Check the source to verify that this is the current version before use.