MILITARY SPECIFICATION

COAT AND TROUSERS, PAJAMA, COTTON-POLYESTER

This amendment forms a part of Military Specification MIL-C-36904A, dated 24 April 1973, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 3

3.1.1.3 Color: Delete entirely and substitute the following:

"3.1.1.3 Color. The color shall be dyed blue 201."

PAGE 4

3.1.4 Thread, line 2: Change "3" to "2".

PAGES 4 and 5

3.1.8 Label, 3.1.8.1 Color, 3.1.8.2 Colorfastness and 3.1.8.3 Instruction label: Delete entirely and substitute the following:

3.1.8 Label. The combination identification and washing information label for each coat and trousers, as applicable, shall conform to DDD-L-20, Type I, Class 1 and 3, Launderable Label, except that the color of the label shall be one of the following colors for the appropriate coat or trousers size, as applicable:

COLOR	TOA CABLE NUMBER	COAT OR TROUSERS SIZE
Tan	70128	Extra small
Peach Blossom	70098	Small
Lemon Yellow	70205	Medium
Indian Orange	70072	Large
Primitive Green	70167	Extra Large

When inspected as specified in 3.1.3.5, the color of the label shall approximately match the crepe side of the applicable TOA Cable Number. The color

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:33Z
Check the source to verify that this is the current version before use.

of the label shall be obtained with vat or naphthol dyes and shall show at least "good" colorfastness to laundering transference and at least "fair" colorfastness to accelerated laundering. The color of the printing medium shall be black. The size of the label shall be adequate to contain the following:

COAT or TROUSERS, as applicable, MEN'S, PAJAMA, COTTON-POLYESTER, DURABLE PRESS
MIL-C-36904A
SIZE
CONTRACT or ORDER NUMBER
NSN
WOOL or FIBER PRODUCTS ACT INFORMATION

The above information shall be on the left side of the label (right side of the coat and trousers, as applicable, when worn) adjacent and separated from the washing information by a vertical line approximately 1/16 inch wide. The washing information shall be as follows:

WASHING INFORMATION

Close snap fasteners.
Machine wash, medium set.
Do not use chlorine bleach or starch.
Use fabric softener to whiten and to prevent clinging.
Tumble dry, medium set.
Remove from dryer immediately.
Little or no ironing.
"CAUTION - To comply with NFPA 56A, use appropriate ionizing (anti-static) agents in final rinse."

PAGE 5

3.1.8.4 Laundering instructions: Renumber as "3.1.8.1."

PAGE 6

3.4 Patterns: Delete entirely and substitute the following:

"3.4 Cutting. The coats and trousers, as applicable, shall be cut in strict accordance with the patterns furnished by the Government, which provide for seam allowance, size, shape, and placement of the pocket, location

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:33Z
Check the source to verify that this is the current version before use.

of the snap fasteners, directional lines for cutting, and notches for the proper assembling of all the parts. The Government patterns shall not be altered in any manner and shall be used for making the working patterns. The working patterns shall be identical to the Government furnished patterns. The component parts shall be cut from the same ply of the lay. Unless otherwise specified, the patterns provide a seam allowance of 1/2 inch for operations 8, 10, 11, 16, 20 and 22 and 3/8 inch for the other seams."

PAGE 7

3.5.1 Stitches, seams, and stitchings, line 9: Change "1/4" to "7/16".

3.6 Manufacturing operations requirements, line 3: After "operations" add "unless otherwise specified."

PAGE 8

3.8 Pressing: Delete entirely.

PAGE 11

Operation No. 6b: Delete entirely.

Operation No. 7a, in the "SEAM AND STITCHING TYPE: column: Delete "EFb-1" and substitute "LSd-1".

PAGES 12, 13 and 14

Operation Nos. 8b, 10b and 11b, in the "STITCH TYPE" column: Add "512".

PAGE 14

Operation No. 12a Hem bottom of coat, line 5: After "finish" add "one".

Operation No. 13a Hem sleeves, line 1: Before "turn" add "Upon completion of operations 11a and b, joining of side and underarm seams".

PAGE 15

Operation No. 15c: Delete entirely.

PAGES 16, 19 and 20

Operation Nos. 16b, 20d, and 22b, in the "STITCH TYPE" column: Add "512".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:33Z
Check the source to verify that this is the current version before use.

PAGE 22

Operation No. 26c: Delete entirely.

PAGE 27

4.4.2 General defects, "Pressing": Delete all "pressing" defects.

PAGE 30

Continuation of 4.4.2 General defects, "Labels - combination and instruction": Delete "and instruction" from the title.

PAGE 35

5.1.2.1.1 Coat, line 1 following "fastened coat": Insert "with the top snap fastener only mated."

5.1.2.1.2 Trousers, at end of paragraph: Add "and inserted in a snug fitting polyethylene bag as hereinafter specified."

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6532-1121

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:33Z
Check the source to verify that this is the current version before use.