INCH-POUND

A-A-55121

25 JANUARY 1993

COMMERCIAL ITEM DESCRIPTION

APRON, UTILITY, DISPOSABLE

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-A-87022.

Abstract. This Commercial Item Description covers the requirements for a disposable utility apron fabricated from coated, spunbonded olefin fabric. The apron is intended primarily for use as a part of a protective ensemble used to protect torpedo handlers from exposure to otto fuels.

Salient Characteristics. The polyethylene coated, white, bib front apron is made of spunbonded olefin material. The apron shall have a tie tape approximately 3/8 inch wide stitched on each side of the bib area (from top of neck to bottom of bib) which forms the tie strips for adjustment at the neck and the waist in the back. The apron shall have a squared scoop neck (with outward curves) and its overall length shall be 45 1/2 inches ± 1 inch tolerance. The width of the apron shall be 28 inches ± 1 inch tolerance across the waist and across the bottom. The apron shall have unfinished edges except where the tie tapes are attached.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FSSD, 2800 South 20th Street, Philadelphia, PA 19101-8419, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Material. The material for the apron, including the tie tapes, shall be white spunbonded material and shall be coated on one side. The uncoated side shall face the wearer. As an alternate, the tie tapes may be made of an uncoated white spunbonded olefin material. All material shall conform to the requirements specified in table I. Any commercial type thread suitable for the purpose intended may be used.

Table I Physical requirements of material

Characteristic	Requirement	Test method
Uncoated		
Weight, oz/sq yd.	1.1-1.5	FED-STD-191 5041
Breaking strength, lbs. (minimum)		
Machine direction	5.5	FED-STD-191 5102 1/
Cross direction	8.1	
Coated		
Weight, oz/sq yd. (minimum)	2.0	FED-STD-191 5041
Breaking strength lbs. (minimum)		
Machine direction	9.0	FED-STD-191 5102 1/
Cross direction	10.0	
Hydrostatic resistance, p.s.i., (minimum)	30	FED-STD-191 5512 2/
Tearing strength, lbs. (minimum)		
Machine direction	2.0	FED-STD-191 5532
Cross direction	3.0	

1/ Result shall be reported to the nearest 0.1 pound.
2/ The coated side shall be exposed to the water.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Label/marking. Any commercial type label, direct printing, or stamping using not less than 2 by 3 inches of space, which is suitable for purposes intended, may be used. Each apron shall have a combination identification and cautionary statement label bearing the information specified below:

APRON, DISPOSABLE
CONTRACT NO: DLA-100-00-0-0000 (EXAMPLE)
STOCK NO: 8415-00-000-0000 (EXAMPLE)
NAME OF CONTRACTOR:

CAUTION

THIS GARMENT SHALL NOT BE REUSED AND
MUST BE DISCARDED WHEN OTTO FUEL
STAINS ARE OBSERVED.

NOTE: The cautionary statement shall be printed in larger letters than all other lettering on label. The label shall be located inside of the apron approximately 2 inches below the neckline and centered.

Patterns. The government shall furnish a single size pattern. Commercial patterns may be used in lieu of the government furnished pattern provided they conform to the cited design and finished measurements.

Size. The apron shall be provided in one size only and conform to the measurements shown in Table II.

Measurements. All measurements and tolerances are expressed in inches and shall be made with the apron flat and smooth.

Table I - Finished Measurements

Measurement	Dimensions	Tolerance
Overall length (A)	45 1/2	± 1
Width at top, excluding bib (B)	28	± 1
Bottom width (C)	28	± 1

NOTE: A thru C refers to figure 1.

A. Measurement shall be taken from the center high point of scoop neck to bottom edge of apron.
B. Measurement shall be taken across the front from side to side at intersection of sides and start of bib.
C. Measurement shall be taken across the bottom from side to side.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:42Z
Check the source to verify that this is the current version before use.

The tie tapes should finish 3/8 inch wide and should be even in length. Each free end shall not be less than 30 inches long at waist and not less than 11 inches long at neck.

Workmanship. After completion, the finished apron shall be clean and all loose thread and foreign matter removed.

Product Demonstration Model. When required, offerers shall submit samples of their intended production. The Product Demonstration Model will consist of units independently developed. Product Demonstration Models will be analyzed and evaluated by the government. Evaluation criteria and basis for award are contained in the solicitation. Product Demonstration Models will be retained by the government. One (1) Product Demonstration Model approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the Product Demonstration Model does not relieve the successful offerer of his responsibility to perform in accordance with the Commercial Item Description specified above.

Quality Assurance

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for, under the provisions of the contract.

Examination. Lots of utility aprons shall be inspected in accordance with "Sampling Procedures and Tables for Inspection by Attributes", ANSI/ASQC Z1.4, published by the American Society for Quality Control.

Visual Examination. The inspection level for visual examination shall be II and the AQL 2.5 expressed in defects per one hundred (100) units. The sample unit is one utility apron.

Defects. The apron shall be examined for the following defects: any hole, cut, tear, needlechew, visible mend, or burn, evidence of delamination of the coating on outside of the apron; color not as specified; tie tapes loosely attached to sides of bib, coated side of cloth on inside of apron; any spot or stain (outside); thread ends not removed, any open seam, thread breaks not repaired, loose stitch tension resulting in too loose seam, tight stitch tension which break when normal strain is applied; label missing, incorrect, illegible, or misplaced, cautionary statement lettering not as specified; finished measurements of item not as specified.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:42Z
Check the source to verify that this is the current version before use.

Dimensional Examination. The finished utility apron shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one utility apron; the inspection level shall be S-3 and the AQL shall be 4.0 expressed in defects per one hundred (100) units.

Packaging Examination. The fully packaged shipping containers shall be examined in accordance with defects listed below. The lot size shall be the number of shipping containers in the inspection lot. The inspection level shall be S-2 and AQL shall be 2.5 defects per hundred units.

Examination	Defect
Material	Missing, damaged, not as required.
Content	Number of utility aprons per shipping container is more or less than required.

Preservation, Packing and Marking. The preservation, packing and marking and palletization shall be as specified in the contract or order.

Source of Government Documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

Sources of Nongovernment Documents.

ANSI/ASQC Z1.4 - Sampling Procedures and Tables For Inspection By Attributes

(Applications for copies should be addressed to American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.)

Civil Agency Coordinating Activity: GSA - FSS

Custodian:
Navy - NU

Preparing Activity:
DLA-CT

Review Activity:
Navy - OS

Project No. 8415-0884

User Activity:
Navy - SH

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.




FIGURE 1 - APRON, UTILITY, DISPOSABLE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:42Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	A-A-55121	930127

3. DOCUMENT TITLE

Apron, Utility, Disposable

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code)	
Defense Personnel Support Center ATTN: DPSC-FSSD (12-3-D)	(1) Commercial 215-737-8105	(2) AUTOVON 444-8105
c. ADDRESS (Include Zip Code) 2800 South 20th Street P. O. Box 8419 Philadelphia, Pennsylvania 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.* 198.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:42Z
Check the source to verify that this is the current version before use.