INCH-POUND

A-A-55124A
October 17, 1994
SUPERSEDING
A-A-55124
January 25, 1993

COMMERCIAL ITEM DESCRIPTION

CREEPERS, ICE

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-C-1476G.

1. SCOPE. The adjustable ice creepers are intended to provide individuals with an efficient and practical means of traveling over ice-covered and hard-crusted snow terrain.

2. SALIENT CHARACTERISTICS. The ice creepers shall be made of a hardened, steel sheet structure. The underside of the creeper shall consist of a minimum of six spikes which shall be on both left and right sides of the foot attachments. The creepers shall adjust to shoes of any width and shall include adjustment straps for the toe, instep, and heel. The straps shall be attached to creepers so that they can be easily donned by the user.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FQSD, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

2.1 Materials

2.1.1 Steel bar and wire. Steel sheet, bar, and wire used shall be standard commercial grade conforming to current industry standards.

2.1.2 Finish. Creepers shall be finished with a black rust-resistant coating.

2.1.3 Straps. Straps shall be constructed of cotton or nylon having a minimum strength of 400 pounds when tested according to ASTM D5035-90. The width shall be at least 1/2" wide. The color of the straps shall be olive green or black.

2.1.4 Chains. When chains are used in conjunction with straps, chains shall be stainless steel.

2.1.5 Buckles. Buckles shall be constructed of material of adequate strength conforming to current industry standards and be the appropriate size for the straps used. Buckles shall have a black chemical finish.

2.1.6 Construction. The design and construction of the creeper shall conform in all respects to the requirements specified herein. Prior to assembly, all sharp edges and burrs shall be removed. Hardened steel shall be standard to commercial industry for creepers.

2.1.7 Label/tag. Each item shall be individually bar-coded.

2.1.8 Workmanship. The finished ice creepers shall conform to the quality of product established by this document. The occurrence of defects shall not exceed the contractor's own quality assurance standards and the quality assurance standards defined by the technical data in the bid package.

2.1.9 Bid samples. When required, offerers shall submit samples of their intended production. The bid sample will consist of units independently developed. The bid samples will be analyzed and evaluated by the Government. Evaluation criteria and basis for award are contained in the solicitation. The bid samples will be retained by the Government. One (1) bid sample approved by DPSC under the resultant contract will serve as a manufacturing standard for the corresponding production items delivered under this contract. Offerers are advised that the bid sample does not relieve the successful offerer of his responsibility to perform in accordance with the commercial item description specified above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.

3. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Market acceptability criteria. The item offered must have been sold to the commercial market or to the Government, and the contractor shall certify and provide supporting documentation as to its serviceability and the long term (one year) availability of all necessary maintenance and logistics support parts and materials.

4.3 Warranty. The item offered shall include the standard warranty given to the commercial market.

4.4 Visual examination. Each ice creeper shall be examined for the defects listed below.

4.4.1 Defects. Any hole, cut, or tear; color not as specified; any part shaded; any spot or stain (outside); raw edges, open seams, thread ends not removed, or loose tension resulting in loose seams; any material defects, distorted parts or poor workmanship; any component part omitted; label missing, incorrect, or illegible; measurement of item not as specified; bar code omitted or not readable by scanner; human-readable interpretation (HRI) omitted or illegible; bar code not visible on folded, packaged item; bar code causes damage to the item; any items not packaged in accordance with the contract or purchase order.

5. PACKAGING

5.1 Preservation, packing, and marking. The preservation, packing, and marking shall be as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:43Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

6.2 Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

AATCC Test Method

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P.O. Box 12215, Triangle Park, NC 27709-2215.)

MILITARY INTERESTS:

Custodians:

Army - GL
Air Force - 99

Review Activity

Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

DLA - CT

Project 8465-0176

Source: https://assist.dla.mil - Downloaded: 2026-10-26T09:43Z
Check the source to verify that this is the current version before use.