DOD-STD-35-36B(MI)
NOTICE 1
26 SEPTEMBER 1986

MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

SEALS, GASKETS, AND PACKING

TO ALL HOLDERS OF DOD-STD-35-36B(MI):

1. THE FOLLOWING PAGES OF DOD-STD-36B(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	26 SEPTEMBER 1986	COVER	20 FEBRUARY 1979
ii	26 SEPTEMBER 1986	ii	20 FEBRUARY 1979
iii	26 SEPTEMBER 1986	iii	20 FEBRUARY 1979
v	26 SEPTEMBER 1986	v	20 FEBRUARY 1979
1	26 SEPTEMBER 1986	1	20 FEBRUARY 1979
2	26 SEPTEMBER 1986	2	20 FEBRUARY 1979
3	26 SEPTEMBER 1986	3	20 FEBRUARY 1979
4	26 SEPTEMBER 1986	4	20 FEBRUARY 1979
5	26 SEPTEMBER 1986	5	20 FEBRUARY 1979
6	26 SEPTEMBER 1986	6	20 FEBRUARY 1979
7	26 SEPTEMBER 1986	7	20 FEBRUARY 1979
8	26 SEPTEMBER 1986	8	20 FEBRUARY 1979
9	26 SEPTEMBER 1986	9	20 FEBRUARY 1979
10	26 SEPTEMBER 1986	10	20 FEBRUARY 19?9
11	26 SEPTEMBER 1986	11	20 FEBRUARY 1979
12	26 SEPTEMBER 1986	12	20 FEBRUARY 1979
13	26 SEPTEMBER 1986	13	20 FEBRUARY 1979
14	26 SEPTEMBER 1986	14	20 FEBRUARY 1979
15	26 SEPTEMBER 1986	15	20 FEBRUARY 1979
16	26 SEPTEMBER 1986	16	20 FEBRUARY 1979
17	26 SEPTEMBER 1986	17	20 FEBRUARY 1979
18	26 SEPTEMBER 1986	18	20 FEBRUARY 1979
19	26 SEPTEMBER 1986	19	20 FEBRUARY 1979
20	26 SEPTEMBER 1986	20	20 FEBRUARY 1979
21	26 SEPTEMBER 1986	21	20 FEBRUARY 1979
22	26 SEPTEMBER 1986	22	20 FEBRUARY 1979
23	26 SEPTEMBER 1986	23	20 FEBRUARY 1979
24	26 SEPTEMBER 1986	24	20 FEBRUARY 1979
25	26 SEPTEMBER 1986	25	20 FEBRUARY 1979
26	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
27	26 SEPTEMBER 1986	27	20 FEBRUARY 1979
28	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
91	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
92	26 SEPTEMBER 1986	92	20 FEBRUARY 1979
93	26 SEPTEMBER 1986	93	20 FEBRUARY 1979
94	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
162a	26 SEPTEMBER 1986		
162b	26 SEPTEMBER 1986		
162c	26 SEPTEMBER 1986		
162d	26 SEPTEMBER 1986		
162e	26 SEPTEMBER 1986		
165	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
166	26 SEPTEMBER 1986	166	20 FEBRUARY 1979
167	26 SEPTEMBER 1986	167	20 FEBRUARY 1979
167a	26 SEPTEMBER 1986		
167b	26 SEPTEMBER 1986		
167c	26 SEPTEMBER 1986		
167d	26 SEPTEMBER 1986		
167e	26 SEPTEMBER 1986		
168	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
171	26 SEPTEMBER 1986	171	20 FEBRUARY 1979
172	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
173	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
174	26 SEPTEMBER 1986	174	20 FEBRUARY 1979
174a	26 SEPTEMBER 1986		
177	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
178	26 SEPTEMBER 1986	178	20 FEBRUARY 1979
178a	26 SEPTEMBER 1986		
178b	26 SEPTEMBER 1986		
178C	26 SEPTEMBER 1986		
179	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
180	26 SEPTEMBER 1986	180	20 FEBRUARY 1979
181	26 SEPTEMBER 1986	181	20 FEBRUARY 1979
182	26 SEPTEMBER 1986	182	20 FEBRUARY 1979
183	26 SEPTEMBER 1986	183	20 FEBRUARY 1979
184	26 SEPTEMBER 1986	184	20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-36B(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A366)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

DOD-STD-35-36B(MI)

20 FEBRUARY 1979

SUPERSEDING
MIL-STD-35-36B(MI)
10 AUGUST 1976

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

SEALS, GASKETS, AND PACKING

AREA EDS

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

DISTRIBUTION STATEMENT A. Approved for public release ; distribution is unlimited.

SUPERSEDES COVER OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Seals, Gaskets, and Packing
Automated Engineering
Document Preparation System

DOD-STD-35-36B(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the "self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

FOREWORD

1. The purpose of DOD-STD-35-36B(MI) is to provide instructions for the preparation of Specification Requirements Sheets (SRS) in order to produce Military Specification Exceptions for Seals, Gaskets, and Packing.

2. In order to properly utilize this document, it is necessary to have a complete and thorough understanding of the DOD-STD-35.

3. It is important that the procedures described in the basic document (DOD-STD-35) be followed explicitly in order to produce a document suitable for procurement. Information which is standard for all dash-numbered parts has been included in the basic document. This information is not repeated in each dash-numbered part.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	14
	2.1	Government Documents	14
	2.1.1	Specifications and Standards	14
	2.2	Other Publications	15
	2.3	Order of Precedence	16
	3.	DEFINITIONS	17
	4.	GENERAL REQUIREMENTS	19
	4.1	Introduction	19
	4.2	Specification Requirement Sheet (SRS)	19
	4.3	Configuration	19
	4.3.1	Dimension	19
	4.3.2	Illustrations	19
	4.4	Units of Measure	19
	5.	DETAILED REQUIREMENTS	20
	5.1	Introduction	20
	5.2	MSE Formats	20
	5.3	Referenced Documents	20
	5.4	Tabulation	20
	5.5	Keyword Code Index (KCI) and Standard Paragraphs	23
	5.5.1	Interrelationship of Codes	23
	5.5.2	Automatic MSE Data	23
	5.5.3	DOD-STD-35 Tables	23

TABLES

Table	I.	Title Index	2
	II.	Tabulation Candidates	21

APPENDICES

APPENDIX	A.	Illustrations	156
	B.	Characteristic Code Index	179
		Index	185

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Seals, Gaskets, and Packing.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSES for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes, listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET	2160009	HH-G-76	CLOTH, ASB-MTLC
		HH-G-101	ASB, OR CORK MTLC
		HH-P-96	PAPER, FBR SHEET
		MIL-G-432	RBR, SYNTH, NM
		MIL-G-13210	RBR, GAS MASK CANISTER
		MIL-G-14243	MET AND ASB
		MIL-G-15342	MET AND ASB, SPIRAL WOUND
		MIL-G-16265	MET ASB, SPIRAL WOUND
		MIL-G-16959	MTLC, BLR ECON AND SUPHTR HH
		MIL-G-17553	MTLC O-RING
		MIL-G-17927	MTLC ASB COVER, RBR CORE
		MIL-G-19769	RBR, SYNTH OIL RESISTANT
		MIL-G-20078	RBR, MET INSR, ARMD HATCH
		MIL-G-21032	MTLC ASB, SPRL WOUND
		MIL-G-21569	RBR, SYNTH, CYL LINER SEAL
		MIL-G-21610	RBR, SYNTH, HE, VARIOUS CROSS SEC
		MIL-G-29170	SYNTH RBR, REINFORCED
		MIL-G-47197	SHLD, ELEK ORIENTED WIRES EMBEDDED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CONT)	216009 (CONT)	MIL-G-50954	XM5, XM9, AT DML
		MIL-G-50955	XM2, XM16, ANT ASSY
		MIL-G-50960	IND HUM, PLUG
		MS3322	CNDCT, ELEC CONN, JAM NUT MOUNT
		MS9134	TYPE X OR XV
		MS9135	TYPE XI
		MS9136	TYPE XII, XIV-A, XIV-B, XIV-E, XVII-A, XVII-B
		MS9137	TYPE XIII
		MS9138	TYPE XIV-C AND XIV-B
		MS9139	TYPE XVI, XVII-C,-D,-E AND -F
		MS9141	MTL, O-RING, .035 TUBE X .006 WALL, CRES
		MS9142	MTL, O-RING, .062 TUBE X .006 WALL, CRES
		MS9144	TYPE XX
		MS9202	MTL, O-RING, .062 TUBE X .010 WALL, CRES
		MS9203	MTL, O-RING, .094 TUBE X .006 WALL, CRES
		MS9204	MTL, O-RING, .094 TUBE X .010 WALL, CRES
		MS9205	MTL, O-RING, .094 TUBE X .010 WALL, CRES
		MS9371	MTL, O-RING, .035 TUBE X .006 WALL, SIL PLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CONT)	216009 (CONT)	MS9372	MTL, O-RING, .062 TUBE X' .006 WALL, SIL PLD
		MS9373	MTL, O-RING, .062 TUBE X .010 WALL, SIL PLD
		MS9374	MTL, O-RING, .094 TUBE X .006 WALL, SIL PLD
		MS9375	MTL, O-RING, .094 TUBE X .010 WALL, SIL PLO
		MS9376	MTL, O-RING, 125 TUBE X .010 WALL, SIL PLD
		MS9377	ASB, ENG ACCESS
		MS17840	COP, SPARK PLUG
		NS26577	RBR, APRT MKR LIGHT BASE
		MS27030	RBR, CPLG HALF, QUICK DISC
		MS27196	RBR, FLUID RES, SYNTH OILS AND FUELS
		MS29524	CLOTH, ADPTR LKG FLANGE
		MS29537	CMPSN, CAP, OUTLET FTG
		MS35347	NONMTLC, FLTR, FL, PRESS
		MS35643	SYNTH RUBR, CAP FUEL TANK
		MS35769	COP AND ASB, MTLC ENCASED
		MS3591O	STL, SPARK PLUG
		MS51OO7	RBR, SYNTH, BLK

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T20:56Z
Check the source to verify that this is the currentversion before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET (CONT)	216009 (CONT)	MS51091	SYNTH RBR, FLTR ELEMENT, FL
		MS51092	COP, FLTR, FL, PRESS, AUTO
		MS52000	RBR, SYNTH, CONN, ELEC
		MS90065	RECTANGULAR, WAVEGUIDE FLG
		MS90484	FLG MT, CONN, ELEC
		MS91607	RBR, SERIES LC CONN
		AN763	CMPSN, SWIVEL FIG FLGD
		AN887	CMPSN, CIRC FORM LT COVER
		AN899	HIDE, FUSLG LT COVER SCREW
		AN901	AL OR COP, MET TUBE CONN SEAL
		AN904	CORK AND RBR, UPWD RCNDT LT COVER
		AN3119	CMPSN, COM TAIL POSITION LIGHT
		AN6230	RBR, O-RING HYD
		AN6238	CMPSN, HYD FILTER ELEMENT
		AN123020 THRU AN123119	ASB, ANNULAR
		ASTMC542	LOCK STRIP
		ASTMC564	RBR, PIPE AND FITTINGS
GASKET MATERIAL	216008	A-A-1187	ASBESTOS
		A-A-1188	CORK SHEET
		A-A-1189	CAULKING LEAD
		HH-C-576	CORK, SHEET AND STRIP
		HH-G-156	RBR, GENL PRP, SHEET, STRIPS, SHAPES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE 1. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET MATERIAL (CONT)	216008 (CONT)	ZZ-R-71O	RBR, 35 DUROMETER HDNS
		MIL-R-900	RBR, 45 DUROMETER HDNS
		MIL-G-1149	SYNTH RBR, 50 AND 65 DUROMETER HDNS
		MIL-R-2765	SYNTH RBR, OIL RES, SH, STRIP, EXTR AND MOLDED SHP
		MIL-R-2778	RBR SH, SOLID VULC, GPH
		MIL-R-3533	SYNTH RBR, SH, STRIP AND MOLDED
		MIL-C-6183	CORK AND RBR, AROM FUEL AND OIL RES
		MIL-C-6855	SYNTH RBR, OIL AND FUEL RES
		MIL-A-7021	ASB, SH, CPRS, HIGH TEMP RES
		MIL-R-7362	SYNTH RBR, DIESTER SYNTH OIL RES, SH, STRIP, SOLID AND FAB
		MIL-G-12803	NONMETALLIC
		MIL-R-14328	RBR SH, SYNTH MED GP
		M1L-R-15624	RBR, 50 DUROMETER HDNS
		MIL-G-20092	FOAMED LATEX, CELLULAR
		MIL-G-20241	WOOL FELT, IMPGRG, ADH PRESS SENS
		MIL-R-21252	RBR SH, SOLID SYNTH SHIPBOARD WATER EVAP

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T20:56Z
Check the source to verify that this is the currentversion before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
GASKET MATERIAL (CONT)	216008 (CONT)	MIL-G-22050	RBR, POLAR FLUIDS STEAM AND AIR
		MIL-G-23983	SYNTH RBR, OIL RES ACCESS HULL
		MIL-A-24058	ASB PKG IMPGRG
		MIL-R-25988	FLUOROSILICONE RBR ELAS, OIL AND FUEL RES
		MIL-G-46898	GASKETING, RF AND PRESS
		MIL-R-83248	SYNTH RBR FLUOROCARBON ELAS, HI TEMP
		MS15217	RBR, MOLDED, OIL RES
		MS16720	RBR, MOLDED, OIL RES
		ASTM-F-477	ELAS, PLAS PIPE
PACKING ASSEMBLY	216002	MIL-P-2911	HYDR, CONICAL AND V TYPES
		MIL-P-21099	HYDR, CONICAL AND V TYPES FIRE RES
		NAS1523	PKG, WITH RTNR
PACKING, HYDRAULIC	216003	MIL-G-5514	GLAND DESIGN, GEN REQT FOR
		MS28772	D-RING, SHOCK STRUT
		AN6226	U CUP, HYDR
PACKING MATERIAL	216004	A-A-1184	ASB, PLSTC, TFE
		A-A-1186	OAKUM, JUTE, TWISTED
		HH-P-31	ASB, MTLC CLOTH AND TAPE
		HH-P-41	ASB, ROPE AND WICK
		HH-P-46	ASB, SH, COMPRESSED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
PACKING MATERIAL (CONT)	216004 (CONT)	HH-P-119	CELLULOSE FIBER ASPHALT SATURATED
		HH-P-151	RBR SH, CLOTH INSERT
		MIL-R-1229	RBR SH, SOLID, WIRE CLOTH INSERTED
		MIL-P-1342	LEAD SHREDDED
		MIL-P-2693	DOOR GASKETING, COLD STORAGE, NONWATERTIGHT
		MIL-L-13188	LTHR, CATTLEHD, CHROME TANNED, HYDR, RECL MECH
		MIL-P-14574	SYNTH RBR, CLOTH IMPGRG ASB
		MIL-P-16404	ASBESTOS
		MIL-P-17303	MTLC AND NONMETALLIC PLSTC
		MIL-P-17416	MTLC, FLEXIBLE
		MIL-P-17578	PLSTC, WTRTGHT CLOSURES
		MIL-P-19152	HYDR HIGH PRESS
		MIL-P-19918	V-RING
		MIL-P-24293	LEATHER, CATTLE HIDE, MINERAL TANNED, HYDR
		MIL-P-24503	GRAPHITIC, CRRG RIBBON, TXTRD TAPE, PRFM RING
		DOD-P-24583	GRAPHITIC, BRDD YARN
		MIL-A-81264	ASB FELT, RESIN IMPGRG
		MIL-F-81265	FIBER, ASB
		MS28932	FELT STRP, GLND
PACKING, PREFORMED	216001	MIL-P-2863	CONDENSER TUBE
		MIL-P-5315	HYDROCARBON FUEL RESISTANT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
PACKING, PREFORMED (CONT)	216001 (CONT)	MS29512	HYDROCARBON FUEL RES, TUBE FTG, O-RING
		MS29513	HYDROCARBON FUEL RES, O-RING
		MIL-P-5510	STR THD TUBE FTG BOSS
		MS28778	STR THD TUBE FTG BOSS
		AN6238	CMPSN,HYDR FILTER ELEMENT
		MS24690	HIGH PRESS AIR VALVE
		MIL-P-11719	D-RING SHOCK STRUT
		MIL-P-16685	ROUNDED AND BULK
		MIL-P-17553	PACKING, PREFMD O-RING SYNTH RBR
		MIL-P-18493	CARBON AND CARBON STOCK
		MIL-P-25732	PETRO, HYD, FL RES 275 DEG F
		MS28772	D-RING SHOCK STRUT
		MS28775	HYD +275 DEG F, O-RING
		MIL-P-48005	M500 CONTAINER
		MIL-P-48011	XM454 AND XM455 PROJECTILES
		MIL-P-81716	HYDR, +275 DEG F, O-RING
		MIL-P-82744	OTTO FUEL COMPATIBLE
		MIL-P-83461	PETRO, HYDR FLUID RES, IMPROVED PRFMD AT +275 DEG F (135 DEG C)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
PACKING, PREFORMED (CONT)	216001 (CONT)	MS3393	STR THD TUBE FTG BOSS, HYDR -65 DEG' F TO +275 DEG F
		MIL-P-87175	PETROL HYDR FL RES, PHOSPHTRLC FLUOROELASTOMER
		MS9020	O-RING, AMS7271
		MS9021	O-RING, AMS7271
		MS9068	O-RING, AMS3304
		MS9241	O-RING, AMS7272
		MS9355	O-RING, AMS7272
		MS9385	O-RING, AMS7267
		MS9386	O-RING, AMS7267
		MS9387	O-RING, AMS7278
		MS9388	O-RING, AMS7278
		MS9770	O-RING, AMS3650
		MS9771	SEAL, AMS3650
		MS9772	O-RING, AMS3617
		MS9773	SEAL, AMS3617
		MS9955	O-RING, AMS3668
		MS9956	SEAL, AMS3668
		MS9966	SEAL, AMS7273
		MS9967	O-RING, AMS7273
		MS9970	O-RING, AMS7279
		MS28900	FOR ELECTRICAL USE
		MS29561	O-RING, SYNTH LUBRICANT RES
		MS33666	AERONAUT, ELAS, RANGE OF SIZES
		MS33668	ELAS, TUBE FTG, RANGE OF SIZES
		MS35748	AIR BRAKE CPLG
		MS90064	ROUND (WAVE GUIDE FLANGES AND DUMMY LOAD)
		AN6227	O-RING, HYDR
		AN123851 THRU AN123950	O-RING, AMS7274

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
PACKING, PREFORMED (CONT)	216001 (CONT)	AN123951 THRU AN124050	SEAL, O-RING, AMS7270
		NAS-617	STR THD TUBE FTG BOSS, SYNTH RES
		AS3208	SEAL, AMS7276
		AS3209	O-RING, AMS7276
PAD, SILICON RUBBER	216027	ZZR765	SILICON RUBBER
RETAINER, PACKING	216022	MIL-R-8791	HYDR , AND PNEU, TFE RESIN
SEAL	216026	HH-G-156	RBR, GEN PURPOSE, SH, STRIPS, SHAPES
		MIL-R-2765	SYNTH RBR, OIL RES, SH, STRIPS EXTRUDED OR MOLDED SHAPES
		MIL-S-21558	PLAIN RADIAL, OIL
		MIL-M-24130	METALLIC RINGS, NON-INTEGRAL, GEN SPEC FOR
		MIL-S-45005	PLAIN, RADIAL, FLUID, SGL OR MULT SEG MEMBER
		MIL-S-45351	ENGINE SHROUD
		MIL-S-46874	RF AND PRESSURE
		MIL-S-47147	RBR EXTRUSIONS NONCELLULAR
		MIL-S-51346	RING, SILICON
		MS27194	PLAIN, RUBBER, (FUEL RES -65 TO +160 DEG F) MOLD-IN-GROOVE
		MS27195	PLAIN, RUBBER, (SYNTH OIL RES, -65 TO +275 DEG F) MOLD-IN-GROOVE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SEAL (CONT)	216026 (CONT)	MS27197	PLAIN, RBR, (HOT AIR RES, 400 DEG F) MOLD-IN-GROOVE
		MS27198	PLAIN, RBR, (FUEL RES -65 TO +350 DEG F)
		MS27860	METAL FLUID CONN FTG LOW PRESS
		MS51OO1	PLAIN, SINGLE SEALING MEMBER, NONSPR LOADED
SEAL ASSEMBLY	216005	MIL-S-52506	SHAFT, MECH, LOW PRESS SELF-LUBR
		AN3067	0.375 INCH CONDUIT BOSS
SEALING MATERIAL, METAL	216012	MIL-S-11388	METAL CONTAINER SEAMS
SEAL, PLAIN ENCASED	216016	MIL-S-21558	RADIAL, OIL
		MIL-S-45005	RADIAL, FLUID
		MS51OOO	SGL SEG MBR, SPR LOADED
		MS51OO1	SGL SEG MBR, NONSPR LOADED
		MS51906	DUAL SEG MBRS, SPR LOADED
		MS51907	DUAL SEG MBRS, OPPOSED, SPRING LOADED
		MS51908	SGL SEG MBR, FLANGED TYPE
		MS51909	SGL SEG MBR, SHOULDERED CASE
		MS5191O	SGL SEG MBR, EXTERNAL TYPE
		MS51911	DUAL SEG MBRS, INT SEAL SPR LOADED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SEAL, PLAIN ENCASED (CONT)	216016 (CONT)	MS51912	DUAL SEG MBRS, ONE SEAL, SPR LOADED
		MS51913	DUAL SEG MBRS, EXT SEAL, SPR LOADED
		MS51914	DUAL SEG MBRS, ONE SEAL, SPR LOADED
		MS51915	SEG MBRS, FELT, LEATHER, OR ELASTOMER, SPR LOADED
		MS51916	DUAL SEG MBRS FELT AND ELASTOMER SPR LOADED SHOULDERED CASE
		MS51917	SEG MBR, FELT, INT TYPE
		MS51918	SGL SEG MBR, FELT EXT TYPE
		MS51919	SGL SEG MBR, FELT, INT TYPE, SHOULDERED CASE
		MS51920	SGL SEG MBR, LEATHER OR ELASTOMER, EXTENDED CASE
		MS51921	SGL SEG MBR, LEATHER OR ELASTOMER FACE TYPE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specieied, the following specifications and standards, of the issue listed in that issue of-the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-P-5315	Packing, Preformed, Hydrocarbon Fuel Resistant
NIL-W-12332	Welding, Resistance, Spot, Seam, and Projection, for Fabricating Assemblies of Low Carbon Steel
MIL-P-17553	Packing, Preformed, O-Ring, Synthetic Rubber
MIL-S-21558	Seal, Oil, Plain or Plain Encased
MIL-P-25732	Packing, Preformed, Petroleum Hydraulic Fluid Resistant, Limited Service at 275 Deg F. (135 Deg C.)
MIL-P-81716	Packing, Preformed, Straight Thread Tube Fitting Boss, Type II Hydraulic (-65 Deg F to +275 Deg F)

STANDARDS

FEDERAL

FED-STD-191	Textile Test Methods
FED-STD-601	Rubber: Sampling and Testing

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-810	Environmental Test Methods and Engineering Guidelines
MIL-STD-1523	Age Controls Of Age-Sensitive Elastomeric Materiel (For Aerospace Applications)

(Copies of specifications, standards, drawings, and publications required by contractors, in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ANSIB46.1	Surface Texture, Surface Roughness, Waviness and Lay
ASTMB117	Standard Method of Salt Spray (Fog) Testing
ASTMD380	Standard Methods of Testing Rubber Hose
ASTMD395	Compression Set of Vulcanized Rubber
ASTMD412	Tension Testing of Vulcanized Rubber
ASTMD413	Standard Methods of Test for Adhesion of Vulcanized Rubber (Friction Test)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

ASTMD572	Standard Method of Test for Accelerated Aging of Vulcanized Rubber by the Oxygen-Pressure Method
ASTMD573	Accelerated Aging of Vulcanized Rubber by the Oven Method
ASMTD750	Recommended Practice for Operating Light- and Weather-Exposure Apparatus (Carbon - Arc Type) for Artificial Weather Testing of Rubber Compounds
ASTMD792	Standard Methods of Test for Specific Gravity and Density of Plastics by Displacement
ASTMD1081	Standard Method of Test for Evaluating Pressure Sealing Properties of Rubber and Rubber-Like Materials
ASTMD1149	Standard Method of Test for Accelerated Ozone Cracking of Vulcanized Rubber
ASTME380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Definitions contained in DOD-STD-35 are applicable to Seals, Gaskets, and Packing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

THIS PAGE DELETED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 Introduction. In order to properly prepare a SRS for Seals, Gaskets and Packing, it is necessary to use DOD-STD-3S in conjunction with this dash-numbered part. In the event the instructions or the writing methodology are not followed, an AEDPS edit routine will print error messages rather than the desired MSE document.

4.2 Specification Requirement Sheet (SRS). SRS requirements described in DOD-STD-35 are applicable to Seals, Gaskets and Packing.

4.3 Configuration.

4.3.1 Dimensions. SRS requirements for dimensions, described in DOD-SRD-35, are applicable to Seals, Gaskets and Packing.

4.3.2 Illustrations. Illustrations, applicable to Seals, Gaskets and Packing, are contained in Appendix A to this document.

4.4 Units of Measure. The International System of Units (SI) or inch-pound units (U.S.), may be used to specify characteristics (e.g. weight, dimensions). Refer to ASTME380 for guidance in using SI. However, when different units of measure are available for specifying a characteristic, only one may be used. Both units of measure cannot appear in the same MSE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE Formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

a. 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced Documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Tabulation. Instructions for tabulation are provided in DOD-STD-35 Table II provides codes for column headings which may be used for Seals, Gaskets and Packing characteristics. When different units of measure are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

TABLE II. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1520	TYPE	1522	GRADE	1524	CLASS
1526	STYLE	1528	COMPOS ITION	1560	COLOR NUMBER
1620	SHAFT DIA INCH	1624	SHAFT DIA MILLIMETER	1653	SHELL SIZE DES
2030	NUMBER OF PLIES	2126	MESH PER INCH	2128	MESH PER MILLIMETER
6996	WEIGHT OUNCES	6997	WEIGHT POUNDS	6998	WEIGHT GRAMS
7585	OPERATING PRESSURE RTG PSI	7586	OPERATING PRESSURE RTG KPA	7587	MIN PROOF PRESSURE RTG PSI
7588	MIN PROOF PRESSURE RTG KPA	7589	MIN BURST PRESSURE RTG PSI	7590	MIN BURST PRESSURE RTG KPA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

THIS PAGE DELETED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

5.5 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.5.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.5.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type mSE selected. Explanations are noted on the KCI as required.

5.5.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYwORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECT ONE)	
SOURCE.	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	01030
0104	0104.
0105	0105.
1004	USER(S) FSCM (S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE (S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE : REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6874	THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).
0107	
0108	0108. SCOPE.
	SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.
	PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.
	PART NUMBER. THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.
6941	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.
6942	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CLASSIFICATION	
TYPE (DESIGNATION)	1520
GRADE (DESIGNATION)	1522
CLASS (DESIGNATION)	1524
STYLE (DESIGNATION)	1526
COMPOSITION (DESIGNATION)	1528
ALTITUDE RATING	
OPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5060
SEA LEVEL TO (METERS)	5061
NONOPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5062
SEA LEVEL TO (METERS)	5063

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
3413	EFFECT OF STEAM. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTMD380.
3418	THE TEST PRESSURE SHALL BE 3418 POUNDS PER SQUARE INCH GAGE .
3420	THE PRESSURE TOLERANCE SHALL BE 3420 POUNDS PER SQUARE INCH GAGE .
3421	THE TEST PRESSURE SHALL BE 3421 KILOPASCALS.
3427	THE PRESSURE TOLERANCE SHALL BE 3427 KILOPASCALS.
3430	THE PRESSURE TEST DURATION SHALL BE 3430 HOUR(S).
3433	THE DURATION TOLERANCE SHALL BE 3433 HOUR(S).
1932	ELECTRICAL CONDUCTIVITY. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 1932.
1934	ELECTRICAL CONDUCTIVITY. THE ELECTRICAL CONDUCTIVITY SHALL BE NOT LESS THAN 1934 MHOS PER SQUARE INCH.
1936	ELECTRICAL CONDUCTIVITY. THE ELECTRICAL CONDUCTIVITY SHALL BE NOT LESS THAN 1936 MHOS PER SQUARE MILLIMETER.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
ELECTRICAL CONDUCTIVITY (CONT)	
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	3784
PER (DOC DES)	3786
ENDURANCE	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	2532
AS FOLLOWS:	2531
MAXIMUM AVERAGE LEAKAGE PER GLAND DURING ENTIRE CYCLING TEST (CUBIC CENTIMETERS)	2533
MAXIMUM LEAKAGE OVER LAST NUMBER OF CYLES OF TEST	
(NUMBER)	2544
*(CUBIC CENTIMETERS)	2540
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT	3501
PER MIL-P-25732.	3517

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
3784	ELECTRICAL CONDUCTIVITY. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 3784.
3786	ELECTRICAL CONDUCTIVITY. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH 3786.
2532	ENDURANCE. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2532.
2531	ENDURANCE. THE REQUIREMENT(S) SHAIL BE AS FOLLOWS:
2533	THE AVERAGE LEAKAGE DURING THE ENTIRE CYCLING TEST SHALL BE NOT GREATER THAN 2533 CUBIC CENTIMETERS PER GLAND.
2544 2540	LEAKAGE DURING THE LAST 2544 TEST CYCLES SHALL BE NOT GREATER THAN 2540 CUBIC CENTIMETERS.
3501	ENDURANCE. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 3501.
3517	ENDURANCE. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-P-25732.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)


CHARACTERISTIC NAME	CHAR CODE
ENDURANCE (CONT)	
PER MIL-P-25732. (CONT)	
TEST MEDIA (NAME)	3503
MEDIA DOCUMENT (DOC DES)	3504
TEST TEMPERATURE (DEGREES CELSIUS)	3505
TOLERANCE (DEGREES CELSIUS)	3518
TOTAL TEST CYCLES (QUANTITY)	3508
MINIMUM DRIVING PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH)	3509
(KILOPASCALS)	3510
MAXIMUM DRIVING PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH)	3511
(KILOPASCALS)	3512
MINIMUM LOADING PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH)	3513
(KILOPASCALS)	3514

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-01-17




216-01-18

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-01-19




216-01-20

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-01-21




216-01-22

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.





SECTION A-A


216-01-23



216-01-24

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-01-25


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.



216-03-7




A-A
(ENLARGED)


216-03-8

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-9





216-03-10

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-11






216-03-12




216-03-13

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-14




216-03-15

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-16




NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-18




216-03-19

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-20




NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-03-22




216-03-23

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.



216-85-2





216-85-3

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.






SECTION A-A

216-05-6




216-05-7

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-05-8




216-05-9

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-05-10




216-05-11

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-05-12




216-05-13

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.



216-05-14




216-06-1


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-87-7




216-87-8

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-07-9




216-07-10

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.




216-88-1




216-88-2

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.







SECTION A-A

216-89-1

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.





SECTION A-A

216-10-2

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

APPENDIX B

CHARACTERISTIC CODE INDEX

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	24	1628	44	1720	62	1820	108
0102	24	1630	44	1722	62	1822	108
0103	24	1632	44	1725	62	1824	108
0104	24	1634	44	1726	62	1840	86
0105	24	1636	44	1728	62	1842	86
0107	26	1638	46	1730	62	1844	86
0108	26	1640	46	1732	62	1846	86
0700	24	1642	46	1736	76	1848	86
0800	24	1644	46	1738	76	1850	86
1004	24	1646	46	1739	76	1865	88
1005	24	1648	46	1742	72	1869	88
1006	24	1650	46	1746	74	1873	88
1008	24	1658	54	1750	102	1877	88
1520	28	1660	56	1752	102	1902	120
1522	28	1662	56	1755	102	1904	120
1524	28	1664	56	1756	102	1910	118
1526	28	1668	56	1758	102	1912	118
1528	28	1670	56	1760	102	1914	118
1529	150	1672	56	1762	102	1916	118
1560	38	1674	56	1764	102	1918	118
1562	38	1676	56	1766	102	1920	118
1564	38	1678	56	1772	138	1922	144
1566	38	1680	56	1774	138	1926	144
1570	38	1682	58	1775	136	1928	144
1572	38	1684	58	1778	136	1930	144
1574	38	1686	58	1782	136	1932	90
1576	38	1688	58	1784	136	1934	90
1578	38	1691	54	1786	138	1936	90
1580	40	1692	54	1790	138	1962	130
1582	40	1694	54	1792	138	1964	130
1584	40	1696	54	1794	138	1966	130
1586	40	1701	60	1802	108	1967	130
1588	38	1702	60	1804	108	1970	130
1590	38	1704	60	1806	108	1974	130
1592	38	1706	60	1808	108	1976	130
1594	38	1708	60	1810	108	1982	130
1620	44	1710	60	1812	108	1986	130
1622	44	1714	62	1815	106	2030	38
1624	44	1716	62	1816	106	2040	40
1626	44	1718	62	1818	108	2042	40

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHARCTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2044	40	2262	76	2464	82	2704	150
2082	40	2264	76	2472	70	2708	148
2084	40	2266	76	2474	70	2710	148
2086	40	2268	76	2482	88	2712	150
2088	40	2270	76	2484	88	2714	150
2090	44	2292	70	2492	96	2716	150
2092	44	2294	70	2494	96	2718	150
2114	42	2301	146	2502	106	2720	58
2116	42	2302	144	2504	106	2722	58
2118	42	2304	146	2506	106	2730	58
2120	42	2306	146	2511	84	2732	58
2121	42	2308	146	2512	84	2830	86
2122	42	2310	146	2514	84	2832	86
2124	42	2331	138	2516	84	2834	86
2126	42	2332	138	2521	104	2836	86
2128	42	2334	138	2522	104	2838	86
2131	134	2335	138	2524	104	2840	86
2132	134	2336	140	2525	104	3102	134
2134	134	2338	140	2526	104	3104	134
2136	134	2340	140	2527	104	3162	60
2138	134	2361	142	2531	92	3163	60
2140	134	2362	140	2532	92	3166	60
2142	134	2364	142	2533	92	3167	60
2144	134	2365	142	2540	92	3170	60
2146	134	2366	142	2544	92	3173	60
2148	134	2367	142	2552	100	3182	64
2160	42	2370	142	2554	100	3184	64
2162	42	2381	126	2562	120	3186	66
2164	42	2382	126	2564	120	3188	66
2201	64	2384	126	2572	114	3189	66
2202	64	2386	126	2574	114	3190	66
2204	64	2388	126	2582	122	3193	66
2206	64	2402	110	2584	122	3196	66
2208	64	2422	148	2592	126	3199	66
2210	64	2424	148	2594	126	3200	66
2221	68	2431	136	2612	116	3203	66
2222	68	2432	136	2614	116	3204	66
2224	68	2434	136	2622	98	3207	66
2226	68	2436	136	2624	98	3208	66
2261	76	2462	82	2702	150	3210	66

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3213	66	3355	148	3466	84	3562	114
3214	66	3358	148	3467	84	3564	114
3215	66	3359	148	3470	84	3565	114
3231	68	3362	136	3471	84	3566	114
3232	68	3363	136	3476	84	3568	114
3233	68	3365	148	3482	104	3569	114
3235	68	3367	136	3484	104	3572	114
3236	68	3372	142	3486	104	3573	114
3237	68	3378	136	3487	104	3574	114
3239	68	3382	82	3492	104	3575	116
3242	68	3384	82	3493	104	3579	116
3248	70	3386	82	3501	92	3582	124
3249	70	3395	82	3503	94	3585	124
3262	78	3396	82	3504	94	3586	124
3264	78	3397	82	3505	94	3587	124
3292	70	3398	82	3508	94	3588	124
3294	70	3401	72	3509	94	3589	124
3302	146	3402	72	3510	94	3593	124
3305	146	3403	72	3511	94	3598	124
3306	146	3404	72	3512	94	3604	124
3309	146	3405	72	3513	94	3606	124
3312	140	3408	72	3514	94	3612	128
3315	140	3409	72	3515	96	3614	128
3316	140	3412	88	3516	96	3616	128
3319	140	3413	90	3517	92	3619	128
3322	142	3416	72	3518	94	3622	128
3325	142	3418	90	3522	100	3624	128
3326	142	3420	90	3523	100	3628	128
3329	142	3421	90	3526	100	3630	128
3332	126	3427	90	3529	100	3632	128
3336	126	3430	90	3532	120	3634	128
3338	140	3433	90	3535	122	3636	128
3342	112	3442	96	3536	122	3646	130
3343	112	3444	96	3538	122	3650	128
3346	112	3446	96	3541	122	3652	128
3348	112	3447	96	3543	122	3672	116
3351	148	3452	106	3548	122	3674	116
3352	148	3455	106	3551	122	3676	116
3353	148	3462	84	3554	122	3679	116
3354	148	34 4	84	3556	122	3681	118

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3683	118	4032	113	4072	113	4162	75
3687	118	4033	113	4073	113	4163	75
3688	118	4034	113	4074	113	4164	75
3702	98	4035	113	4075	113	4165	75
3704	98	4036	113	4076	113	4166	75
3706	98	4037	113	4077	113	4167	75
3708	98	4038	113	4078	113	4168	75
3715	98	4039	113	4079	113	4169	75
3716	98	4040	113	4080	113	4170	75
3718	98	4041	113	4081	113	4171	75
3721	98	4042	113	4082	113	4172	75
3724	98	4043	113	4083	113	4173	75
3727	98	4044	113	4084	113	4174	75
3733	98	4045	113	4085	113	4175	75
3734	98	4046	113	4086	113	4176	75
3735	100	4047	113	4087	113	4177	75
3737	100	4048	113	4088	113	4178	75
3742	78	4049	113	4089	113	4179	75
3743	78	4050	113	4140	75	4180	75
3744	78	4051	113	4141	75	4181	75
3746	80	4052	113	4142	75	4182	75
3747	80	4053	113	4143	75	4183	75
3748	80	4054	113	4144	75	4184	75
3749	80	4055	113	4145	75	4185	75
3750	80	4056	113	4146	75	4186	75
3751	80	4057	113	4147	75	4187	75
3752	80	4058	113	4148	75	4200	121
3753	80	4059	113	4149	75	4201	121
3758	80	4060	113	4150	75	4202	121
3760	80	4061	113	4151	75	4203	121
3771	78	4062	113	4152	75	4204	121
3772	78	4063	113	4153	75	4205	121
3774	78	4064	113	4154	75	4206	121
3776	78	4065	113	4155	75	4207	121
3780	144	4066	113	4156	75	4208	121
3782	144	4067	113	4157	75	4209	121
3784	92	4068	113	4158	75	4210	121
3786	92	4069	113	4159	75	4211	121
4030	113	4070	113	4160	75	4212	121
4031	113	4071	113	4161	75	4213	121

SUPERSEDES PAGE 183 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.
4214	121
4215	121
4754	110
4755	110
4756	110
4760	110
4761	110
4762	110
4783	132
4904	32
4905	32
4942	150
4943	152
4944	152
4950	36
5046	34
5048	34
5052	34
5054	32
5060	28
5061	28
5062	28
5063	28
5068	32
5069	32
5070	32
5071	32
5209	152
6353	132
6354	132
6356	132
6357	132
6369	24
6372	154
6870	152
6873	24
6874	26
6927	54
6941	26
6942	26
6991	154
6992	154
6993	154
6994	154
6995	154
6996	50
6997	50
6998	52
6999	52
7001	152
7002	152
7003	152
7004	152
7005	152
7021	48
7022	48
7023	48
7024	48
7035	52
7036	52
7037	52
7038	52
7041	48
7042	48
7043	48
7044	48
7047	52
7049	52
7050	50
7051	50
7301	32
7302	32
7344	54
7400	50
7401	50
7572	34
7573	34
7574	34
7576	34
7577	34
7578	34
7580	36
7581	30
7582	30
7583	30
7584	30
7585	30
7586	30
7587	30
7588	30
7589	32
7590	32
7629	154

CHAR CODE	PAGE No.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D C
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Commander
U.S. Army Missile Command
ATTN: AMSMI-RD-SE-TD-ST
Redstone Arsenal, AL 35898-5276

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-STD-35-36B	NOT. 1

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.