MILITARY SPECIFICATION

LENSES, GUN CAMERA, MOTION-PICTURE, 16MM FORMAT

This amendment forms a part of Military Specification MIL-L-4352D, dated 9 November 1973, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2, under Class: Delete "A" and substitute: "1"
Delete "B" and substitute: "2"

Add the following note on the bottom center of the page immediately above the FSC designation:

> Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Ogden ALC/MMEDO Hill Air Force Base, Utah 84056 by using self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

Section 2.1 Military Specifications: Delete "MIL-D-1000" and Insert "DOD-D-1000."

Delete all information after list of Military Standards and substitute the following:

"(Copies of specifications, standards, and publications required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer).

2.2 Other publication. The following documents form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification Rules

FSC 6760



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:31Z
Check the source to verify that this is the current version before use.

(Application for copies of the above publication should be addressed to the G. F. Earl Tariff Publishing Officer, Suite 1160, 222 South Riverside Plaza, Chicago, IL 60606).

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI PH22.76 Threaded Lens Mounts for 16mm and 8mm Motion Picture Cameras

(Application for copies should be addressed to the American National Standards Institute, 1430 Broadway, New York, NY 10018).

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies).

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

PAGE 3

Following 3.3, insert:

"3.3.1 Reclaimed materials. The use of reclaimed material shall be encouraged to the maximum extent possible without jeopardizing the entended end use of the item."

3.4.1, line 1: Delete "Class A" and substitute: "Class 1".

3.4.2, line 1: Delete "Class B" and substitute: "Class 2".

TABLE I, column 4: Delete "Class A" and substitute: "Class 1";
column 5: Delete "Class B" and substitute: "Class 2".

3.5.3, line 1: Delete "Class A" and substitute: "Class 1";
line 2: Delete "Class B" and substitute: "Class 2".

PAGE 6

Delete paragraph "3.5.5" in its entirety, and substitute:

"3.5.5 Color correction. The lens shall be an achromatic; color corrected for the Fraunhofer 'C' (red) through'F' (blue) liner."

Delete paragraph "3.6.1" in its entirety, and substitute:

"3.6.1 Aperature markings. The lens shall be provided with a range of full stop aperature markings in accordance with MIL-STD-150."



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:31Z
Check the source to verify that this is the current version before use.

PAGE 7

Delete paragraph "3.9" in its entirety, and substitute:

"3.9 Finish. Exposed metal parts and mounts of the lens shall have a durable, firmly-bonded, dull-black finish which shall meet the salt fog requirements of Method 509.2 of MIL-STD-810."

3.11.4, line 2: Delete "8g" and substitute: "11g".

3.11.8, line 3: Delete "Method 508" and substitute: "Method 508.3".

PAGE 8

3.13, line 4: Delete "MIL-D-1000" and substitute: "DOD-D-1000".

PAGE 11

4.6.3.1, line 2: Delete "Method 501" and substitute: "Method 501.2".

4.6.3.2, line 2: Delete "Method 500" and substitute: "Method 500.2".

4.6.3.3, line 2: Delete "Method 502" and substitute: "Method 502.2".

4.6.3.4, line 2: Delete "Method 503" and substitute: "Method 503.2".

4.6.3.5, lines 1 and 2: Delete "Method 507" and substitute: "Method 507.2".

4.6.3.6, lines 1 and 2: Delete "Method 508" and substitute: "Method 508.3".

PAGE 12

4.6.3.7, line 1: Delete "Method 509" and substitute: "Method 509.2".

4.6.3.8, line 1: Delete "Method 510" and substitute: "Method 510.2".

4.6.3.9, line 2: Delete "Method 513.1" and substitute: "Method 513.3."

4.6.3.9, line 2: Delete "8g" and substitute: "11g".

4.6.3.10, line 2: Delete "Method 514.1, Procedure I" and substitute: "Method 514.3, Procedure I".



Source: https://assist.dla.mil -- Downloaded: 202640-17T03:31Z
Check the source to verify that this is the currenversion before use.

Following 6.2, insert:

"6.2.1 Data requirements. When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of FAR 7-104.9 (n) (2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraphs.

| Paragraph No. | Data requirement title | Applicable DID No. | Option |
|---|---|---|---|
| 4.4.2 | Reports, Test | DI-T-2072 | |

(Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer)."

Custodian:
Navy - AS
Army - ER
Air Force - 99

Preparing Activity:
Air Force - 70

Project No 6760-0569



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T03:31Z
Check the source to verify that this is the current version before use.