NOT MEASUREMENT SENSITIVE

MIL-J-12959E(ME)
26 October 1990
SUPERSEDING
MIL-J-12959D(ME)
15 July 1976

MILITARY SPECIFICATION

JETTING SET, PORTABLE: FOR PILEDRIVING OPERATION,

PACKAGING OF

This specification is approved for use within the USA Belvoir Research, Development and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for the preservation, packing, and marking of a portable jetting set for piledriving operation (SC 3895-98-CL-E02).

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

FEDERAL

PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-636 - Boxes, Shipping, Fiberboard.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: USA Belvoir Research, Development, and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC PACK
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-C-104	- Crates, Wood, Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	- Preservation, Methods of.
MIL-P-10603	- Pumps and Pumping Units, Centrifugal, Power-Driven, for Water, Packaging of.
MIL-C-52950	- Crate, Wood, Open and Covered.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking and Waterproofing; with Appropriate Test Methods.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION (NMFTA)

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Association, ATTN: Traffic Order Section, 2200 Mill Road, Alexandria, VA 22314.)

UNIFORM FREIGHT CLASSIFICATION COMMITTEE (UFCC)

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article pack. Unless otherwise specified (see 6.2), a sample shall be subjected to first article pack inspection (see 6.3) in accordance with 4.3.

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation. Preservation shall be level A or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Preservative. Preservative specified herein shall conform to the applicable specification listed in and shall be applied in accordance with MIL-P-116.

3.3.1.2 Pipe and pipe fittings. All threads of pipe and pipe fittings shall be coated with type P-1 preservative.

3.3.1.3 Hose assemblies. Each hose assembly shall be coiled to the minimum safe diameter and the coil shall be secured with evenly spaced ties of cotton tape. Threads of couplings shall be coated with type P-1 preservative.

3.3.1.4 Gaskets. The gaskets for each set shall be preserved together in accordance with MIL-P-116, method IC-1 and shall be placed in the box with the bent pipe as specified in 3.3.1.5.

3.3.1.5 Bent pipe and nozzle. The bent pipe and the nozzle shall be placed individually in a close-fitting box conforming to PPP-B-636, W5c, style RSC. The gaskets shall be placed in the box with the bent pipe (see 3.3.1.4). Box closure shall be in accordance with the appendix to the box specification, method V.

3.3.1.6 Bushing, couplings, nipples, reducers, and union. These items comprising a complete set shall be placed together in a close-fitting box conforming to PPP-B-636, W5c, style RSC. Items shall be wrapped or cushioned to prevent damage to threads. Box closure shall be in accordance with the appendix to the box specification, method V.

3.3.1.7 Pump unit (MAP). The pump unit shall be preserved in accordance with MIL-P-10603, level A, and shall be secured to the base of the crate specified in 3.4.1.

3.3.1.8 Consolidation.

3.3.1.8.1 Components in fiberboard boxes. The components preserved in fiberboard boxes shall be consolidated together in a close-fitting box conforming to PPP-B-601, domestic type, style I. Strapping shall not be required.

3.3.1.8.2 Coiled hose assemblies. The coiled hose assemblies for each set shall be consolidated together in a close-fitting box conforming to PPP-B-601, domestic type, style I. Strapping shall not be required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

3.3.2 Level C. Components of each jetting set shall be preserved in a manner to prevent deterioration and damage during handling and shipment from the contractor to the initial destination.

3.4 Packing. Packing shall be level A, B, or C as specified (see 6.2).

3.4.1 Level A. The lengths of pipe and other components comprising a complete set, preserved as specified in 3.3 shall be packed together in a crate conforming to MIL-C-104, type I, class 2, style a. The components shall be arranged within the crate to provide a pack of minimum cube. The contents shall be blocked, braced, and anchored in accordance with MIL-STD-1186.

3.4.2 Level B. The lengths of pipe and other components comprising a complete set, preserved as specified in 3.3, shall be packed as specified for level A except the crate shall conform to MIL-C-52950, style A or B, as applicable.

3.4.3 Level C. The lengths of pipe and other components comprising a complete set, preserved as specified in 3.3, shall be packed to assure carrier acceptance and safe delivery to destination at lowest ratings in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking specified in the contract or purchase order (see 6.2), marking shall be in accordance with MIL-STD-129.

3.6 Workmanship. Cleaning, preserving, packing, and marking requirements specified herein shall give maximum protection against corrosion, deterioration, and mechanical or physical damage during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of section 3. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.1.2 Material inspection. The contractor is responsible for insuring that supplies and materials are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

4.3 First article pack inspection.

4.3.1 Examination. The first article pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the first article pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in three stages as follows:

a. The first stage shall include inspection of procedures, methods, materials, containers, and marking prior to placing the components into consolidated containers.
b. The second stage shall include inspection of closure and marking of consolidated containers, and the arrangement and blocking and bracing of packed components in the shipping container.
c. The third stage shall include inspection of the closed, strapped, and marked shipping containers prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all components prepared for any applicable inspection stage that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105. Samples shall be selected using MIL-STD-105, tables I and IIa.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

101. Materials, methods, or containers not as specified. Each incorrect material, method, or container shall constitute one defect.
102. Threads of pipe and fittings not coated with preservative as specified.
103. Hose assemblies not coiled and the coils secured as specified.
104. Gaskets not preserved together and placed in the box with the bent pipe as specified.
105. Fiberboard boxes not closed as specified for method V.
106. Consolidation of components not as specified.
107. Shipping containers not as specified.
108. Marking illegible, incomplete, incorrect, or missing.
109. Workmanship not as specified.

5. PACKAGING

(This section not applicable to this specification.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packing, and marking of a jetting set, portable: for piledriving operation (NSN 3895-00-641-7982) or (NSN 3895-00-926-1035) for MAP use.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of the specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).
c. Time frame required for submission of the first article pack (see 3.1).
d. Level of preservation and packing required (see 3.3 and 3.4).
e. Any special marking (see 3.5).

6.3 First article pack. Any changes or deviations of production packs from the approved first article pack will be subject to the approval of the contracting officer. Approval of the first article pack will not relieve the contractor of his obligation to preserve, pack, and mark the set components in accordance with this specification.

6.4 Subject term (key word) listing.

Jetting set, marking of
Jetting set, packing of
Jetting set, preservation of

6.5 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodian:
Army - ME

Preparing activity:
Army - ME

Review activities:
Army - AT, SM

Project 3895-A308

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-J-12959E(ME)	901026

3. DOCUMENT TITLE

Jetting Set, Portabge: for Piledriving Operation, Packaging Of

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON
	(703) 664-5717	354-5717
c. ADDRESS (Include Zip Code) US Army Belvoir RDE Center ATTN: STRBE-TSE	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466	

Downloaded from: https://assist.dla.mil -- Downloaded: 2026-10-17T23:54Z
Check the source to verify that this is the current version before use.