NOTICE OF CANCELLATION

INCH-POUND

MS51872A
NOTICE 2
30 November 1999
SUPERSEDING
NOTICE 1
7 April 1988

MILITARY STANDARD

NIPPLE, PIPE, EXTRA STRONG, BRASS OR COPPER

MS51872A, dated 6 December 1982, is hereby cancelled. Future acquisitions for this item should refer to ASTM B687-99, “Standard Specification for Brass, Copper, and Chromium-Plated Pipe Nipples.”

The listing below provides a detailed cross-reference of cancelled MS51872A Part Identifying Numbers (PINs) and replacement ASTM B687-99 PINs. Users are cautioned to evaluate replacement parts for their particular application.

(DoD activities may obtain copies of ASTM B687-99 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the American Society For Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.)

Custodians:
Air Force - 11
Army - AR
Navy - SH
DLA - CC

Review activities:
Air Force - 99, 82
Army - AT, MI
Navy - MC

Preparing activity:
DLA - CC

(Project 4730-0835)

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.

TABLE 1. Part Identification Number (PIN) replacement data.

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-1	1/8	B687XS-1B
MS51872-1C	1/8	B687XS-1C
MS51872-6	1/8	B687XS-6B
MS51872-6C	1/8	B687XS-6C
MS51872-9	1/8	B687XS-9B
MS51872-9C	1/8	B687XS-9C
MS51872-10	1/8	B687XS-10B
MS51872-10C	1/8	B687XS-10C
MS51872-12	1/8	B687XS-12B
MS51872-12C	1/8	B687XS-12C
MS51872-13	1/8	B687XS-13B
MS51872-13C	1/8	B687XS-13C
MS51872-14	1/8	B687XS-14B
MS51872-14C	1/8	B687XS-14C
MS51872-15	1/8	B687XS-15B
MS51872-15C	1/8	B687XS-15C
MS51872-16	1/8	B687XS-16B
MS51872-16C	1/8	B687XS-16C
MS51872-17	1/8	B687XS-17B
MS51872-17C	1/8	B687XS-17C
MS51872-18	1/8	B687XS-18B
MS51872-18C	1/8	B687XS-18C

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-20	1/4	B687XS-20B
MS51872-20C	1/4	B687XS-20C
MS51872-24	1/4	B687XS-24B
MS51872-24C	1/4	B687XS-24C
MS51872-27	1/4	B687XS-27B
MS51872-27C	1/4	B687XS-27C
MS51872-28	1/4	B687XS-28B
MS51872-28C	1/4	B687XS-28C
MS51872-30	1/4	B687XS-30B
MS51872-30C	1/4	B687XS-30C
MS51872-31	1/4	B687XS-31B
MS51872-31C	1/4	B687XS-31C
MS51872-32	1/4	B687XS-32B
MS51872-32C	1/4	B687XS-32C
MS51872-33	1/4	B687XS-33B
MS51872-33C	1/4	B687XS-33C
MS51872-34	1/4	B687XS-34B
MS51872-34C	1/4	B687XS-34C
MS51872-35	1/4	B687XS-35B
MS51872-35C	1/4	B687XS-35C
MS51872-36	1/4	B687XS-36B
MS51872-36C	1/4	B687XS-36C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.

TABLE 1. Part Identification Number (PIN) replacement data - Continued.

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-39	3/8	B687XS-39B
MS51872-39C	3/8	B687XS-39C
MS51872-42	3/8	B687XS-42B
MS51872-42C	3/8	B687XS-42C
MS51872-45	3/8	B687XS-45B
MS51872-45C	3/8	B687XS-45C
MS51872-46	3/8	B687XS-46B
MS51872-46C	3/8	B687XS-46C
MS51872-48	3/8	B687XS-48B
MS51872-48C	3/8	B687XS-48C
MS51872-49	3/8	B687XS-49B
MS51872-49C	3/8	B687XS-49C
MS51872-50	3/8	B687XS-50B
MS51872-50C	3/8	B687XS-50C
MS51872-51	3/8	B687XS-51B
MS51872-51C	3/8	B687XS-51C
MS51872-52	3/8	B687XS-52B
MS51872-52C	3/8	B687XS-52C
MS51872-53	3/8	B687XS-53B
MS51872-53C	3/8	B687XS-53C
MS51872-54	3/8	B687XS-54B
MS51872-54C	3/8	B687XS-54C

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-58	1/2	B687XS-58B
MS51872-58C	1/2	B687XS-58C
MS51872-60	1/2	B687XS-60B
MS51872-60C	1/2	B687XS-60C
MS51872-63	1/2	B687XS-63B
MS51872-63C	1/2	B687XS-63C
MS51872-64	1/2	B687XS-64B
MS51872-64C	1/2	B687XS-64C
MS51872-66	1/2	B687XS-66B
MS51872-66C	1/2	B687XS-66C
MS51872-67	1/2	B687XS-67B
MS51872-67C	1/2	B687XS-67C
MS51872-68	1/2	B687XS-68B
MS51872-68C	1/2	B687XS-68C
MS51872-69	1/2	B687XS-69B
MS51872-69C	1/2	B687XS-69C
MS51872-70	1/2	B687XS-70B
MS51872-70C	1/2	B687XS-70C
MS51872-71	1/2	B687XS-71B
MS51872-71C	1/2	B687XS-71C
MS51872-72	1/2	B687XS-72B
MS51872-72C	1/2	B687XS-72C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.

TABLE 1. Part Identification Number (PIN) replacement data - Continued.

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-77	3/4	B687XS-77B
MS51872-77C	3/4	B687XS-77C
MS51872-81	3/4	B687XS-81B
MS51872-81C	3/4	B687XS-81C
MS51872-82	3/4	B687XS-82B
MS51872-82C	3/4	B687XS-82C
MS51872-84	3/4	B687XS-84B
MS51872-84C	3/4	B687XS-84C
MS51872-85	3/4	B687XS-85B
MS51872-85C	3/4	B687XS-85C
MS51872-86	3/4	B687XS-86B
MS51872-86C	3/4	B687XS-86C
MS51872-87	3/4	B687XS-87B
MS51872-87C	3/4	B687XS-87C
MS51872-88	3/4	B687XS-88B
MS51872-88C	3/4	B687XS-88C
MS51872-89	3/4	B687XS-89B
MS51872-89C	3/4	B687XS-89C
MS51872-90	3/4	B687XS-90B
MS51872-90C	3/4	B687XS-90C

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-96	1	B687XS-96B
MS51872-96C	1	B687XS-96B
MS51872-99	1	B687XS-99B
MS51872-99C	1	B687XS-99C
MS51872-100	1	B687XS-100B
MS51872-100C	1	B687XS-100C
MS51872-102	1	B687XS-102B
MS51872-102C	1	B687XS-102C
MS51872-103	1	B687XS-103B
MS51872-103C	1	B687XS-103C
MS51872-104	1	B687XS-104B
MS51872-104C	1	B687XS-104C
MS51872-105	1	B687XS-105B
MS51872-105C	1	B687XS-105C
MS51872-106	1	B687XS-106B
MS51872-106C	1	B687XS-106C
MS51872-107	1	B687XS-107B
MS51872-107C	1	B687XS-107C
MS51872-108	1	B687XS-108B
MS51872-108C	1	B687XS-108C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.

TABLE 1. Part Identification Number (PIN) replacement data - Continued.

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-115	1 1/4	B687XS-115B
MS51872-115C	1 1/4	B687XS-115C
MS51872-118	1 1/4	B687XS-118B
MS51872-118C	1 1/4	B687XS-118C
MS51872-120	1 1/4	B687XS-120B
MS51872-120C	1 1/4	B687XS-120C
MS51872-121	1 1/4	B687XS-121B
MS51872-121C	1 1/4	B687XS-121C
MS51872-122	1 1/4	B687XS-122B
MS51872-122C	1 1/4	B687XS-122C
MS51872-123	1 1/4	B687XS-123B
MS51872-123C	1 1/4	B687XS-123C
MS51872-124	1 1/4	B687XS-124B
MS51872-124C	1 1/4	B687XS-124C
MS51872-125	1 1/4	B687XS-125B
MS51872-125C	1 1/4	B687XS-125C
MS51872-126	1 1/4	B687XS-126B
MS51872-126C	1 1/4	B687XS-126C
MS51872-134	1 1/2	B687XS-134B
MS51872-134C	1 1/2	B687XS-134C
MS51872-136	1 1/2	B687XS-136B
MS51872-136C	1 1/2	B687XS-136C
MS51872-138	1 1/2	B687XS-138B
MS51872-138C	1 1/2	B687XS-138C
MS51872-139	1 1/2	B687XS-139B
MS51872-139C	1 1/2	B687XS-139C
MS51872-140	1 1/2	B687XS-140B
MS51872-140C	1 1/2	B687XS-140C
MS51872-141	1 1/2	B687XS-141B
MS51872-141C	1 1/2	B687XS-141C
MS51872-142	1 1/2	B687XS-142B
MS51872-142C	1 1/2	B687XS-142C
MS51872-143	1 1/2	B687XS-143B
MS51872-143C	1 1/2	B687XS-143C
MS51872-144	1 1/2	B687XS-144B
MS51872-144C	1 1/2	B687XS-144C
MS51872-152	2	B687XS-152B
MS51872-152C	2	B687XS-152C
MS51872-154	2	B687XS-154B
MS51872-154C	2	B687XS-154C
MS51872-156	2	B687XS-156B
MS51872-156C	2	B687XS-156C
MS51872-157	2	B687XS-157B
MS51872-157C	2	B687XS-157C
MS51872-158	2	B687XS-158B
MS51872-158C	2	B687XS-158C
MS51872-159	2	B687XS-159B
MS51872-159C	2	B687XS-159C
MS51872-160	2	B687XS-160B
MS51872-160C	2	B687XS-160C
MS51872-161	2	B687XS-161B
MS51872-161C	2	B687XS-161C
MS51872-162	2	B687XS-162B
MS51872-162C	2	B687XS-162C
MS51872-172	2 1/2	B687XS-172B
MS51872-172C	2 1/2	B687XS-172C
MS51872-174	2 1/2	B687XS-174B
MS51872-174C	2 1/2	B687XS-174C
MS51872-175	2 1/2	B687XS-175B
MS51872-175C	2 1/2	B687XS-175C
MS51872-176	2 1/2	B687XS-176B
MS51872-176C	2 1/2	B687XS-176C
MS51872-177	2 1/2	B687XS-177B
MS51872-177C	2 1/2	B687XS-177C
MS51872-178	2 1/2	B687XS-178B
MS51872-178C	2 1/2	B687XS-178C
MS51872-179	2 1/2	B687XS-179B
MS51872-179C	2 1/2	B687XS-179C
MS51872-180	2 1/2	B687XS-180B
MS51872-180C	2 1/2	B687XS-180C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.

TABLE 1. Part Identification Number (PIN) replacement data - Continued.

Cancelled MS Part Identifying No. (PIN)	Nominal Pipe Size (in.)	Replacement ASTM Part Identifying No. (PIN)
MS51872-191	3	B687XS-191B
MS51872-191C	3	B687XS-191C
MS51872-192	3	B687XS-192B
MS51872-192C	3	B687XS-192C
MS51872-193	3	B687XS-193B
MS51872-193C	3	B687XS-193C
MS51872-194	3	B687XS-194B
MS51872-194C	3	B687XS-194C
MS51872-195	3	B687XS-195B
MS51872-195C	3	B687XS-195C
MS51872-196	3	B687XS-196B
MS51872-196C	3	B687XS-196C
MS51872-197	3	B687XS-197B
MS51872-197C	3	B687XS-197C
MS51872-198	3	B687XS-198B
MS51872-198C	3	B687XS-198C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T18:11Z
Check the source to verify that this is the current version before use.