INCH-POUND
A-A-59541
February 1, 2000

COMMERCIAL ITEM DESCRIPTION

SHIN/KNEE GUARD FOR RIOT CONTROL

The General Services Administration has authorized the use of this Commercial Item Description for all Federal agencies.

1. SCOPE. This commercial item description covers shin/knee guards for riot control (SGRC) to be worn by dismounted military personnel for protection of the knee and shin during civil disturbance operations.

2. CLASSIFICATION. The hard plastic shin/knee guards for riot control shall be of one type in the following sizes (see 7.4):

Medium
Large
X-Large

3. SALIENT CHARACTERISTICS.

3.1 General. The shin/knee guards for riot control, hereafter referred to as shin/knee guards, shall be the manufacturer's commercial product except for any changes necessary to comply with the government requirements.

3.2 Material. The shin/knee guards shall be manufactured from a high impact hard plastic for the outer shell material to produce a durable, rigid (not soft) shin/knee guard .

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DSCP-COET, 700 Robbins Ave, Philadelphia, PA 19111-5096.

AMSC N/A **FSC 8465**

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:17Z
Check the source to verify that this is the current version before use.

3.3 Area of Coverage. The shin/knee guards will cover and protect the front of the knee and shin (see 7.3).

3.4 Padding. The shin/knee guards will include interior padding extending beyond the edges of the outer shell to cushion the impact of objects hitting the rigid cover/outer shell.

3.5 Durability. The shin/knee guards will be made of high quality materials, that are highly resistant to wear and decay and easy to clean and maintain. They will be capable of satisfactory performance after a minimum of five years of storage and transportation in climatic categories stated in paragraph 3.12.

3.6 Flexibility. The shin/knee guards must allow for normal flexibility at the knee and ankle joints. The shin/knee guards must provide protection at flexibility points.

3.7 Fasteners. The shin/knee guards will have three to four adjustable fasteners and straps that are simple to operate and should not restrict blood flow. Fasteners must allow for quick removal by medical personnel.

3.8 Utility. The shin/knee guards shall be ambidextrous.

3.9 Shape. The shin/knee guards shall be shaped to curve and conform to the natural curvature of the knee, leg and ankle.

3.10 Color. The shin/knee guards shall be black color compatible with the black color in the Battle Dress Uniform (BDU).

3.11 Weight. The weight shall not exceed four (4) pounds for a set (pair) of shin/knee guards.

3.12 Environment. The shin/knee guards will be capable of being stored and will be operational in climatic design types hot, basic, and cold IAW Army Regulation 70-38, Research, Development, Test and Evaluation of Materiel for Extreme Climatic Conditions(see 7.1).

3.13 Labels. Each set of shin/knee guards shall have a permanently attached identification/instruction label. The identification/instruction label shall contain the item and contractor's name, contract number, national stock number (NSN) (if applicable), date of manufacture, lot number, size, and use and care instructions.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:17Z
Check the source to verify that this is the current version before use.

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and to be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5.1.2 Visual examination. Each item shall be examined for the defects listed below.

Defects. Any component not in accordance with specified requirements, any hole, cut, or tear; color deviations not as specified; raw edges, open seams, thread ends, or loose tension resulting in loose seams; any serious material defects, distorted parts or evidence of poor workmanship; any component part omitted; label missing, incorrect, or illegible; physical dimensions not as specified; any items not packaged in accordance with the contract or purchase order.

5.2 Acceptance Criteria. Acceptance criteria shall be as specified in the contract or purchase order.

6. PACKAGING.

6.1 Preservation, Packing, and Marking. The preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES.

7.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

U.S. Army Corps Engineers (USACE) Publication Depot
ATTN: CEIM-IM-PD
2803 52nd Ave.
Hyattsville, MD 20781-1102
Regulation 70-38 may be obtained via the internet at:
http://www.usace.army.mil/inet/usace-docs/army-reg/ar70-38/toc.htm

For Technical Report-Natick/TR-89/044
U.S. Army Soldier & Biological Chemical Command
Soldier Systems Center
Kansas Street
Natick, MA 01760-5019 Attn: AMSSB-RIP-S-(N)
Technical Report-Natick/TR-89/044; Titled "1988 Anthropometric Survey of U.S. Army Personnel: Methods and Summary Statistics"; Authors: Claire C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:17Z
Check the source to verify that this is the current version before use.

Gordon, Thomas Churchill, Charles E. Clauser, Bruce Bradtmiller, John T. McConville, Ilse Tebbetts, Robert A. Walker.

7.2 Products known to meet this CID

1. CHAMPRO Sports Equipment
   3600 Jarvis Avenue
   Skokie, Illinois 60076

2. Rawlings Sporting Goods Co., Inc.
   P.O. Box 22000
   St. Louis, MO 63126

3. Ampac Enterprises Inc.
   All-Star Sporting Goods Products
   Main Street
   P.O. Box 1356
   Shirley, MA 01464

4. SSM Industries Inc.
   United Athletic Products
   P.O. Box 602
   Spring City, IN 37381

7.3 Area of coverage. Coverage for the instep is also desired.

7.4 Sizing/Fit. The shin guards shall be designed to accommodate (i.e., fit, adjust, and/or successful use) the central 90 percent male and female user U.S. Army target audience soldiers as described in U.S. Army Natick Technical Report (see 7.1).

MILITARY INTERESTS:

Custodians
Army – GL

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FSS

PREPARING ACTIVITY:
DLA-CT

Project Number
8465-0292

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:17Z
Check the source to verify that this is the current version before use.