WW-F-001910 (GSA-FSS)
AMENDMENT-2
August 2, 1977
SUPERSEDING
Amendment-1
August 16, 1976

AMENDMENT

TO

INTERIM FEDERAL SPECIFICATION

FAUCET; DOUBLE, SINGLE, AND LAWN
(LAUNDRY SINK, KITCHEN, AND LAVATORY) (LAND USE)

This amendment was developed by the General Services Administration, Federal Supply Service, Washington, DC 20406, based upon currently available technical information. The General Services Administration has authorized this amendment as a part of Interim Federal Specification WW-F-001910 (GSA-FSS), dated June 18, 1975.

PAGE 4

Paragraph 3.4, specification part number, 036-50P. Specific requirements, types 36 and 39, first line; delete the word "brass".

PAGE 6

Paragraph 4.2.2, delete and substitute the following:

4.2.2 Sampling for examination and tests. Sample size for examination shall be level S-4 in accordance with MIL-STD-105. The sample size for tests shall be level S-1 except that three faucets of each type procured shall be selected for life testing (see 4.4.2.1).

GSA DC 77-7351

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:24Z
Check the source to verify that this is the current version before use.

FSC 4510