WW-P-541/4B
August 1, 1980
SUPERSEDING
Fed. Spec. WW-P-541/4A
October 12, 1971

FEDERAL SPECIFICATION SHEET

PLUMBING FIXTURES (LAVATORIES)
(DETAIL SPECIFICATION)

This specification forms a part of the latest issue of Federal Specification WW-P-541/GEN.


1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers specific requirements for lavatories.

1.2 Classification.

1.2.1 Types. Lavatories furnished under this specification sheet shall be of the types indicated in tables I through V.

1.2.2 Definitive part number (DPN). Lavatories covered by this specification shall be identified by a DPN. This part number is intended for cataloging and ordering purposes; it is not intended for surface printing on the lavatories. The DPN shall consist of the Federal specification symbol plus the specification part number (SPN) (see tables I through V). The DPN shall be written as indicated below (see 6.1 and 6.4).



FSC 4510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.

TABLE I. Enameled cast iron lavatory identification (100 series SPN).

Laboratory type	Nominal size (inches)	SPN
Flat rim with ledge-rectangular, See figure 1	20 x 18	100
Flat rim with ledge-round. See figure 2	18 in diameter	101
	19 in diameter	102
Flat rim with ledge-oval, See figure 3	19-1/4 X 16-1/4	103
Self rimming - rectangular. See figure 1	21 x 19	104
Self rimming - round. See figure 2	19 in diameter	105
Self rimming - oval. See figure 3	20-1/4 X 17-1/4	106
Straight-front apron straight back. See figure 4	19 x 17	107
	20 X 18	108
	21 X 18	109
	22 x 19	110
Shelf-back with apron. See figure 5	19 x 17	111
	22 x 19	112
	24 X 18	113

TABLE II. Vitreous china lavatory identification (200 series SPN).

Lavatory type	Nominal size (Inches)	Notes	SPN
Flat rim - rectangular. See figure 1	20 X 18		200
	20 x 19		201
Flat rim - round. See figure 2	18 in diameter		202
Flat rim - oval. See figure 3	20 x 17		203
	19 x 15		204
	19 X 16		205
Self rimming - rectangular. See figure 1	22 x 19		206
	21 x 19		207
	19 X 16		208

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.

TABLE 11. ~~Vitreous china lavoratory~~ "identification (200 series SPN) cont'd.

~~Lavatory type~~	Nominal size (inches)	Notes	SPN ~~209~~
Self rimming - round See figure 2	18 in diameter 19 in diameter		210
Self rimming - oval See figure 3	20 x 17 19 x 15		211 212
Corner, shelf-back see figure 8	17 x 17	For china leg, add CL to SPN e.g., 213 CL	213
Straight-front apron, straight-back See figure 4	20 X 18	For china leg, add CL to SPN e.g., 214 CL	214
	24 x 20	For china leg, add CL to SPN e.g., 215 CL	215
	24 x 21	For china leg, add CL to SPN e.g., 216 CL	216
Straight-front apron, ledge-back See figure 6	19 x 17	For metal leg, add ML to SPN e.g., 217 ML	217
	20 x 18	For metal leg, add ML to SPN e.g., 218 ML	218
	22 X 18	For metal leg, add ML to SPN e.g., 219 ML	219
	24 X 20	For metal leg, add ML to SPN e.g., 220 ML	220
Straight-front apron! shelf-back See figure 5	19 x 17	For metal leg, add ML to SPN e.g., 221 ML	221
	20 X 18	For metal leg, add ML to SPN e.g., 222 ML	222
	22 X 18	For metal leg, add ML to SPN e.g., 223 ML	223
	24 X 20	For metal leg, add ML to SPN e.g.. 224 ML	224
Slab type, See figure 7	20 X 18	For metal leg, add ML to SPN for china leg add CL to SPN e.g., 225 ML or 225 CL	225
	24 X 20	For metal leg, add ML to SPN, for china leg add CL to SPN e.g., 226 ML or 226 CL	226
	24 X 21	For metal leg, add ML to SPN, for china leg add CL to SPN e.g., 227 ML Or 227 CL	227

70

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.

TABLE III: Stainless steel lavatory identification (300 series SPN).

Lavatory type	Nominal size (inches)	SPN
self-rimming with ledge, rectangular, See figure 1	20 x 18	300
Self-rimming with ledge, round. See figure 2	18 in diameter	301
	19 in diameter	302
Self-rimming with ledge, oval. See figure 3	20 x 17	303

TABLE IV. Porcelain enameled formed steel lavatory identification (400 series SPN).

Lavatory type	Nominal size (inches)	SPN
Flat rim with ledge, rectangular. See-figure 1	19 X 16	400
	20 X 18	401
Self-rimming with ledge, rectangular? See figure 1	20 x 18	402
Flat rim with ledge, round. See figure 2	18 in diameter	403
	19 in diameter	404
Flat rim with ledge, oval. See figure 3	19 X 16	405
	20 x 17	406
Self-rimming with ledge, round See figure 2	18 in diamter	407
	19 in diameter	408
Self-rimming with ledge, oval. See figure 3	20 x 17	409

TABLE V. Plastic lavatory identification (500 series SPN).

Lavatory type	Nominal size (inches)	SPN
Self-rimming with ledge, round. See figure 2	18 in diameter	500
Self-rimning: with ledge; oval, See figure 3	20 x 17	501

2. APPLICABLE" DOCUMENTS

2.1 Latest issue of WW-P-541/GEN and documents referenced therein.

3. REQUIREMENTS

3.1 Materials and components. Materials and components shall conform, as applicable, to ANSI A112.19.LM through A112.19.4, 2124.3, and the basic specification 'W-P-541/GEN.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.

3.2 Color Lavatories (except stainless steel) shall be white in color (see 6.3)

4 QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection (see WW-P-541/GEN).

4.2 Quality conformance inspection (see WW-P-541/GEN).

5. PREPARATION FOR DELIVERY (see WW-P-541/GEN).

6. NOTES

6.1 Ordering data: Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Definitive part number (see 1.2.2).

6.2 Figures. Figures contained herein are for the convenience of identification of lavatory types. They are not intended to preclude the purchase of lavatories of similar design which are in accordance with the requirements of this specification. Purchasers requiring more detailed figures should consult the applicable ANSI standards.

6.3 Colors. Hue and color of lavatories may vary from one manufacturer to another, purchasers should consult manufacturer's literature prior to placing orders for colored fixtures. Colors other than white shall be specified in contract document.

6.4 Example of DPN:

DPN characteristics _____ WWP541/4 213CL

Plumbing fixture (lavatories) _____

SPN - type, style, and class of lavatory (see table II) _____

MILITARY CUSTODIANS:

Army-ME
Navy - YD
Air Force - 99

CIVIL AGENCY COORDINATING ACTIVITIES

DOE - AEC
GSA - FSS
HUD - TCS

Review activity:

DLA - CS

Preparing activity:

Navy - YD

User activities:

Army-CE
Navy - MC MS

Project No. 4510-0171-4

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.




FIG. 1. RECTANGULAR FLAT-RIM LAVATORIES.




FIG. 2. ROUND FLAT-RIM LAVATORIES.




FIG. 3. OVAL FLAT-RIM LAVATORIES.





FIG. 4. LAVATORIES WITH STRAIGHT BACKS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.



FIG, 5. SHELF-BACK LAVATORIES.




FIG. 6. LEDGE-BACK LAVATORIES.




FIG. 7. SLAB-TYPE LAVATORIES.




FIG. 8. CORNER LAVATORIES WITH SHELF-BACK.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:23Z
Check the source to verify that this is the current version before use.