NOT MEASUREMENT SENSITIVE

MIL-I-12718F(IH)
INTERIM AMENDMENT 3
17 July 1992
SUPERSEDING
MIL-I-12718F
INTERIM AMENDMENT 2
14 April 1992

# MILITARY SPECIFICATION

## INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN

This specification is approved for use by all Departments and Agencies of the Department of Defense

This interim amendment is approved for use within the Defense Personnel Support Center with MIL-I-12718F, dated 30 September 1985.

PAGE 1

1.2 Delete the following:

Line 6: Size 1 - Large
Line 7: Size 2 - Small
Line 9: Size 1 - Large
Line 10: Size 1 - Small
Line 12: Size 2 - Large
Line 13: Size 2 - Small

Add the following:

Type III - US Marine Corps - Subdued
Type IIIA - US Marine Corps - Desert Uniform
*Type IV - US Navy - Subdued
*Type IVA - US Navy - Desert Uniform

PAGE 2

2.1.2 Delete the following TIOH Drawings:

A-1-322 US Air Force Distinguishing Insignia, Large
A-1-678 US Air Force Distinguishing Insignia, Small

*Add the following TIOH Drawings:


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:14Z
Check the source to verify that this is the current version before use.

*A-1-790 US Air Force Distinguishing Insignia
*A-1-792 US Marines Distinguishing Insignia
*A-1-797 US Navy Distinguishing Insignia

PAGE 3

*3.3.1.1 Delete all "Type I and IA" and substitute "all types".

PAGE 4

*3.3.1.2 Delete in its entirety.

PAGE 5

*3.4.1 TABLE II Physical Requirements: Delete and substitute:

TABLE II Physical Requirements

| TYPES | FRONT SIDE GROUND | REVERSE SIDE ENDS FOR LETTERS | PICKS PER INCH |
|---|---|---|---|
| ALL | 208* | 184 | 72 |

*Total ground ends to include 12 ends of selvage on each end

*3.4.2.1 Delete all "Type I and IA" and substitute "all types".

*3.4.2.2 Delete in its entirety.

Add as new paragraph 3.4.3:

*"3.4.3 Alternate construction. As an alternate method of construction, the insignia may be woven on an Air Jet Broad Loom. If the alternate method is used for Type I, IA, II, or IIA, a simulated selvage on each side shall consist of 7 ends and the insignia shall be cut with a hot wire or blade on each side. The following requirements are applicable to all sizes:

Warps: 100 denier.
Filling: 150 denier.
Picks per inch: 275 (including front and reverse).

Number of ends: 144 ends.

Length:
Type I, and IA: 5-1/2 inches + 1/4 inch - 0 inch
Type II, IIA and IIB: 6-1/4 inches + 1/4 inch - 0 inch
*Type III and IIIA: 7 inches + 1/4 inch - 0 inch
*Type IV and IVA: 7 inches + 1/4 inch - 0 inch



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:14Z
Check the source to verify that this is the current version before use.

Add the following paragraph:

*3.5.1.2 Types III, IIIA, IV and IVA. Insignia shall be completely cut at right angles to the required length.

The attached replacement pages listed below are replacements for stipulated pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

| Replacement page | Page replaced |
|---|---|
| 13 | Reprinted without change |
| 14 | 14 |
| *15 | 15 |
| *16 | 16 |

(The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendments were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.)

Custodians:
Army - IH
Navy - NU
Air Force - 11

Review Activities:
Navy - MC
Air Force - 82,99
DLA - CT

User activity:
Air Force - 45


Preparing Activity:
Army - IH

(Project No. 8455-0678)



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:14Z
Check the source to verify that this is the current version before use.

| REVISIONS | | | |
|---|---|---|---|
| LTR | DESCRIPTION | DATE | APPROVED |
| B | NOTES FOR WOVEN & EMBROIDERED INSIGNIA ADDED | 28 Mar 90 | R.T. BAKER, COL., GS DIRECTOR |




| TYPE | BACKGROUND AND FILLING | LETTERS |
|---|---|---|
| I | OLIVE HAJ CABLE NO. 67134 | BLACK HAN CABLE NO. 67138 |
| IA | KHAKI HCS CABLE NO. 67193 | SPICE BROWN HCV CABLE NO. 67196 |

WOVEN INSIGNIA:

TO BE MANUFACTURED IN ACCORDANCE WITH MIL-I-12718

EMBROIDERED INSIGNIA:

LETTERS MAY BE EMBROIDERED ON TAPE AS OPTIONAL METHOD OF MANUFACTURE IF EMBROIDERED, THE LENGTH WILL BE EXTENDED 1 INCH AT EACH END.

SUPERSEDES DWG. NO. A-1-241 DTD. 16 MAY 1969.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

MATERIAL

EXAMINED BE

CHECKED

PREPARED

APPROVED Gerald T. Luchino
GERALD T. LUCHINO, COL., GS, DIRECTOR

THE INSTITUTE OF HERALDRY, U.S.ARMY
CAMERON STATION ALEXANDRIA, VA. 22304-5050

U.S. ARMY
DISTINGUISHING INSIGNIA


| SIZE | CODE IDENT. NO. | |
|---|---|---|
| A | 22571 | A-1-241 |
| SCALE 1/1 | DATE | 1 APRIL 1985 |

TAGO FORM 7 33 15 APR 77 (PROPONENT DAAG-HDI)

FIGURE 1



Source: https://assist.dla.mil -- Downloaded: 202610-17T23:14Z
Check the source to verify that this is the current version before use.




**WOVEN INSIGNIA:**
TO BE MANUFACTURED IN ACCORDANCE WITH MIL-I-12718.

**EMBROIDERED INSIGNIA:**
LETTERS MAY BE EMBROIDERED ON TAPE AS OPTIONAL METHOD OF MANUFACTURE. IF EMBROIDERED THE LENGTH WILL BE EXTENDED 1 INCH AT EACH END.

| TYPE | BACKGROUND AND FILLING | LETTERS |
|---|---|---|
| II FULL COLOR | ULTRAMARINE BLUE CABLE No. 67118 | WHITE CABLE No. 67101 |
| II A SUBDUED | OLIVE CABLE No. 67134 | FLAG BLUE CABLE No. 67124 |
| II B DESERT UNIFORM | KHAKI CABLE No. 67193 | SPICEBROWN CABLE No. 67196 |

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

MATERIALS

EXAMINED
CHECKED
PREPARED egp
APPROVED D. T. Luchino
GERALD T. LUCHINO
ACTING DIRECTOR

THE INSTITUTE OF HERALDRY, U.S.ARMY
CAMERON STATION ALEXANDRIA,VA 22304-5050

U.S. AIR FORCE DISTINGUISHING INSIGNIA

SIZE A | CODE IDENT. NO. 22571 | A-1-790

SCALE FULL | DATE 13 MAY 91

FIGURE 2



Source: https://assist.dla.mil -- Downloaded: 202640-17T23:14Z
Check the source to verify that this is the current version before use.






FIGURE 3



Source: https://assist.dla.mil -- Downloaded: 20260-17T23:14Z
Check the source to verify that this is the current version before use.




REVISIONS

| LTR | DESCRIPTION | DATE | APPROVED |
|---|---|---|---|

*WOVEN INSIGNIA:*
*TO BE MANUFACTURED IN ACCORDANCE WITH MIL-I-12718.*

*EMBROIDERED INSIGNIA:*
*LETTERS MAY BE EMBROIDERED ON TAPE AS OPTIONAL METHOD OF MANUFACTURE.*

| TYPE | BACKGROUND AND FILLING | LETTERS |
|---|---|---|
| IV | OLIVE CABLE No. 67134 | BLACK CABLE No. 67138 |
| IVA | KHAKI CABLE No. 67193 | SPICEBROWN CABLE No. 67196 |

*SUPERSEDES TIOH DWG No. A-1-797 DTD 28 OCTOBER 1991*

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES

MATERIALS

| | | |
|---|---|---|
| EXAMINED | SWH | |
| CHECKED | MH | |
| PREPARED | RLH | |
| APPROVED | G.T. Luchino GERALD T. LUCHINO DIRECTOR | |

THE INSTITUTE OF HERALDRY, U.S.ARMY
CAMERON STATION ALEXANDRIA,VA 22304-5050

*U.S. NAVY DISTINGUISHING INSIGNIA*

| SIZE | CODE IDENT. NO. | |
|---|---|---|
| A | 22571 | A-1-797 |

SCALE *FULL* DATE *30 JUNE 1992*

FIGURE 4



Source: https://assist.dla.mil -- Downloaded: 20261O-17T23:14Z
Check the source to verify that this is the current version before use.