MILITARY STANDARD

MIL-STD-1323-300
(NAVY)


25 JUNE 1981


UNIT LOAD
FOR UNDERWAY REPLENISHMENT

BOMB, PRACTICE MK 76 MOD 5
BULK PACK IN WIREBOUND PALLET BOX
ON METAL PALLET MK 3 MOD 0

UNIT LOAD DATA DODIC/NALC NO. E973

NUMBER OF BOMBS PER UNIT LOAD	81
NUMBER OF SUSPENSION LUGS PER LUG CONTAINER	9
NUMBER OF LUG CONTAINERS PER UNIT LOAD	9
NUMBER OF SUSPENSION LUGS PER UNIT LOAD	81
WEIGHT OF WR-53/45 UNIT LOAD	2158 LBS.
WEIGHT OF WOOD DUNNAGE (APPROX)	47 LBS.
WEIGHT OF STEEL STRAPPING (APPROX)	7 LBS.
WEIGHT OF PALLET (APPROX)	94 LBS.
GROSS WEIGHT OF UNIT LOAD (APPROX)	2306 LBS.
CUBE	41.7 CU. FT.





NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

AIRSYSCOM DIRECTION DATE


ORIGINATOR DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

https://assist.dla.mil -- Downloaded: 2026-10-25T23:58Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE


1. THREAD STRAPPING, ITEM 8, BETWEEN 5th AND 6th DECK WIRES OF PALLET, ITEM 2 AS SHOWN IN DETAIL A.
2. POSITION GIRTH STRAPPING, ITEM 10, AROUND UNIT LOAD AS SHOWN. TENSION STRAPPING AND DOUBLE NOTCH SEAL, ITEM 11.
3. POSITION DOMESTIC UNIT LOAD WR-53/45, ITEM 1, ON PALLET WITH THE CRATE PALLET RUNNERS PARALLEL TO THE PALLET, ITEM 2, RUNNERS AND WITH EQUAL UNDERHANG AT THE ENDS.
4. POSITION END FRAME ASSEMBLY, DETAIL B AT ENDS OF UNIT LOAD AS SHOWN. TENSION STRAPPING, ITEM 8, AND DOUBLE NOTCH SEALS. SECURE STRAPPING TO ASSEMBLY WITH 3 STAPLES, ITEM 12, EACH UPRIGHT.
5. POSITION STRAPPING, ITEM 9, UNDER PALLET DECK AND OVER CRATE, TENSION AND DOUBLE NOTCH SEALS.




DEPALLETIZING PROCEDURE

1. CUT AND REMOVE STRAPPING, ITEMS 8 AND 9.
2. REMOVE END FRAME ASSEMBLIES, DETAIL B.
3. REMOVE CRATE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.



DETAIL A



DETAIL B

END FRAME ASSEMBLY
2 REQUIRED

NOTES. 1. ALL MATERIAL SHALL BE AS SPECIFIED IN MIL-STD-1322.

2. STRAPPING .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.

REQ.	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	1	DOMESTIC U L MK 76 PRACTICE BOMB	WR-53/45	42 1/4 X 42 X 31
1	2	PALLET MK 3 MOD 0	564200	40 X 48 X 4 3/4
4	3	VERTICAL BATTEN	SEE NOTE 1	1 X 4 X 29 1/2
4	4	VERTICAL BATTEN	SEE NOTE 1	2 X 4 X 29 1/2
2	5	HORIZONTAL BATTEN	SEE NOTE 1	2 X 6 X 40
2	6	HORIZONTAL BATTEN	SEE NOTE 1	2 X 4 X 40
3 PER JOINT	7	NAIL, BOX	SEE NOTE 1	16d
2	8	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 15 FT 3
2	9	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT 3
1	10	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 17 FT
5	11	SEAL	SEE NOTE 1	3/4

LIST OF MATERIALS

REVIEW ACTIVITY:
NAVY-OS, AS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N503)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:58Z
Check the source to verify that this is the current version before use.