
MILITARY STANDARD

MIL-STD-1323-338 (NAVY)

13 JANUARY 1987

UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY MJU-22 (XCA-1)/B IN AMMUNITION BOX M2A1



CONTAINER SHIPPING AND STORAGE
DWG 30003-1650AS200


UNIT LOAD DATA DODIC/NALC NO. TBD

NUMBER OF DECOY FLARES PER BOX..... 18
NUMBER OF BOXES PER UNIT LOAD..... 84
NUMBER OF DECOY FLARES PER UNIT LOAD..... 1512
GROSS WEIGHT OF ONE BOX..... 28.16 LBS
WEIGHT OF WOOD DUNNAGE..... 28 LBS
WEIGHT OF STEEL STRAPPING..... 9 LBS
WEIGHT OF PALLET..... 94 LBS
GROSS WEIGHT OF UNIT LOAD..... 2496 LBS △
CUBE..... 33.3 CU FT

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE.

HAZARD CLASSIFICATION
DOT..... CLASS B EXPL
CG..... CLASS II-C



AMSC NO. - N/A

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING, AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236.

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

S. Gray NAVSEC 1/13/87
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

E. Kelly 1/13/87
SIGNATURE AIRSYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR Charles McBride 1/13/87
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) PLACE PALLET DECK PANEL, ITEM 10, ON PALLET DECK.

(C) POSITION THE CONTAINERS ON THE PALLET DECK WITH CLOSURES IN ONE DIRECTION.

(D) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL, ITEM 5.


(E) POSITION STRAPPING, ITEM 2 AROUND THE END PANEL ASSEMBLY. THE CLEATS OF THE END PANEL MUST BE POSITIONED AGAINST THE LOWER SECTION OF THE CONTAINERS AS SHOWN. TENSION THE STRAPPING AND DOUBLE NOTCH SEAL.

(F) POSITION THE GIRTHWISE STRAPPING, ITEM 4, OVER THE THIRD CLEAT OF THE END PANEL ASSEMBLY, AS SHOWN, TENSION AND DOUBLE NOTCH SEAL.

(G) SECURE THE GIRTHWISE STRAPPING, WITH STAPLES, ITEM 6.

MARKING:

THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH THE GENERAL DOCUMENT OF MIL-STD-1323.



DEPALLETIZING PROCEDURES


(A) REMOVE STAPLES.

(B) CUT AND REMOVE STRAPPING.


(C) REMOVE END PANELS.

(D) REMOVE CONTAINERS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.



DETAIL A



END PANEL ASSEMBLY

(2 REQUIRED

NOTES:

1. UNLESS OTHERWISE SPECIFIED, MATERIAL SHALL BE IN ACCORDANCE WITH THE GENERAL DOCUMENT MIL-STD-1323.
2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES.
3. ALL PLYWOOD AND LUMBER MUST BE FIRE RETARDANT TREATED PER MIL-L-19140E, TYPE II, CAT. 1.

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	10	PALLET DECK PANEL	PLYWOOD SEE NOTES 1 & 3	1/2 X 40 X 48
AS REQ'D	9	NAIL, BOX	SEE NOTE 1	2d
6	8	CLEAT, END	SEE NOTES 1 & 3	41 X 5/8 X 1/2
2	7	PANEL, END	SEE NOTES 1 & 3 PLYWOOD	41 X 22 X 1/4
4	6	STAPLES	COM'L	3/4
3	5	SEAL	SEE NOTE 1	3/4
1	4	STRAPPING, GIRTHWISE	SEE NOTES 1 & 2	3/4 X .035 X 16 FT 6
4	3	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 12 FT
3	2	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 13 FT
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4-3/4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.