INCH-POUND

MIL-DTL-83528/12C
15 November 2001
SUPERSEDING
MIL-G-83528/12B
10 July 1992

DETAIL SPECIFICATION SHEET

GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, FLAT CIRCULAR WASHER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the relay described herein shall consist of this specification and the latest issue of MIL-DTL-83528.



FIGURE 1. EMI/RFI gasket, elastomer, flat circular washer.

DISTRIBUTION STATEMENT A . Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:40Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and interface: See figure 1 and table I.

Material: Type A, B, C, D, E, F, H, J, K, L, or M.

Part or Identifying Number (PIN): See table I.

Supersession information: See table II.

TABLE I. Dimensions.

PIN 1/ M83528/012X	Nominal dimension 2/ 3/			Cross section 4/ area (cm^2)
	A	B	T	
001	0.250 (6.35)	0.625 (15.86)	0.031 (0.79)	0.038
002			0.062 (1.57)	0.075
003	0.375 (9.53)	0.750 (19.05)	0.031 (0.79)	0.038
004			0.062 (1.57)	0.075
005	0.500 (12.70)	0.656 (16.66)	0.031 (0.79)	0.016
006			0.062 (1.57)	0.031
007	0.500 (12.70)	0.875 (22.23)	0.031 (0.79)	0.037
008			0.062 (1.57)	0.075
009	0.750 (19.50)	1.000 (25.40)	0.031 (0.79)	0.025
010			0.062 (1.57)	0.050
011	1.000 (25.40)	1.438 (36.53)	0.031 (0.79)	0.044
012			0.062 (1.57)	0.088

1/ "X" in the PIN shall be replaced by the applicable material type. Complete PIN example: M38528/012A001.
2/ Dimensions are in inches; metric equivalents are given in parenthesis and are for general information only.
3/ Tolerance shall be as follows:

Dimensions	Tolerance
Under .101 (2.57)	± .005 (0.13)
.101 to .200 (2.57 to 5.08)	± .010 (0.25)
.201 to .500 (5.10 to 12.70)	± .015 (0.38)
Over .500 (12.70)	± .020 (0.51)

4/ For calculation of volume resistivity (for reference only).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:40Z
Check the source to verify that this is the current version before use.

TABLE II. Supersession information.

PIN 1/ M83528/012X	Superseded DESC drawing PIN 85111X 1/
001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012

1/ "X" in the PIN indicates the applicable material type.

Custodian:
Army - CR
Navy - EC
Air Force - 11
DLA - CC

Review activities:
Air Force – 19, 99
NSA – NS

Preparing activity:
DLA - CC

(Project 5999-0375-12)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:40Z
Check the source to verify that this is the current version before use.