[INCH-POUND]
A-A-51180A
July 17, 1996
SUPERSEDING
A-A-51180
16 April 1990

COMMERCIAL ITEM DESCRIPTION

# GRINDING MACHINES, UTILITY, PEDESTAL, COMBINATION WET-DRY

The General Services Administration has authorized the use of this commercial item description as a replacement for A-A-51180 for all federal agencies.

## 1. SCOPE

1.1 Scope. This commercial item description (CID) covers the requirements for electric motor driven, two 12"-wheel, utility type, pedestal mounted, wet/dry grinding machines.

1.2 Intended use. The grinding machines covered by this CID are intended for grinding of tools and workparts which are held in the operator's hands. It does not cover cutting-off, cylindrical, internal, portable, saw gumming, snagging or tool grinding machines.

## 2. CLASSIFICATION

2.1 Classification. The grinding machines shall be of the wet-dry pedestal mounted type consisting of two 12" (60 grit) wheels.

## 3. SALIENT CHARACTERISTICS

3.1 Requirements. The machine shall be new and one of the manufacturer's current models capable of operation in accordance with the requirements herein. All parts subject to wear, breakage, or distortion shall be accessible for adjustment, replacement or repair. The machine shall meet the requirements of American National Standards Institute (ANSI) B11.9 or shall be listed with Underwriter's Laboratories (UL) as meeting the requirements of UL 987. The grinding wheels and associated mechanisms shall meet the requirements of ANSI B74.2 and ANSI B7.1.

Beneficial comments, recommendations, additions, deletions, etc. and any other data which may improve this document should be sent to: Defense Supply Center Richmond, ATTN: DSCR-VBD, 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A FSC 3415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

The machine shall have a dry grinding wheel mounted on one end of a spindle and a wet grinding wheel mounted on the other end. The wet grinding side shall have a splash bowl, coolant tank with settling chamber, and an adjustable nozzle. Unless otherwise specified (see 7.2), the machine shall include two 12" medium grit grinding wheels. The machine's spindle speed and motor rating shall not be less than 1800 RPM and 2 hp, respectively. Unless otherwise specified (see 7.2), the height and wheel-to-wheel centerline dimensions shall be in accordance with the manufacturer's standard practices.

3.2 Electrical requirements. The machine shall operate from a dual 230/460 volt, 3 phase, 60 Hz circuit. Unless otherwise specified (see 7.2), the machine shall be wired for 230 volt operation. The motor shall be energy efficient and shall conform to NEMA MG-1.

3.3 Drill grinding attachment. When specified (see 7.2), a drill grinding attachment shall be furnished with all the necessary equipment to accurately grind drill point angles from 90° to 130° on twist drills or flat drills having straight or taper shanks.

3.4 Wheel dresser. When specified (see 7.2), a wheel dresser of the revolving cutter type shall be supplied.

## 4. REGULATORY REQUIREMENTS

4.1 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the material meets or exceeds the operational and maintenance requirement, and promotes economically advantageous life cycle costs.

4.2 Environmental protection. The item shall meet all applicable Environmental Protection Agency restrictions in effect on the date of the contract. These regulations apply to the emission of materials hazardous to the environment or the user's health and shall be met during the manufacturing, service, transportation, storage, and operation/use of the item.

## 5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

## 6. PACKAGING

6.1 Packaging requirements. Unless otherwise specified (see 7.2), the item shall be packaged in accordance with the manufacturer's standard practices.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Referenced documents

7.1.1 Government documents. Copies of Military and Federal documents may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

7.1.2 Industry standards. Copies of industry standards referenced in this Commercial Item Description may be obtained from the following addresses:

a. Underwriters Laboratories (UL), Inc., 333 Pfingsten Road, Northbrook, IL 60062.
b. American National Standards Institute, 1430 Broadway, New York, NY 10018.
c. National Electrical Manufacturers Association, 2101 L St. N.W., Washington, DC. 20037.

7.2 Ordering data. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Grinding wheels, if different (see 3.1).
c. Grinding machine height, if different (see 3.1).
d. Grinding machine wheel-to-wheel centerline, if different (see 3.1).
e. Electric power requirements, if different (see 3.2).
f. Drill grinding attachment, if required (see 3.3).
g. Wheel dresser, if required (see 3.4).
h. Packaging, if different (see 6.1).

MILITARY INTERESTS:

Custodians
Army - AL
Air Force - 99

Review Activities
Air Force - 84
Navy - SH

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FSS

PREPARING ACTIVITY:
DLA-GS

(Project 3415-0210)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.