INCH-POUND
A-A-51188A
30 May 2000
SUPERSEDING
A-A-51188
28 January 1991

COMMERCIAL ITEM DESCRIPTION

SOCKET, TAPER, EXTENSION

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) establishes the government acquisition requirements for extension sockets used to extend the length of a tapered-shank tool and to adapt tools having larger or smaller taper shanks to a machine spindle-nose tapered hole.

2. CLASSIFICATION. The tapers shall be of the sizes listed in table I. The size to be furnished shall be as specified (see 7.3(b)).

2.1 Taper sizes. The taper sizes listed in table I correspond to Morse taper sockets, hole and shank sizes.

TABLE I. Morse taper sockets – hole and shank sizes.

Size code	Size	Morse taper		Size code	Size	Morse taper	
		Hole	Shank			Hole	Shank
01	1 by 1	No. 1	No. 1	12	3 by 3	No. 3	No. 3
02	1 by 2	No. 1	No. 2	13	3 by 4	No. 3	No. 4
03	1 by 3	No. 1	No. 3	14	3 by 5	No. 3	No. 5
04	1 by 4	No. 1	No. 4	15	4 by 3	No. 4	No. 3
05	1 by 5	No. 1	No. 5	16	4 by 4	No. 4	No. 4
06	2 by 1	No. 2	No. 1	17	4 by 5	No. 4	No. 5
07	2 by 2	No. 2	No. 2	18	4 by 6	No. 4	No. 6
08	2 by 3	No. 2	No. 3	19	5 by 4	No. 5	No. 4
09	2 by 4	No. 2	No. 4	20	5 by 5	No. 5	No. 5
10	2 by 5	No. 2	No. 5	21	5 by 6	No. 5	No. 6
11	3 by 2	No. 3	No. 2				

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: Defense Supply Center Richmond (DSCR), ATTN: DSCR-VBD, 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A FSC 3460

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS. The socket configuration shall be similar to the design shown in figure 1. A drift (tang) slot shall penetrate the tapered bore. The material quality shall be sufficient to ensure product compliance with the requirements of this document.

3.1 Dimensions. The socket hole taper (A) and shank taper (B) shall be selected from the size codes listed in table I. The gage line diameter (D) and tang slot (E) shall comply with the taper dimensions specified in the American Society of Mechanical Engineers (ASME) B5.10, "Machine Tapers (Self Holding and Steep Taper Series)" (DoD adopted).

3.2 Length. Taper socket length (C) shall be as specified (see 7.3(c)).



FIGURE 1. Socket, taper, extension.

3.3 Concentricity. For socket lengths up to 12 inches, the shank taper shall be concentric with the hole taper within a tolerance of 0.002 inch total indicator reading (TIR). For socket lengths greater than 12 inches, the shank taper shall be concentric with the hole taper within a tolerance of 0.004 inch TIR. Both TIRs shall be projected 5 inches from the mouth of the socket.

3.4 Hardness. Unless otherwise specified in the contract (see 7.3(d)), socket hardness shall not be less than 30 on the Rockwell "C" scale when tested in accordance with the American Society for Testing and Materials (ASTM) E 18, "Standard Test Methods for Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials" (DoD adopted).

3.5 Finish. The outside of the socket shall have a ground finish.

3.6 Marking. The socket shall be permanently marked with the manufacturer's name or with a corresponding trademark of such known character that the manufacture may be identified. The socket shall also be permanently marked with the ASME numbers (see table I) designating the socket hole and shank tapers.

4. REGULATORY REQUIREMENTS

4.1 Recovered material. The offeror or contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.

6. PACKAGING

6.1 Preservation, packing, and marking. For acquisition purposes, the sockets supplied shall be preserved, packed, and marked as specified in the acquisition order (see 7.3(e)).

7. NOTES

7.1 Part or identification number (PIN). The following part or identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.



7.2 Sources of documents.

7.2.1 FAR. The FAR may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.

7.2.2 ASME standards. Copies of ASME standards may be obtained from the American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017.

7.2.3 ASTM standards. Copies of ASTM standards may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

7.3 Ordering data. Acquisition documents must specify the following information:

a. CID document number, revision, and CID PIN
b. Taper socket size (see 2)
c. Taper socket length (see 3.2)
d. Hardness, if different (see 3.4)
e. Packaging requirements (see 6.1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.

7.4 Sources of supply. The manufacturers and/or suppliers listed below are known to supply products which meet the salient characteristics requirements of this document. Competition is not limited to the listed firms.

Koebert Tool Sales Incorporated
121 Holly Drive
Hatboro, PA 19040-1516

Black and Company
5351 W. Minnesota Street
Indianapolis, IN 46241-3817

7.5 National stock number (NSN). The NSNs listed below are assigned to this document. Other NSNs may also correspond with this document.

3460-00-227-7489	3460-00-239-0601	3460-01-010-3578
3460-00-242-6171	3460-00-541-4880	3460-00-227-7511
3460-00-517-5888	3460-01-261-4434	3460-00-268-9316
3460-01-261-4433	3460-00-227-7524	3460-00-541-4887
3460-00-204-1676	3460-00-227-7497	
3460-00-227-7492	3460-00-227-7498	

MILITARY INTERESTS:

Custodians:
Army - AL
Air Force - 99

Reviewer:
Air Force - 84

CIVIL AGENCY
COORDINATING ACTIVITY:

GSA - 6FET

Preparing activity:
DLA - GS

(Project 3460-0196)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:52Z
Check the source to verify that this is the current version before use.