CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 2, CLASS 2, 100 AMPERE

This specification is approved for use by the Naval Facilities Engineering Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring cable assemblies described herein shall consist of this document and latest issue of MIL-C-29184.

REQUIREMENTS:

Physical:

Design and construction - See Figure 1 and Table I.
Overall length - See Table II/ Length is measured from the outside front edge of each connector housing with cover off.

Electrical:

Power - 208/120 volt, 1 phase, 3 pole, 4 wire.
Ampacity - 100 amperes (A).
Cable to connector wiring - See Table III.

Government part number - M29184/14 - (dash number from Table II)
Government furnished equipment - Items 1 through 5A of Table I.

TABLE I. Cable assembly components.

Item	Quantity	Description	Military part number
1	1	MIL-C-2992, Class L, 100A straight plug connector	MS90556C44406P
2	1	MIL-C-22992, Class L, 100A cable connecting receptacle connector without coupling ring.	MS90557C44406S

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:05Z
Check the source to verify that this is the current version before use.

TABLE I. Cable assembly components. (continued)

Item	Quantity	Description	Military part number
* 3	1	Protective cover (plug type) for item 1	MS90564-7C
* 4	1	Protective cover (cap type) for item 2	MS90563-7C
5	2	Cable strain relief grip	MS90561-6
5A	2	Cable sealing gland for use with item 5	MS23747-6
6	1	Portable power cable, NEMA type G, 3 conductor, No. 2 AWG per conductor and 3 grounding conductors, No. 9 AWG with not less than 49 wires per conductor	
7	2	Marking bands	

*These items should be supplied as part of items 1 or 2, as applicable, when items 1 or 2 are procured.

TABLE II. Dash numbers.

Dash number	Description
01	Cable assembly, 50 feet overall length
02	Cable assembly, 100 feet overall length

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:05Z
Check the source to verify that this is the current version before use.

TABLE III.

Multiple - Conductor cable identification and connector terminal wiring assignment.

Cable Conductor Color Code	Conductor Identification	Terminal designation
Black	First ungrounded conductor	A
Red	Second ungrounded conductor	B
White	Grounded conductor	N
Green or Bare	Ground	G *

*3 ground wires shall be connected to terminals G1, G2, and G3.

Custodian:

Navy - YD

Preparing Activity:

Navy - YD

(Project 6150-N197)

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:05Z
Check the source to verify that this is the currentversion before use.




FIGURE 1. Cable assembly functional components.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:05Z
Check the source to verify that this is the current version before use.